

40' x 14' x 3'
1.5 inch Skimmer
with 0.75 inch
Orifice Diameter
4 ft. weir
(See Tiered Skimmer
Basin Detail)
ID 4.2

**Modified Silt Basin
Type 'B'**
40' x 14' x 3'
4 ft. weir
(See Tiered Skimmer
Basin Detail)
ID 4.2

30' x 12' x 3'
1.5 inch Skimmer
with 0.5 inch
Orifice Diameter
4 ft. weir
(See Tiered Skimmer
Basin Detail)
ID 4.1

**Modified Silt Basin
Type 'B'**
30' x 12' x 3'
4 ft. weir
(See Tiered Skimmer
Basin Detail)
ID 4.1

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 4

NOTE:
PERIMETER EROSION CONTROL MEASURES SHALL BE
INSTALLED DURING CLEARING AND GRUBBING PHASE.

ENVIRONMENTALLY SENSITIVE AREA
SEE PROJECT SPECIAL PROVISIONS


NOTE:
REMOVE ALL PORTIONS OF THE EXISTING
ABUTMENTS AND INSTALL BANK
STABILIZATION WITH CLASS II RIP RAP TO
AREA SHOWN ON BOTH STREAM BANKS. USE
IMPERVIOUS DIKE NCDOT STANDARD BMP
ALONG STREAMBANK TO DEWATER AND ISOLATE
ADJACENT WORK AREA TO REMOVE THE
ABUTMENTS AND INSTALL BANK
STABILIZATION IN THE DRY. THE
PLACEMENT OF THE IMPERVIOUS DIKE IS
CONSIDERED INCIDENTAL TO REMOVAL OF THE
ABUTMENTS AND INSTALLATION OF RIP RAP
BANK STABILIZATION.

ALL PORTIONS OF THE EXISTING TIMBER
PILES AND CONCRETE JACKETS SHOULD BE
COMPLETELY REMOVED OR REMOVED ONE FOOT
BELOW THE MUD LINE.

- END BENT EXCAVATION
SEE STRUCTURE PLANS
(STRUCTURE PAY ITEM)
- FOR -L- PROFILE, SEE SHEET 5
- FOR -Y- PROFILE, SEE SHEET 5
- PROPOSED PAVED SHOULDER
- ALL DRIVEWAY RADII ARE 5' UNLESS OTHERWISE NOTED
- FOR STRUCTURE PLANS, SEE SHEETS S-1 THRU S-18

NOTE:
UTILIZE SPECIAL STILLING BASIN(S) AS
STILLING BASIN WHERE APPLICABLE.

NOTE:
UTILIZE FLOATING TURBIDITY CURTAIN
AS DIRECTED.



REVISIONS

8.17.799
REV. JAN. 2017, 11:02 AM
R5: E:\1\Design\B4655_REU_psh04_CD.dwg
W:\Bentley\AT\BENTLEY