

MFG _____	MFG. DATE: MM/YY _____
SHAFT D/T/L/Y _____	SECTION D/T/L/Y _____
ARM-A D/T/L/Y _____	NCDOT SIG. INV. NO. _____
ARM-B D/T/L/Y _____	NCDOT POLE NO. _____
A.B. DIA./B.C./L/Y _____	
NCDOT SIG. INV. NO. _____	
NCDOT POLE NO. _____	



MFG _____	MFG. DATE: MM/YY _____
SECTION D/T/L/Y _____	NCDOT SIG. INV. NO. _____
NCDOT SIG. INV. NO. _____	NCDOT POLE NO. _____

**Shaft I.D. Tag**  
(Provide on Shaft of Strain Poles and Mast Arm Poles Shaft)

**Arm I.D. Tag**  
(Provide on each section of a multi-section mast arm.)

- Notes:**
- 1) D= Diameter, T= Thickness, L= Length, Y= Yield Strength
  - 2) A.B. = Anchor Bolt
  - 3) B.C. = Bolt Circle of Anchor Bolts
  - 4) If Custom Design, use "NCDOT STANDARD" line for Signal Inv. Number and pole I.D. number
  - 5) See drawing M3 and M4 for mounting positions of I.D. tags.

**Identification Tag Details**



Prepared in the Offices of:

750 N. Greenfield Pkwy, Garner, NC 27529

Typical Fabrication Details For All Metal Poles	
PLAN DATE: FEBRUARY 2016	DESIGNED BY: C.F. ANDREWS
PREPARED BY: N. BITTING	REVIEWED BY: D.C. SARKAR
REVISIONS	INITIALS DATE

SEAL

DocuSigned by: Debesh C. Sarkar

44E8E32E147E4C4...

2/17/2016 DATE

17-FEB-2016 16:02:30 T:\CSG04115\Sig\1615\Sig\1615-014\_Sig\_M2\_S1d\_Fabrication\_Details-All\_Poles.dgn