



PROJECT REFERENCE NO.	SHEET NO.
I-5000	EC-4/CONST.4
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

UTILIZE FABRIC INSERT INLET PROTECTION DEVICE AS DIRECTED IN LIEU OF ROCK INLET SEDIMENT TRAP TYPE C TO AVOID IMPOUNDING RUNOFF ON ROADWAY OPEN TO PUBLIC



NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.

CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 4



MATCHLINE -Y3- STA. 14+00 SEE SHEET 8

-Y1- POT Sta. 12+20.21
-Y3- POT Sta. 10+00.00

N 40° 53' 53.91" W
-RPD- PT Sta. 35+90.81
-Y1+ POT Sta. 24+22.38

BEGIN PROJECT I-5000
-Y1- POT STA. 11+00.00

-Y4-
 PI Sta 11+07.40
 $\Delta = 36' 39" 12.9" (LT)$
 $D = 24' 22" 52.3"$
 $L = 150.34'$
 $T = 77.84'$
 $R = 235.00'$
 PI Sta 12+47.29
 $\Delta = 9' 39" 21.9" (LT)$
 $D = 7' 10" 47.7"$
 $L = 134.49'$
 $T = 67.40'$
 $R = 798.00'$

MATCHLINE -Y1- STA. 25+00 SEE SHEET 5

8/17/99
28-OCT-2016 09:37 Designer: I-5000-EC.dsn - psh04.dgn
C:\Users\psh04\AppData\Local\Temp\28-OCT-2016 09:37

