
\bigcirc

 \bigcirc



	PROJECT REFERENCE NO.	SHEET	NO.
	I-5000	SCP.	15
		_	
LEGEN	П		

	COLOR CODE TIA/EIA 598–C			LEGEND
(1)	BLUE	(7)	RED	X = NEW FUSION SPLICE INDIVIDUAL FIBER
(2)	ORANGE	(8)	BLACK	\bullet = EXISTING FUSION SPLICE
(3)	GREEN	(9)	YELLOW	C = CAP AND SEAL
(4)	BROWN	(10)	VIOLET	EXPRESS = EXPRESS ENTIRE BUFFER TUBE
(5)	SLATE	(11)	ROSE	THROUGH WITHOUT CUTTING
(6)	WHITE	(12)	AQUA	BUFFER SPLICE = SPLICE ALL FIBERS IN BUFFER TUBE COLOR TO COLOR

NEW

TO SPLICE ENCLOSURE FOR INTERSECTION 12–0017 US 321 (N. CHESTER ST) AT W. DAVIDSON AVE

24 FIBERS IN 2 BUFFER TUBES

· · · · · · · · · · · · · · · · · · ·
<u>NOTES</u>
1. UNUSED FIBERS LEFT COILED AND STORED IN SPLICE TRAY.
2. UNUSED BUFFER TUBES LEFT COILED AND STORED IN SPLICE ENCLOSURE.
3. TRANSCEIVER TERMINATION CONFIGURATIONS ARE GENERIC. CONTRACTOR IS RESPONSIBLE FOR DETERMINING / ENSURING PROPER TERMINATION.
4. INCLUDE ON THE COVER OF EACH SPLICE TRAY THE FOLLOWING: REFERENCE SECTION 1731 "FIBER OPTIC SPLICE ENCLOSURE"
(1) SPLICE (2) DATE (3) COMPANY NAME (4) NAME OF INDIVIDUAL PERFORMING THE SPLICING
PRIOR TO INSTALLING THE COVER ON THE SPLICE TRAY, TAKE A DIGITAL PHOTOGRAPH SHOWING THE SPLICE TRAY AND INFORMATION SHOWN ABOVE (1–4) AND SUBMIT PHOTOGRAPH ALONG WITH OTDR TEST RESULTS.

CHANNEL 11 – SIG. INV. # 12–1623 DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED Plans Prepared for: SEAL TH CARO VEESS IN SPLICE DETAILS SEAL 07983 Division 12 Gaston Co. Gastonia PLAN DATE: September 2016 REVIEWED BY: N.R. Simmons SMGINE WINS PREPARED BY: T.R. Terrell REVIEWED BY: H.L. Winstead 750 N. Greenfield Pkwy. , Garner, NC 275 SCALE REVISIONS INIT. DATE H L Winstead, Jr. 11/8/2010 NONE 53182981472474... SIGNATURE DATE CADD Filename: I 5000 SCP-15.dgr