



PROJECT REFERENCE NO. <i>R-2707C</i>	SHEET NO. <i>2A-2</i>
RW SHEET NO.	
ROADWAY DESIGN ENGINEER 	PAVEMENT DESIGN ENGINEER 
 4100 FALLS OF REVERE ROAD, SUITE 100 WILSON, NORTH CAROLINA 27157 919-781-8626 VOICE 919-781-8665 FAX RE: 0102	
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>	
<b>PAVEMENT SCHEDULE</b>	
CODE	DESCRIPTION
C3	3" ACSC TYPE S9.5B
D1	2 1/2" ACIC TYPE I19.0B
D3	4" ACIC TYPE I19.0B
J2	8" ABC
N	GEOTEXTILE FOR PVMT STAB
R3	CONC. SHOULDER BERM GUTTER
T	EARTH MATERIAL




\*\* USE GEOTEXTILE FOR SOIL STABILIZATION IN CONJUNCTION WITH TYPICAL SECTION 2 AT THE FOLLOWING LOCATIONS  
 -Y9RPA- 0+00 TO 4+50  
 -Y9RPA- 13+50 TO 19+00  
 -Y9RPD- 0+00 TO 13+00

NOTES: \* 4:1 MAX FILL SLOPE INSIDE INTERCHANGE  
 \*\* VARIES 2'-0" TO 24'-0"  
 VARIES 14'-0" TO 36'-0"  
**TYPICAL No. 2**

\*\* -Y9RPA- STA 4+37.03 TO STA 19+44.42  
 -Y9RPD- STA 4+31.51 TO STA 14+90.63 (MIRROR TYPICAL)




**SHOULDER BERM GUTTER DETAIL**  
 -Y9RPA- & -Y9RPD-  
 AT LOCATIONS WHERE INDICATED ON PLANS



NOTES: \* 4:1 MAX FILL SLOPE INSIDE INTERCHANGE  
 \*\* VARIES 2'-0" TO 24'-0"  
 VARIES 14'-0" TO 36'-0"  
**TYPICAL No. 3**

-Y9RPB- STA 5+12.25 TO STA 18+60.43 (MIRROR TYPICAL)  
 \*\* -Y9RPC- STA 4+45.74 TO STA 14+76.99



NOTES: \* 4:1 MAX FILL SLOPE INSIDE INTERCHANGE

**TYPICAL No. 4**

-Y14RPA- STA 5+59.98 TO STA 14+78.99  
 -Y14RPD- STA 4+55.63 TO STA 16+33.93 (MIRROR TYPICAL)

\*\* USE GEOTEXTILE FOR SOIL STABILIZATION IN CONJUNCTION WITH TYPICAL SECTION 4 AT THE FOLLOWING LOCATIONS  
 -Y14RPA- 11+00 TO 14+78.99  
 -Y14RPD- 9+00 TO 16+33.93

NOTE: ROCK INVESTIGATION PER CUT AS SPECIFIED IN NCDOT STANDARD SPECIFICATIONS SHALL BE FROM FUTURE SUBGRADE LINE