


PROJECT REFERENCE NO. W-5313	SHEET NO. EC-32/CONST.32
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 32



BANK STABILIZATION
SEE DETAIL AO
FILL IN EXISTING SCOUR HOLE:
CLASS II RIP RAP 35 TONS
SIDE SLOPES:
GEOTEXTILE 100 SY
CLASS I RIP RAP 60 TONS

45 x 17 x 3
1.5 inch Skimmer
with 0.75 inch
Orifice Diameter
4 ft. weir
ID 32.1B

48 x 15 x 3
1.5 inch Skimmer
with 0.625 inch
Orifice Diameter
4 ft. weir
ID 32.2B

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.

 ENVIRONMENTALLY SENSITIVE AREA
SEE PROJECT SPECIAL PROVISIONS

03 JUN 2016 15:25
 C:\enviro\design\W-5313\EC-psht-sh32.dgn
 R:\enviro\design\W-5313\EC-psht-sh32.dgn