# **INDEX OF SHEETS**

SHEET NUMBER	SHEET	GENER
1	TITLE SHEET	
1 A	INDEX OF SHEETS, GENERAL NOTES, AND STANDARD DRAWINGS	GRADI
1 B	CONVENTIONAL SYMBOLS	
1 C - 1	SURVEY CONTROL SHEET	
2A-1	PAVEMENT SCHEDULE, TYPICAL SECTIONS, AND WEDGING DETAIL	
2C-1 THRU 2C-6	GUARDRAIL PLACEMENT DETAILS	
2C-7 THRU 2C-10	GUARDRAIL INSTALLATION DETAILS	
2C-11 THRU 2C-14	STRUCTURE ANCHOR UNITS DETAILS	CLEAR
2C-15	METHOD OF CLEARING DETAIL	
3B-1	SUMMARY OF EARTHWORK, PAVEMENT REMOVAL, Shoulder berm gutter, and guardrail	
3D-1	SUMMARY OF DRAINAGE	SUPER
3G-1	SUMMARY OF GEOTECHNICAL	
4	PLAN SHEET	
5	PROFILE SHEET	
TMP-1 THRU TMP-3	TRANSPORTATION MANAGEMENT PLANS	
PMP-1	PAVEMENT MARKING PLANS	SHOUL
EC-1 THRU EC-5	EROSION CONTROL PLANS	
SIGN-1	SIGNING PLANS	
UO-1 THRU UO-2	UTILITIES BY OTHERS PLANS	SUBSU
X-1 A	CROSS-SECTION SUMMARY SHEET	
X-1 THRU X-3	CROSS-SECTIONS	
S1-1 THRU S1-14	STRUCTURE PLANS	
		GUARD

END BENTS:

## **GENERAL NOTES**

ERAL NOTES:

2012 SPECIFICATIONS EFFECTIVE: 01-17-2012 REVISED: 01-24-2017

### DING AND SURFACING OR RESURFACING AND WIDENING:

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. WHERE NO GRADE LINES ARE SHOWN, THE PROFILES SHOWN DENOTE THE TOP ELEVATION OF THE EXISTING PAVEMENT ALONG THE CENTER LINE OF SURVEY ON WHICH THE PROPOSED RESURFACING WILL BE PLACED. GRADE LINES MAY BE ADJUSTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

#### ARING:

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD II "MODIFIED" WITH HAND CLEARING BEYOND THE SLOPE STAKES.

## RELEVATION:

ALL CURVES ON THIS PROJECT SHALL BE SUPERELEVATED IN ACCORDANCE WITH STD. NO. 225.04 USING THE RATE OF SUPERELEVATION AND RUNOFF SHOWN ON THE PLANS. SUPERELEVATION IS TO BE REVOLVED ABOUT THE GRADE POINTS SHOWN ON THE TYPICAL SECTIONS.

#### LDER CONSTRUCTION:

ASPHALT, EARTH, AND CONCRETE SHOULDER CONSTRUCTION ON THE HIGH SIDE OF SUPERELEVATED CURVES SHALL BE IN ACCORDANCE WITH STD. NO. 560.01

#### URFACE DRAINS:

SUBSURFACE DRAINS SHALL BE CONSTRUCTED IN ACCORDANCE WITH STD. NO. 815.02 AT LOCATIONS DIRECTED BY THE ENGINEER.

#### GUARDRAIL:

THE GUARDRAIL LOCATIONS SHOWN ON THE PLANS MAY BE ADJUSTED DURING CONSTRUCTION AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHOULD CONSULT WITH THE ENGINEER PRIOR TO ORDERING GUARDRAIL MATERIAL.

#### TEMPORARY SHORING:

SHORING REQUIRED FOR THE MAINTENANCE OF TRAFFIC WILL BE PAID FOR AS "EXTRA WORK" IN ACCORDANCE WITH SECTION 104-7.

THE ENGINEER SHALL CHECK THE STRUCTURE END BENT PLANS, DETAILS, AND CROSS-SECTION PRIOR TO SETTING OF THE SLOPE STAKES FOR THE EMBANKMENT OR EXCAVATION APPROACHING A BRIDGE.

#### UTILITIES:

UTILITY OWNERS ON THIS PROJECT ARE Brunswick EMC, Time Warner

Cable, CenturyLink, and Columbus County


ANY RELOCATION OF EXISTING UTILITIES WILL BE ACCOMPLISHED BY OTHERS.

#### RIGHT-OF-WAY MARKERS:

ALL RIGHT-OF-WAY MARKERS ON THIS PROJECT SHALL BE PLACED BY OTHERS.

2012 ROADWAY ENGLISH STANDARD DRAWINGS

STD.NO. DIVISION 2 - EARTHWORK DIVISION 3 - PIPE CULVERTS 300.01 Method of Pipe Installation DIVISION 4 - MAJOR STRUCTURES 422.10 Reinforced Bridge Approach Fills DIVISION 5 - SUBGRADE, BASES AND SHOULDERS DIVISION 8 - INCIDENTALS 815.02 Subsurface Drain 840.00 Concrete Base Pad for Drainage Structures 840.29 Frames and Narrow Slot Flat Grates 840.35 840.46 Traffic Bearing Precast Drainage Structure 840.66 Drainage Structure Steps 846.01 846.04



- Concrete Curb, Gutter and Curb & Gutter
- Drop Inlet Installation in Shoulder Berm Gutter
- 876.02 Guide for Rip Rap at Pipe Outlets