



SURVEY CONTROL SHEET B-5236



BEGIN TIP PROJECT B-5236
-L- STA. 10+75.00

BEGIN TIP PROJECT B-5236
-L- STA. 11+50.00



.....
 DA3199 ELEVATION = 7.98
 N 124023 E 2326627
 L STATION 13+63.00 43 LEFT
 R/R SPIKE SET IN 14\"/>

END TIP PROJECT B-5236
-L- STA. 19+00.00

DATUM DESCRIPTION

THE LOCALIZED COORDINATE SYSTEM DEVELOPED FOR THIS PROJECT IS BASED ON THE STATE PLANE COORDINATES ESTABLISHED BY NCDOT FOR MONUMENT "B5236-1" WITH NAD 83/NSRS 2007 STATE PLANE GRID COORDINATES OF NORTHING: 2326698.694(±) EASTING: 124079.711(±) ELEVATION: 6.616(±)

THE AVERAGE COMBINED GRID FACTOR USED ON THIS PROJECT (GROUND TO GRID) IS: 1.000082655

THE N.C. LAMBERT GRID BEARING AND LOCALIZED HORIZONTAL GROUND DISTANCE FROM "B5236-1" TO -L- L STATION 10+00.00 IS S 2° 16' 45" W 419.22

ALL LINEAR DIMENSIONS ARE LOCALIZED HORIZONTAL DISTANCES
 VERTICAL DATUM USED IS NAVD 88

BL	POINT	DESC.	NORTH	EAST	ELEVATION	L STATION	OFFSET
	B52361	NCDOT GPS MON.	124079.7110	2326698.6940	6.62	14+18.15	29.86 RT
	B52362	NCDOT GPS MON.	125412.5230	2326646.0710	3.79	OUTSIDE PROJECT LIMITS	

NOTE: DRAWING NOT TO SCALE

6/2/09

Z:\MAP-2017_10\55
 P:\Location Surveys\B5236.LS_1C-1.dgn
 \$\$\$SUBSTRING\$\$\$