



BENT 2 (SPAN B SIDE)

AS-BUILT REPAIR QUANTITY TABLE

	BENT 2 REPAIRS	QUANTITIES					
		ESTI	ACTUAL				
	SHOTCRETE REPAIRS	AREA SF	VOLUME CF	AREA SF	DEPTH FT	VOLUME CF	
	CAP (VERTICAL FACE)	12.0	6.0				
	CAP (HORIZONTAL, CORNER)	0	0				
	COLUMN	0	0				

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MIN. OF 1"BEHIND REBAR AND MIN. 2"CL TO SAWCUT. SEE REPAIR DETAILS.

NOTES:

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE GIVEN WITH THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE INSPECTOR OR ENGINEER THE CONTRACTOR SHALL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATION AND DESCRIPTION OF THE REPAIRS AND ADJUST THE ACTUAL QUANTITIES ENTERED INTO THE REPAIR QUANTITY TABLE.

SHOTCRETE REPAIRS MAY BE REPLACED WITH CONCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIR DETAILS, SEE "TYPICAL CAP & COLUMN REPAIR DETAILS" SHEET.

- SHOTCRETE REPAIR

- CONCRETE REPAIR

PROJECT NO. I-5889A

BUNCOMBE county

BRIDGE NO. 334



STATE OF NORTH CAROLINA

DEPARTMENT OF TRANSPORTATION

RALEIGH

BENT 2 SPAN B SIDE

SHEET NO.

TOTAL SHEETS

DATE:

PLANS PREPARED BY:

Cannett Fleming

Excellence Delivered As Promised

2610 Wycliff Road
Suite 102
Raleigh NC 27607-3073
(919) 420-7660

NC Lic. No. F-0270

		REVISIONS						
OCUMENT NOT CONSIDERED	NO.	BY:	DATE:	NO.	BY:			
FINAL UNLESS ALL	1			3				
SIGNATURES COMPLETED				<u> </u>				

DRAWN BY: ______D.PETRY DATE: 9/2017
CHECKED BY: _____R.NELSON DATE: 10/2017