BOTTOM OF CAP

27.3 SF. 36.9 SF. SHOTCRETE∕ SHOTCRETE REPAIR REPAIR ELEVATION

> BENT 1 (SPAN B SIDE)

(EAST FACE)

NOTES:

SPAN A

SPAN B

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE GIVEN WITH THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE INSPECTOR OR ENGINEER THE CONTRACTOR SHALL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATION AND DESCRIPTION OF THE REPAIRS AND ADJUST THE ACTUAL QUANTITIES ENTERED INTO THE REPAIR QUANTITY TABLE.

SHOTCRETE REPAIRS MAY BE REPLACED WITH CONCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIR DETAILS, SEE "TYPICAL CAP & COLUMN REPAIR DETAILS"SHEET.

- SHOTCRETE REPAIR

- CONCRETE REPAIR

PROJECT NO. I-5889A BUNCOMBE _ COUNTY 344 BRIDGE NO. __



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

> BENT 1 SPAN B SIDE

PLANS PREPARED BY:

Cannett Fleming

Excellence Delivered As Promised

2610 Wycliff Road
Suite 102
Raleigh NC 27607-3073
(919) 420-7660

NC Lic. No. F-0270

DOCUMENT NOT CONSI FINAL UNLESS AL SIGNATURES COMPLE

	REVISIONS						SHEET NO.
TDERED	NO.	BY:	DATE:	NO.	BY:	DATE:	S-29
VLL	1			3			TOTAL SHEETS
LETED	2			4			208

D.PETRY R.F. WERTMAN DATE: 9/2017
DATE: 10/2017 DRAWN BY : ___

END VIEW (SOUTH FACE)