

BEAM REPAIR C	UANTITY	TABLE
	ESTIMATED	ACTUAL
PLATING REPAIR	148.4 LBS.	


ANTICIPATED BEAM REPAIR LOCATIONS								
SPAN	BEAM	LOCATION	REPAIR TYPE	DIM ``A''	DIM ``B''	DIM ``C''	DIM	
А	2	BENT 1	PW	6″	2'-0"	_		
А	6	BENT 1	PW	2'-8"	1'-0"	_		
В	1	BENT 1	PW	6″ 1′-0″		_		
В	5	BENT 1	PW	4″	1'-0"	-		
В	6	BENT 1	PW	6″	3'-0"	_		
E	6	BENT 4	PW	5″	6'-0"	_		


+

M.A.LEE	DATE : <u>9/2017</u>
R.F. WERTMAN	DATE: 10/2017

## FRAMING PLAN

- BEAM NUMBER (1)
- (PW) - PLATING WEB REPAIR
- (PF)- PLATING FLANGE REPAIR
- (ZP) - ZONE PAINTING







## NOTES:

SEE SHEET NO.S-40 FOR BEAM PLATING REPAIR DETAILS.

THE LOCATIONS AND DIMENSIONS OF THE AREAS FOR REPAIR ARE BASED ON THE BEST INFORMATION AVAILABLE. THE CONTRACTOR, IN CONJUNCTION WITH THE ENGINEER, SHALL VERIFY THE LOCATION AND EXTENT OF REPAIR AREAS PRIOR TO PERFORMING REPAIRS.

CONTRACTOR SHALL ENSURE THAT EXISTING UTILITIES ADJACENT TO THE BRIDGE ARE NOT DAMAGED DURING THE REPAIR OPERATIONS.

## BEAM REPAIR LOCATIONS

SHEET NO. S-39 TOTAL SHEETS

208

Ein Bhil J 11/16/2017 BA9F91762D7044A							
		REVISIONS					
073	DOCUMENT NOT CONSIDERED	N0 <b>.</b>	BY:	DATE:	N0.	BY:	DATE:
	FINAL UNLESS ALL	1			3		
	STGNATURES COMPLETED	୭			A		

NGINEE