

D.PETRY R.F. WERTMAN

DRAWN BY : \_\_\_

\_\_ DATE : <u>9/2017</u> \_\_ DATE : <u>10/2017</u>

AS-BUILT REPAIR QUANTITY TABLE QUANTITIES BENT 2 REPAIRS ESTIMATE ACTUAL AREA DEPTH VOLUME SF FT CF VOLUME AREA SHOTCRETE REPAIRS CAP (VERTICAL FACE) 13.3 6.6 CAP (HORIZONTAL, CORNER) 0 0 COLUMN

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MIN. OF 1"BEHIND REBAR AND MIN. 2"CL TO SAWCUT. SEE REPÁIR DETAILS.

## NOTES:

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE GIVEN WITH THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE INSPECTOR OR ENGINEER THE CONTRACTOR SHALL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATION AND DESCRIPTION OF THE REPAIRS AND ADJUST THE ACTUAL QUANTITIES ENTERED INTO THE REPAIR QUANTITY TABLE.

SHOTCRETE REPAIRS MAY BE REPLACED WITH CONCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIR DETAILS, SEE "TYPICAL CAP & COLUMN REPAIR DETAILS" SHEET.

- SHOTCRETE REPAIR

- CONCRETE REPAIR

PROJECT NO. I-5889A BUNCOMBE \_ COUNTY BRIDGE NO. 347



Excellence Delivered As Promised NC Lic. No. F-0270

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

> BENT 2 SPAN B SIDE

			REV18
MENT NOT CONSIDERED	NO.	BY:	DATE:
FINAL UNLESS ALL	1		
GNATURES COMPLETED	2		

REVISIONS						SHEET NO.
o <b>.</b>	BY:	DATE:	NO.	BY:	DATE:	S-44
]			8			TOTAL SHEETS
2			4			208