BOTTOM OF CAP

58.8 SF. 5.7 SF. 11.9 SF. SHOTCRETE -7 SHOTCRETE -SHOTCRETE -REPAIR REPAIR REPAIR SHOTCRETE REPAIR 3.0 SF. SHOTCRETE SHOTCRETE REPAIR REPAIR ~3.1 SF. SHOTCRETE REPAIR 0.5 SF. SHOTCRETE REPAIR 1.7 SF. SHOTCRETE REPAIR └─0.6 SF. SHOTCRETE REPAIR

END VIEW (SOUTH FACE)

SPAN H (EAST FACE)

BENT 7 (SPAN H SIDE)

M.A.LEE _ DATE : <u>9/2017</u> DRAWN BY : R.F. WERTMAN _ DATE : <u>10/2017</u>



OCUMENT NOT CONSIDEREI FINAL UNLESS ALL SIGNATURES COMPLETED

SEAL 7 020208

DocuSigned by:

Eir BML J 11/16/2017

BA9F91762D7044A...

NOTES:

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE GIVEN WITH THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE INSPECTOR OR ENGINEER THE CONTRACTOR SHALL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATION AND DESCRIPTION OF THE REPAIRS AND ADJUST THE ACTUAL QUANTITIES ENTERED INTO THE REPAIR QUANTITY TABLE.

SHOTCRETE REPAIRS MAY BE REPLACED WITH CONCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIR DETAILS, SEE "TYPICAL CAP & COLUMN REPAIR DETAILS" SHEET.

<u>SPAN G</u>

<u>SPAN H</u>

- SHOTCRETE REPAIR

- CONCRETE REPAIR

PROJECT NO. I-5889A BUNCOMBE _ COUNTY 356 BRIDGE NO.____

STATE OF NORTH CAROLINA

DEPARTMENT OF TRANSPORTATION

RALEIGH

BENT 7 SPAN H SIDE

				_	
REVISIONS					SHEET NO.
	DATE:	NO.	BY:	DATE:	S-85
		®			TOTAL SHEETS
		4			208