



END BENT 1

(EAST FACE)





END BENT 2

AS-BUILT REPA	IR QL	JД	NTIT	ΓΥ -	TABI	LE
END BENT 1	QUANTITIES					
	ESTI	ΓΕ	ACTUAL			
SHOTCRETE REPAIRS	AREA SF	V	OLUME CF	AREA SF	DEPTH FT	VOLUMI CF
CAP (VERTICAL FACE)	1.0	0.5				
CAP (HORIZONTAL, CORNER)	0		0			
ANCHORED VENEER			AREA SF	AREA SF		
			87			
END BENT 2	QUANTITIES					
	ESTIMATE			ACTUAL		
SHOTCRETE REPAIRS	AREA SF	V	OLUME CF	AREA SF	DEPTH FT	VOLUMI CF
CAP (VERTICAL FACE)	0		0			
CAP (HORIZONTAL, CORNER)	0		0			

AREA SF

AREA SF

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MIN. OF 1"BEHIND REBAR AND MIN. 2"CL TO SAWCUT. SEE REPAIR DETAILS.

NOTES:

ANCHORED VENEER

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE GIVEN WITH THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE INSPECTOR OR ENGINEER THE CONTRACTOR SHALL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATION AND DESCRIPTION OF THE REPAIRS AND ADJUST THE ACTUAL QUANTITIES ENTERED INTO THE REPAIR QUANTITY TABLE.

FINAL REPAIR QUANTITIES WILL BE DETERMINED AFTER THE STONE VENEER IS REMOVED. QUANTITIES IN TABLE ARE ESTIMATED.

FOR BENT REPAIRS, SEE "TYPICAL CAP AND COLUMN REPAIR DETAILS"

SHOTCRETE REPAIRS MAY BE REPLACED WITH CONCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.

FOR EPOXY COATING, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIR DETAILS, SEE "TYPICAL CAP & COLUMN REPAIR DETAILS" SHEET.

- SHOTCRETE REPAIR

- CONCRETE REPAIR

PROJECT NO. I-5889A BUNCOMBE _ COUNTY BRIDGE NO. 366

> STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH

> > END BENT 1 & 2

REVISIONS SHEET NO. S-119 NO. BY: DATE: TOTAL SHEETS

PLANS PREPARED BY:

2610 Wycliff Road
Suite 102
Raleigh NC 27607-3073
(919) 420-7660 Excellence Delivered As Promised NC Lic. No. F-0270

OOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SEAL P 020208

DocuSigned by:

Ein Ball Ja 11/16/2017

BA9F91762D7044A...

__ DATE : <u>9/2017</u> __ DATE : <u>10/2017</u> M.A.LEE DRAWN BY : ___ R.NELSON CHECKED BY : _