This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.

This file or an individual page shall not be considered a certified document.

.I.P.: B-5373

T: C204065

CONTRACT: C

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKING PLAN STANLY COUNTY

LOCATION: BRIDGE No. 44 OVER LONG CREEK ON SR 1435

TIP NO.

B-5373

PMP-01

APPROVED:

Ruce Roads

B3C6C6F7CF4640D...

DATE: 12/4/2017

SEAL

SEAL

O24921

NG | NE PROVED:

NG

UNLESS ALL SIGNATURES COMPLETED

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.12	PAVEMENT MARKINGS - BRIDGES
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION

INDEX

SHEET NO.

DESCRIPTION

PMP-1

PAVEMENT MARKING PLAN TITLE AND

SCHEDULE SHEET

PMP-2

PAVEMENT MARKING DETAIL

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:

ROAD NAME MARKING MARKER ALL PAINT NONE

- B) PLACE TWO APPLICATIONS OF PAINT PAVEMENT MARKINGS ON THE FINAL WEARING SURFACE. PLACE THE SECOND APPLICATION OF PAINT UPON SUFFICIENT DRYING TIME OF THE FIRST.
- C) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- D) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS.
- E) PASSING ZONES WILL BE DETERMINED IN THE FIELD AND MUST BE APPROVED BY THE ENGINEER.
- F) REMOVE ALL RESIDUE AND SURFACE LAITANCE BY ACCEPTABLE METHODS ON CONCRETE BRIDGE DECKS PRIOR TO PLACING PAINT PAVEMENT MARKING MATERIAL.

PAVEMENT MARKING SCHEDULE

SYMBOL DESCRIPTION

FINAL PAVEMENT MARKINGS

PAINT(4")

PA DI WHITE EDGELINE (2X)
YELLOW DOUBLE CENTER (2X)

NOTE: FOR EACH PAINT PAVEMENT MARKING ITEM, IX IMPLIES A SINGLE APPLICATION, 2X IMPLIES TWO APPLICATIONS, AND 3X IMPLIES THREE

APPLICATIONS.

PLAN PREPARED BY: N.C.D.O.T. SIGNING AND DELINEATION UNIT


K. L. JORDAN

SIGNING & DELINEATION DEGIONAL ENGINEER


SIGNING & DELINEATION REGIONAL ENGINEER


J. G. MARTINEZ

SIGNING & DELINEATION PROJECT DESIGN ENGINEER/TECHNICIAN



NAD 83/2011





NOTES

PA WHITE EDGELINE (2X)
PI YELLOW DOUBLE CENTER (2X)