

REFERENCE: U-2525C

PROJECT: 3482I

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

STRUCTURE
SUBSURFACE INVESTIGATION

COUNTY GUILFORD
PROJECT DESCRIPTION GREENSBORO EASTERN LOOP
I-85 BYPASS FROM US 29 NORTH OF
GREENSBORO TO EAST OF LAWNSDALE DRIVE

SITE DESCRIPTION MSE WALLS AT END BENT 1 AND
END BENT 2 - SITE NO. 6 (STRUCTURE NO. 8 AND
NO. 9) - BRIDGE NO. 1247 AND 1248 ON I-85 BYPASS
(-L-) OVER NORTH ELM STREET (-Y6-)

CONTENTS

SHEET NO.	DESCRIPTION
1	TITLE SHEET
2	LEGEND (SOIL & ROCK)
3-4	WALL ENVELOPES AT END BENT 1 AND END BENT 2
5-11	BORE LOGS, CORE LOGS AND CORE PHOTOGRAPHS
12	LABORATORY SUMMARY SHEET

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	U-2525C	1	12

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

NOTES:

- THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
- BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PERSONNEL

SCHLEMM, T. S.

RIGGS, JR., A. F.

TURNAGE, J. R.

COGAR, T. E.

INVESTIGATED BY TERRACON CONSULTANTS

DRAWN BY FIELDS, W. D.

CHECKED BY RIGGS, JR., A. F.

SUBMITTED BY TERRACON CONSULTANTS

DATE DECEMBER 2017

Prepared in the Office of:

Terracon
Consulting Engineers and Scientists
2401 BRENTWOOD ROAD, SUITE 107
RALEIGH, NORTH CAROLINA 27604
NC REGISTERED ENGINEERING FIRM: F-0869
NC REGISTERED GEOLOGIC FIRM: C-367



DocuSigned by:

Abner Riggs Jr.

12/15/2017

5228073BB4F482

SIGNATURE

DATE

**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SUBSURFACE INVESTIGATION
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS**

SOIL DESCRIPTION										GRADATION										ROCK DESCRIPTION										TERMS AND DEFINITIONS																			
SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 208, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, <i>VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6</i>										WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.										HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED, AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:										ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOADED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (ROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS. SLICKENISE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.																			
SOIL LEGEND AND AASHTO CLASSIFICATION										ANGULARITY OF GRAINS										WEATHERED ROCK (WR)										NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.																			
MINERALOGICAL COMPOSITION										CRYSTALLINE ROCK (CR)										FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.										NON-CRYSTALLINE ROCK (NCR)										FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.									
COMPRESSIBILITY										COASTAL PLAIN SEDIMENTARY ROCK (CP)										COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.										WEATHERING																			
PERCENTAGE OF MATERIAL										FRESH										ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING, ROCK RINGS UNDER HAMMER IF CRYSTALLINE.										VERY SLIGHT (IV SLI.)										ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN, CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY, ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.									
GROUND WATER										SLIGHT (SLI.)										ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH, OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED, CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.										MODERATE (MOD.)										SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.									
MISCELLANEOUS SYMBOLS										MODERATELY SEVERE (MOD. SEV.)										ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. IF TESTED, WOULD YIELD SPT REFUSAL										SEVERE (SEV.)										ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. IF TESTED, WOULD YIELD SPT N VALUES > 100 BPF									
RECOMMENDATION SYMBOLS										VERY SEVERE (IV SEV.)										ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. IF TESTED, WOULD YIELD SPT N VALUES < 100 BPF										COMPLETE										ROCK REDUCED TO SOIL, ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.									
TEXTURE OR GRAIN SIZE										ROCK HARDNESS										VERY HARD										CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.																			
CONSISTENCY OR DENSENESS										HARD										CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.										MODERATELY HARD										CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.									
SOIL MOISTURE - CORRELATION OF TERMS										MEDIUM HARD										CAN BE GROOVED OR GOUGED 0.05 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PIECES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.										SOFT										CAN BE GROOVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.									
PLASTICITY										VERY SOFT										CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGER NAIL.										FRACTURE SPACING										BEDDING									
EQUIPMENT USED ON SUBJECT PROJECT										VERY CLOSE										MORE THAN 10 FEET										VERY THICKLY BEDDED										4 FEET									
PLASTICITY										MODERATELY CLOSE										3 TO 10 FEET										THICKLY BEDDED										1.5 - 4 FEET									
COLOR										CLOSE										1 TO 3 FEET										THINLY BEDDED										0.16 - 1.5 FEET									
DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-BROWN). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.										VERY CLOSE										LESS THAN 0.16 FEET										VERY THINLY BEDDED										0.03 - 0.16 FEET									
INDURATION										INDURATED										GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.										INDURATED										GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.									
INDURATION										EXTREMELY INDURATED										SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.										EXTREMELY INDURATED										SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.									















NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION


SUPPLEMENTAL LEGEND, GEOLOGICAL STRENGTH INDEX (GSI) TABLES
FROM AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS

AASHTO LRFD Figure 10.4.6.4-1 — Determination of GSI for Jointed Rock Mass (Marinos and Hoek, 2000)


AASHTO LRFD Figure 10.4.6.4-2 — Determination of GSI for Tectonically Deformed Heterogeneous Rock Masses (Marinos and Hoek, 2000)

GEOLOGICAL STRENGTH INDEX (GSI) FOR JOINTED ROCKS (Hoek and Marinos, 2000)		SURFACE CONDITIONS					GSI FOR HETEROGENEOUS ROCK MASSES SUCH AS FLYSCH (Marinos, P and Hoek E., 2000)		SURFACE CONDITIONS OF DISCONTINUITIES (Predominantly bedding planes)					
From the lithology, structure and surface conditions of the discontinuities, estimate the average value of GSI. Do not try to be too precise. Quoting a range from 33 to 37 is more realistic than stating that GSI = 35. Note that the table does not apply to structurally controlled failures. Where weak planar structural planes are present in an unfavorable orientation with respect to the excavation face, these will dominate the rock mass behaviour. The shear strength of surfaces in rocks that are prone to deterioration as a result of changes in moisture content will be reduced if water is present. When working with rocks in the fair to very poor categories, a shift to the right may be made for wet conditions. Water pressure is dealt with by effective stress analysis.		VERY GOOD	GOOD	FAIR	POOR	VERY POOR	From a description of the lithology, structure and surface conditions (particularly of the bedding planes), choose a box in the chart. Locate the position in the box that corresponds to the condition of the discontinuities and estimate the average value of GSI from the contours. Do not attempt to be too precise. Quoting a range from 33 to 37 is more realistic than giving GSI = 35. Note that the Hoek-Brown criterion does not apply to structurally controlled failures. Where unfavourably oriented continuous weak planar discontinuities are present, these will dominate the behaviour of the rock mass. The strength of some rock masses is reduced by the presence of groundwater and this can be allowed for by a slight shift to the right in the columns for fair, poor and very poor conditions. Water pressure does not change the value of GSI and it is dealt with by using effective stress analysis.		VERY GOOD	GOOD	FAIR	POOR	VERY POOR	
STRUCTURE		DECREASING SURFACE QUALITY →					COMPOSITION AND STRUCTURE							
	INTACT OR MASSIVE - intact rock specimens or massive in situ rock with few widely spaced discontinuities	90			N/A	N/A		A. Thick bedded, very blocky sandstone. The effect of pelitic coatings on the bedding planes is minimized by the confinement of the rock mass. In shallow tunnels or slopes these bedding planes may cause structurally controlled instability.	70					
	BLOCKY - well interlocked undisturbed rock mass consisting of cubical blocks formed by three intersecting discontinuity sets	80						B. Sandstone with thin inter-layers of siltstone	60					
	VERY BLOCKY - interlocked, partially disturbed mass with multi-faceted angular blocks formed by 4 or more joint sets		70					C. Sandstone and siltstone in similar amounts	50					
	BLOCKY/DISTURBED/SEAMY - folded with angular blocks formed by many intersecting discontinuity sets. Persistence of bedding planes or schistosity		60					D. Siltstone or silty shale with sandstone layers	40					
	DISINTEGRATED - poorly interlocked, heavily broken rock mass with mixture of angular and rounded rock pieces		50					E. Weak siltstone or clayey shale with sandstone layers	30					
	LAMINATED/SHEARED - Lack of blockiness due to close spacing of weak schistosity or shear planes		40					F. Tectonically deformed, intensively folded/faulted, sheared clayey shale or siltstone with broken and deformed sandstone layers forming an almost chaotic structure	20					
			30					G. Undisturbed silty or clayey shale with or without a few very thin sandstone layers	10					
			20					H. Tectonically deformed silty or clayey shale forming a chaotic structure with pockets of clay. Thin layers of sandstone are transformed into small rock pieces.						
			10											
			N/A											
			N/A											

→ Means deformation after tectonic disturbance




PLAN - END BENT 1




ELEVATION - END BENT 1

(LOOKING AT EXPOSED FRONT FACE OF MSE RETAINING WALL)




PLAN - END BENT 2



ELEVATION - END BENT 2


(LOOKING AT EXPOSED FRONT FACE OF MSE RETAINING WALL)



GEOTECHNICAL BORING REPORT

BORE LOG

WBS 34821.1.5	TIP U-2525C	COUNTY GUILFORD	GEOLOGIST RIGGS, A. F.		
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)					GROUND WTR (ft)
BORING NO. W-1	STATION 23+44	OFFSET 55 ft RT	ALIGNMENT -Y6-	0 HR. Dry	
COLLAR ELEV. 786.1 ft	TOTAL DEPTH 16.1 ft	NORTHING 870,309	EASTING 1,764,571	24 HR. Dry	
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016			DRILL METHOD H.S. Augers	HAMMER TYPE Automatic	
DRILLER TURNAGE, J. R.	START DATE 09/29/16	COMP. DATE 09/29/16	SURFACE WATER DEPTH N/A		




NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

GEOTECHNICAL BORING REPORT

BORE LOG

WBS 34821.1.5	TIP U-2525C	COUNTY GUILFORD	GEOLOGIST RIGGS, A. F.		
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)					GROUND WTR (ft)
BORING NO. EB1-A (LL)	STATION 23+76	OFFSET 52 ft RT	ALIGNMENT -Y6-	0 HR. Dry	
COLLAR ELEV. 787.2 ft	TOTAL DEPTH 13.9 ft	NORTHING 870,341	EASTING 1,764,565	24 HR. Dry	
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016			DRILL METHOD H.S. Augers	HAMMER TYPE Automatic	
DRILLER TURNAGE, J. R.	START DATE 09/29/16	COMP. DATE 09/29/16	SURFACE WATER DEPTH N/A		



NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

GEOTECHNICAL BORING REPORT
BORE LOG

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST RIGGS, A. F.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. EB1-C		STATION 24+48		OFFSET 51 ft RT		ALIGNMENT -Y6-									
COLLAR ELEV. 788.6 ft		TOTAL DEPTH 24.4 ft		NORTHING 870,415		EASTING 1,764,556									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016		DRILL METHOD H.S. Augers		HAMMER TYPE Automatic											
DRILLER TURNAGE, J. R.		START DATE 09/29/16		COMP. DATE 09/29/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
790															
	787.8	0.8	3	5	8									788.6	0.0
785	784.6	4.0	6	7	9									784.1	4.5
	783.0	5.6	6	11	15										
780	779.6	9.0	11	17	23										
	774.6	14.0	100/0.2											776.1	12.5
775															
770	769.6	19.0	100/0.5												
	764.6	24.0	100/0.4											764.2	24.4
765															
<p>Boring Terminated at Elevation 764.2 ft IN WEATHERED ROCK (META-GABBRO)</p> <p>0 Hr. Ground Water Caved Dry at 18.1 Ft. 24 Hr. Ground Water Caved Dry at 18.1 Ft.</p>															

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST RIGGS, A. F.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. EB1-B (RL)		STATION 25+36		OFFSET 67 ft RT		ALIGNMENT -Y6-									
COLLAR ELEV. 792.7 ft		TOTAL DEPTH 13.9 ft		NORTHING 870,502		EASTING 1,764,560									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-51 99% 03/09/2017		DRILL METHOD H.S. Augers		HAMMER TYPE Automatic											
DRILLER TURNAGE, J. R.		START DATE 09/29/16		COMP. DATE 09/29/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
795															
	791.9	0.8	7	6	6									792.7	0.0
790	788.9	3.8	7	9	12										
	787.0	5.7	6	6	6										
785	783.9	8.8	10	7	8									784.7	8.0
780	778.9	13.8	60/0.1											778.9	13.8
														778.8	13.9
<p>CRYSTALLINE ROCK (META-GABBRO)</p> <p>Boring Terminated with Standard Penetration Test Refusal at Elevation 778.8 ft IN CRYSTALLINE ROCK (META-GABBRO)</p> <p>0 Hr. Ground Water Caved Dry at 11.0 Ft. 24 Hr. Ground Water Caved Dry at 10.8 Ft.</p>															

NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST RIGGS, A. F.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. W-2		STATION 25+63		OFFSET 71 ft RT		ALIGNMENT -Y6-									
COLLAR ELEV. 792.9 ft		TOTAL DEPTH 17.2 ft		NORTHING 870,528		EASTING 1,764,560									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016		DRILL METHOD H.S. Augers		HAMMER TYPE Automatic											
DRILLER TURNAGE, J. R.		START DATE 09/29/16		COMP. DATE 09/29/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
795															
	792.2	0.7	11	10	8								D	792.9 GROUND SURFACE 0.0	
	791.2													791.2 ARTIFICIAL FILL 1.7	
790	789.1	3.8	7	5	6								M	RESIDUAL RED-ORANGE AND BROWN, SILTY CLAY	
	787.2	5.7	5	5	6								M		
785	784.1	8.8	4	4	5								SS-5		
	779.1	13.8	9	6	94/0.4									779.4 TAN-GRAY, FINE SANDY SILT 13.5	
	775.8	17.1	60/0.1											778.1 WEATHERED ROCK (META-GABBRO) 14.8	
														775.8 CRYSTALLINE ROCK (META-GABBRO) 17.1	
														775.7 CRYSTALLINE ROCK (META-GABBRO) 17.2	
														Boring Terminated with Standard Penetration Test Refusal at Elevation 775.7 ft IN CRYSTALLINE ROCK (META-GABBRO)	
														0 Hr. Ground Water Caved Dry at 13.5 Ft. 24 Hr. Ground Water Caved Dry at 13.5 Ft.	

NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST SCHLEMM, T. S.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. W-3		STATION 23+45		OFFSET 58 ft LT		ALIGNMENT -Y6-									
COLLAR ELEV. 778.8 ft		TOTAL DEPTH 13.0 ft		NORTHING 870,301		EASTING 1,764,458									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016		DRILL METHOD H.S. Augers		HAMMER TYPE Automatic											
DRILLER TURNAGE, J. R.		START DATE 09/27/16		COMP. DATE 09/27/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
780															
	777.9	0.9	10	9	9									778.8 GROUND SURFACE 0.0	
	775.4	3.4	2	2	10								SS-6	776.3 ROADWAY EMBANKMENT TAN AND BROWN, FINE SANDY CLAY 2.5	
775	772.9	5.9	44	56/0.2										774.4 ALLUVIAL DARK GRAY, CLAYEY FINE SAND 4.4	
	770.4	8.4	42	55	45/0.3									772.4 RESIDUAL BROWN AND GRAY CLAYEY FINE TO COARSE SAND 6.4	
770	765.8	13.0	60/0.0											765.8 WEATHERED ROCK (META-GABBRO) 13.0	
														Boring Terminated with Standard Penetration Test Refusal at Elevation 765.8 ft ON CRYSTALLINE ROCK (META-GABBRO)	
														0 Hr. Ground Water Caved Dry at 11.0 Ft.	

NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

GEOTECHNICAL BORING REPORT
BORE LOG

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST SCHLEMM, T. S.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. EB2-A (LL)		STATION 23+76		OFFSET 66 ft LT		ALIGNMENT -Y6-									
COLLAR ELEV. 778.2 ft		TOTAL DEPTH 14.6 ft		NORTHING 870,331		EASTING 1,764,448									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016		DRILL METHOD H.S. Augers		HAMMER TYPE Automatic											
DRILLER TURNAGE, J. R.		START DATE 09/27/16		COMP. DATE 09/27/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
780															
	777.3	0.9	4	4	5								M	778.2 GROUND SURFACE 0.0	
775	774.8	3.4	11	12	13								M	775.2 ROADWAY EMBANKMENT TAN, BROWN, FINE SANDY CLAY 3.0	
	772.8	5.4	6	17	80								M	RESIDUAL BROWN AND GRAY, CLAYEY FINE TO COARSE SAND, SAPROLITIC	
770	769.8	8.4	26	18	23								SS-7	767.8 WEATHERED ROCK (META-GABBRO) 10.4	
	764.8	13.4											W	763.7 CRYSTALLINE ROCK (META-GABBRO) 14.5	
	763.7	14.5	100/0.3										W	763.6 CRYSTALLINE ROCK (META-GABBRO) 14.6	
			60/0.1												
Boring Terminated with Standard Penetration Test Refusal at Elevation 763.6 ft IN CRYSTALLINE ROCK (META-GABBRO) 0 Hr. Ground Water Caved Dry at 11.0 Ft.															

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST SCHLEMM, T. S.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. EB2-C		STATION 24+58		OFFSET 59 ft LT		ALIGNMENT -Y6-									
COLLAR ELEV. 777.3 ft		TOTAL DEPTH 16.4 ft		NORTHING 870,411		EASTING 1,764,446									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016		DRILL METHOD H.S. Augers		HAMMER TYPE Automatic											
DRILLER TURNAGE, J. R.		START DATE 09/27/16		COMP. DATE 09/27/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
780															
	777.3	0.0	6	7	8								M	777.3 GROUND SURFACE 0.0	
775	773.5	3.8	4	4	9								M	775.3 ROADWAY EMBANKMENT TAN TO BROWN, FINE SANDY CLAY 2.0	
	771.9	5.4	5	4	7								W	773.0 RESIDUAL GRAY-BROWN, FINE SANDY CLAY 4.3	
770	768.5	8.8	9	12	18								W	771.9 RESIDUAL GRAY-BROWN, SILTY FINE SAND WITH ROCK FRAGMENTS 4.3	
	763.5	13.8	31	43	57/0.3									762.5 WEATHERED ROCK (META-GABBRO) 14.8	
765	761.0	16.3	60/0.1										W	761.0 WEATHERED ROCK (META-GABBRO) 16.3	
														760.9 CRYSTALLINE ROCK (META-GABBRO) 16.4	
Boring Terminated with Standard Penetration Test Refusal at Elevation 760.9 ft IN CRYSTALLINE ROCK (META-GABBRO)															

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST SCHLEMM, T. S.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. EB2-B (RL)		STATION 25+42		OFFSET 65 ft LT		ALIGNMENT -Y6-									
COLLAR ELEV. 778.8 ft		TOTAL DEPTH 15.5 ft		NORTHING 870,491		EASTING 1,764,429									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016		DRILL METHOD SPT Core Boring		HAMMER TYPE Automatic											
DRILLER TURNAGE, J. R.		START DATE 09/28/16		COMP. DATE 09/28/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
780														778.8	0.0
	777.8	1.0		4	7	6								775.3	3.5
775	774.9	3.9		7	8	8								771.4	7.4
	773.4	5.4		7	9	13								771.0	7.8
770	771.0	7.8		60/0.0										770.8	8.0
765														763.3	15.5
Boring Terminated at Elevation 763.3 ft IN CRYSTALLINE ROCK (META-GABBRO) 1) Advanced 2-15/16" Tricone Roller Bit to Refusal at 8.0 FT. 2) NW Casing Advanced to 7.4 FT. 3) Water used as Drilling Fluid 24 Hr. Ground Water Caved Dry at 4.4 Ft.															

NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST SCHLEMM, T. S.						
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)					
BORING NO. EB2-B (RL)		STATION 25+42		OFFSET 65 ft LT		ALIGNMENT -Y6-						
COLLAR ELEV. 778.8 ft		TOTAL DEPTH 15.5 ft		NORTHING 870,491		EASTING 1,764,429						
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016		DRILL METHOD SPT Core Boring		HAMMER TYPE Automatic								
DRILLER TURNAGE, J. R.		START DATE 09/28/16		COMP. DATE 09/28/16		SURFACE WATER DEPTH N/A						
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)		REC. (%)	RQD (%)			
770.8	770.8	8.0	2.5	2:75/1.0	(2.5)	(2.5)		(7.5)	(7.5)		Begin Coring @ 8.0 ft	8.0
770	768.3	10.5	5.0	2:50/1.0	100%	100%		100%	100%		CRYSTALLINE ROCK	
				0:75/0.5							FRESH, VERY HARD, DARK GRAY (META-GABBRO)	
				2:25/1.0							NO FRACTURES	
765	763.3	15.5		2:75/1.0								
				2:00/1.0								
				2:25/1.0								
				2:09/1.0								
Boring Terminated at Elevation 763.3 ft IN CRYSTALLINE ROCK (META-GABBRO) 1) Advanced 2-15/16" Tricone Roller Bit to Refusal at 8.0 FT. 2) NW Casing Advanced to 7.4 FT. 3) Water used as Drilling Fluid 24 Hr. Ground Water Caved Dry at 4.4 Ft.												


NCDOT CORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

Project No. 34821 (U-2525C)
SITE NO. 6 (STRUCTURE NO. 8 AND NO. 9) - BRIDGE NO. 1247 AND 1248 ON I-85
BYPASS (-L-) OVER NORTH ELM STREET (-Y6-)

CORE PHOTOGRAPHS

EB2-B

BOX 1: 8.0-15.5 FEET



WBS 34821.1.5		TIP U-2525C		COUNTY GUILFORD		GEOLOGIST SCHLEMM, T. S.									
SITE DESCRIPTION SITE NO. 6 (STRUC. #8 & #9) - BRDG. NO. 1247 & 1248 ON I-85 BYPASS (-L-) OVER NORTH ELM ST. (-Y6-)							GROUND WTR (ft)								
BORING NO. W-4		STATION 25+69		OFFSET 57 ft LT		ALIGNMENT -Y6-									
COLLAR ELEV. 781.4 ft		TOTAL DEPTH 17.2 ft		NORTHING 870,519		EASTING 1,764,432									
DRILL RIG/HAMMER EFF./DATE TER373 DIEDRICH D-50 92% 03/21/2016				DRILL METHOD H.S. Augers		HAMMER TYPE Automatic									
DRILLER TURNAGE, J. R.		START DATE 09/28/16		COMP. DATE 09/28/16		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
785															
780	780.6	0.8	5	6	9							SS-10	16.7	ROADWAY EMBANKMENT	0.0
	777.7	3.7	5	7	6									BROWN AND TAN, FINE SANDY CLAY	2.5
775	776.0	5.4	4	7	11									RESIDUAL RED-BROWN AND ORANGE, FINE SANDY CLAY	5.9
	772.7	8.7	7	5	7									LIGHT BROWN, SILTY FINE SAND	
770															
	767.7	13.7	100/0.4											WEATHERED ROCK (META-GABBRO)	12.7
765	764.3	17.1	60/0.1											CRYSTALLINE ROCK (META-GABBRO)	17.1
														Boring Terminated with Standard Penetration Test Refusal at Elevation 764.2 ft IN CRYSTALLINE ROCK (META-GABBRO)	17.2
														0 Hr. Ground Water Caved Dry at 13.0 Ft.	

NCDOT BORE SINGLE U2525C_GEO_BRDG1247-1248_SITE6.GPJ NC_DOT.GDT 11/17/17

LABORATORY TESTING SUMMARY

PROJECT NUMBER: 34821.1.1

TIP: U-2525C

COUNTY: GUILFORD

DESCRIPTION: SITE NO. 6 (STRUCTURE NO. 8 AND NO. 9) - BRIDGE NO. 1247 AND 1248 ON I-85 BYPASS (-Y6-) OVER NORTH ELM STREET (-Y6-)

Sample No.	Alignment	Station	Offset (feet)	Depth Interval (feet)	AASHTO Class.	L.L.	P.I.	% by Weight				% Retained #4 Sieve	% Passing (sieves)			% Moisture	% Organic
								Coarse Sand	Fine Sand	Silt	Clay		#10	#40	#200		
SS-1	-Y6-	23+44	55 RT	3.8-5.3	A-6 (13)	37	20	10.5	23.6	40.2	25.7	0	100	94	74	18.1	N/D
SS-2	-Y6-	23+76	52 RT	3.8-5.3	A-4 (0)	28	NP	3.7	18.4	70.3	7.6	0	100	98	86	7.2	N/D
SS-3	-Y6-	24+48	51 RT	0.8-2.3	A-7-6 (29)	56	33	5.7	17.9	43.3	33.1	0	100	97	83	30.4	N/D
SS-4	-Y6-	25+36	67 RT	5.7-7.2	A-7-6 (17)	42	17	1.5	15.2	60.6	22.7	0	100	99	90	16.1	N/D
SS-5	-Y6-	25+63	71 RT	8.8-10.3	A-7-6 (25)	55	28	3.4	25.2	40.3	31.1	0	100	98	81	35.3	N/D
SS-6	-Y6-	23+45	58 LT	0.9-2.4	A-6 (6)	29	12	14.7	19.4	41.8	24.1	1	98	89	71	9.6	N/D
SS-7	-Y6-	23+76	66 LT	8.4-9.9	A-2-6 (0)	30	13	53.0	26.0	13.6	7.4	0	100	60	26	N/A	N/D
SS-8	-Y6-	24+58	59 LT	5.4-6.9	A-2-4 (0)	27	NP	26.0	22.2	45.4	6.4	43	55	44	32	N/A	N/D
SS-9	-Y6-	25+42	65 LT	1.0-2.5	A-6 (6)	29	12	9.4	14.1	45.9	30.6	16	82	76	68	10.4	N/D
SS-10	-Y6-	25+69	57 LT	0.8-2.3	A-7-6 (19)	41	23	7.2	14.4	39.5	38.9	0	98	93	83	16.7	N/D

NP - NONPLASTIC

Stephanie H. Huffman

Certified Lab Technician Signature

114-01-1203

Certification Number