



MATCHLINE -L- STA 59+50.00 (SHEET EC-3)

Std. #	Description	Symbol	Description	Symbol
1605.01	Temporary Silt Fence		Skimmer Basin	
1606.01	Special Sediment Control Fence		Tree Protection Fence	
1630.05	Temporary Diversion		Sediment Basin Emergency Spillway	
1630.06	Special Stilling Basin		Concrete Washout Structure	
1632.03	Rock Inlet Sediment Trap Type C		Temporary Gravel Construction Entrance	
1633.01	Temporary Rock Silt Check Type-A		Coffer Dam/Impervious Dike	
	Temporary Rock Silt Check Type-A with Matting and Polyacrylamide (PAM)		Clean Water Diversion	
1633.02	Temporary Rock Silt Check Type-B		Construction Limit	
			Limits of Disturbance (Shaded)	

GENERAL NOTES (TYPICAL ALL SHEETS):
 1. WHERE SILT FENCES ARE LOCATED BELOW STORM DRAIN OUTLETS, THEIR LOCATIONS MUST BE MODIFIED AS THE STORM DRAINS ARE INSTALLED SO THAT THE FENCES WILL PASS OVER THE PIPE OUTLETS.
 2. SILT FENCE OUTLET MUST BE ADDED IN THE FIELD WHENEVER LOW POINTS ARE ENCOUNTERED ALONG SILT FENCE RUNS.
 3. INLET TUBES "SILT SOCK" AND FILTER SACK INLET PROTECTION MAY BE USED IN PLACE OF HARDWARE CLOTH AND GRAVEL INLET PROTECTION WHEN DEEMED APPROPRIATE BY THE FIELD ENGINEER.
 4. USE ROLLED EROSION CONTROL PRODUCTS ON ALL CUT/FILL SLOPES INCLUDING BASINS AS NECESSARY FOR STABILIZATION

THESE EROSION AND SEDIMENT CONTROL PLANS COMPLY WITH THE REGULATIONS SET FORTH BY THE NCG-010000 GENERAL CONSTRUCTION PERMIT EFFECTIVE AUGUST 3, 2011 ISSUED BY THE NORTH CAROLINA DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES DIVISION OF WATER QUALITY.

K:\VAL_Roadway\012108004 - McCrinmon Parkway\Phase I\Plan\Plan Sheets\Phase2_012108004_pst_EC2.dgn 8/28/2017