

November 12, 2001

**GEOTECHNICAL NOV 19 2001**

Mr. Gregory Smith, L.G., Environmental Geologist  
NC Department of Transportation  
Geotechnical Unit, GeoEnvironmental Section  
1589 Mail Service Center  
Raleigh, NC 27699-1589

Subject: **ADDENDUM TO 20-DAY REPORT SUBMITTED NOVEMBER 6, 2001**  
**Parcel #5 – Former Nixon Property, 511, 513, 515 West Trade Street**  
**Charlotte, Mecklenburg County, North Carolina**  
**NCDOT Project No. 9.9081000 (P-3800)**  
**Solutions-IES Job No. : 0930.01A3.NDOT**

Dear Mr. Smith:

Solutions-IES recently received the laboratory results from analysis of a groundwater sample collected at the referenced site on November 1, 2001. We had not received the laboratory results in time for inclusion within our November 6, 2001 Initial Abatement Measures (20-Day) Report submitted to the North Carolina Department of Transportation (NCDOT).

Groundwater was encountered at a depth of 22.1 feet below ground surface. A sample was collected from a 1-inch diameter piece of well screen inserted into the Geoprobe rods. The attached table summarizes the laboratory results that are further detailed in the laboratory report. Tetrachloroethene (PCE) was the only volatile or semi-volatile organic compound (semi-VOC) detected at a concentration that exceeded the laboratory method detection limit. PCE was detected in the groundwater sample at a concentration of 1.1 micrograms per liter ( $\mu\text{g/L}$ ), slightly above the North Carolina groundwater standard of 0.7  $\mu\text{g/L}$ . Three tentatively identified compounds (TICs) were reported as a result of the semi-VOC analysis.

Within our November 6, 2001 report we stated that a business known as the "Dirty Laundry Cleaners" was formerly located within a building on the property. Arcadis Geraghty & Miller (AG&M) interviewed the previous owner of the property, Mr. Tom Nixon, during their Phase I Limited Environmental Site Assessment of the property. Mr. Nixon stated to AG&M that the business did not operate as a dry cleaning facility and that dry cleaning solvents had not been used at the site during his 35 years of ownership (see Table 3 of November 6, 2001 report for further information). However, a Sanborn Fire Insurance Map from 1963 shows a former building on the adjacent property northwest of the subject site labeled as a dry cleaning establishment. This site, which currently has a street address of 517 West Trade Street, is now a parking lot. The former dry cleaning facility may have been a potential source of the limited PCE in


groundwater. Per the April 2001 Division of Waste Management (DWM), DENR guidelines, NCDOT should provide this information to the Special Remediation Branch of the Superfund Section, DWM, DENR.

Solutions-IES appreciates this opportunity to provide environmental services to the GeoEnvironmental Section of the Geotechnical Unit, NCDOT on this project. Please contact us if you have any questions or if we may be of further assistance.

Sincerely,  
**Solutions Industrial & Environmental Services, Inc.**



Eric B. Aufderhaar, P.G.  
Project Hydrogeologist



M. Tony Lieberman  
Senior Environmental Scientist

Enc: Groundwater sample results table and laboratory report

### Summary of Groundwater Sampling Results (µg/L)

Date: 11/12/01      Incident Number and Name: Pending Parcel 5, Former Nixon Property      Facility ID#: N/A

Analytical Method (e.g., VOC by EPA 601) →		6230D												
Contaminant of Concern →		6230D												
Well ID	Sample ID	Date Collected (m/dd/yy)	Tetrachloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl ether	Isopropyl ethe	625	504	625 TICS	625 TICS	625 TICS
N/A	GP-1	11/01/01	1.1	<5	<5	<5	<5	<5	<5	<13	<.02	20 <sup>1</sup>	70 <sup>1</sup>	15 <sup>1</sup>
<b>2L Standard (ug/l)</b>			0.7	1	1,000	29	530	200	70	21	.0004	N/A	N/A	N/A
<b>GCL (ug/l)</b>			700	5,000	257,500	29,000	87,500	20,000	70,000	15,500	NE	N/A	N/A	N/A

ug/L = micrograms per liter  
 GCL = gross contamination level  
<sup>1</sup> = estimated concentration  
 Concentration in **bold** = result exceeds the North Carolina Groundwater Standard  
 N/A = Not Applicable  
 NE = Not Established

# Lab Report

11/8/01

Page 2 of 5

Solutions - IES  
Attn: Walt Beckwith  
3722 Benson Dr.  
Raleigh, NC 27609

Customer Project ID: **Graham & Trade**  
Customer Sample ID: **GP-1**  
Prism Sample ID: **AC24997**  
Login Group: **AON8H1A**  
Sample Collection Date/Time: **11/1/01 15:00**  
Lab Submittal Date/Time: **11/1/01 15:37**

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
ETHYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
TOTAL XYLENES	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
STYRENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
ISOPROPYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
BROMOFORM	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
n-PROPYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
BROMOBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
2-CHLOROTOLUENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
4-CHLOROTOLUENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
tert-BUTYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
sec-BUTYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
p-ISOPROPYLTOLUENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,3-DICHLOROBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,4-DICHLOROBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
n-BUTYLBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2-DICHLOROBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
HEXACHLOROBUTADIENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
NAPHTHALENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
CIS-1,3-DICHLOROPROPENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
TRANS-1,3-DICHLOROPROPENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
MTBE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
IPE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

# Lab Report



Full Service Analytical & Environmental Solutions

11/8/01

Page 1 of 5

Solutions - IES  
Attn: Walt Beckwith  
3722 Benson Dr.  
Raleigh, NC 27609

**Customer Project ID: Graham & Trade**  
**Customer Sample ID: GP-1**  
**Prism Sample ID: AC24997**  
Login Group: AON8H1A  
Sample Collection Date/Time: 11/1/01 15:00  
Lab Submittal Date/Time: 11/1/01 15:37

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
DICHLORODIFLUOROMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
CHLOROMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
VINYL CHLORIDE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
BROMOMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
CHLOROETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
TRICHLOROFLUOROMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,1-DICHLOROETHENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
METHYLENE CHLORIDE	Not detected	ug/L	2.0	6230D	11/6/01 22:23	LNE
trans-1,2-DICHLOROETHENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,1-DICHLOROETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
2,2-DICHLOROPROPANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
cis-1,2-DICHLOROETHENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
CHLOROFORM	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
BROMOCHLOROMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,1,1-TRICHLOROETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,1-DICHLOROPROPENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
CARBON TETRACHLORIDE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
BENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2-DICHLOROETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
TRICHLOROETHENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2-DICHLOROPROPANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
BROMODICHLOROMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
DIBROMOMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
TOLUENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,1,2-TRICHLOROETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
TETRACHLOROETHENE	1.1	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,3-DICHLOROPROPANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
DIBROMOCHLOROMETHANE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
1,2-DIBROMOETHANE (EDB)	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE
CHLOROENZENE	Not detected	ug/L	0.5	6230D	11/6/01 22:23	LNE

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

# Lab Report

11/8/01

Page 3 of 5

Solutions - IES  
Attn: Walt Beckwith  
3722 Benson Dr.  
Raleigh, NC 27609

**Customer Project ID: Graham & Trade**  
**Customer Sample ID: GP-1**  
**Prism Sample ID: AC24997**  
Login Group: AON8H1A  
Sample Collection Date/Time: 11/1/01 15:00  
Lab Submittal Date/Time: 11/1/01 15:37

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
-----						
TICs BY SEMIVOLATILE GC/MS				625/8270	11/7/01 06:03	LAC
625/8270 Tentatively Identified Compounds (10-largest TICs):						
<Identification Class>	<Closest Spectral Fit>			<Est. Conc.>		
=====	=====			=====		
Unknown	(Diethyltoluamide			20 ug/L		
Unknown	(Unknown			70 ug/L		
Unknown	(Unknown			15 ug/L		
EDB	Not detected	ug/L	0.02	EPA 504	11/5/01 18:12	LAC
-----						
PREP. METHOD 625	Completed			EPA 625	11/6/01 07:30	JDP
ACENAPHTHENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
ACENAPHTHYLENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
ANTHRACENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BENZO(A)ANTHRACENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BENZO(B)FLUORANTHENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BENZO(K)FLUORANTHENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BENZO(A)PYRENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BENZO(GHI)PERYLENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BIS(2-CHLOROETHOXY)METHANE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BIS(2-CHLOROETHYL)ETHER	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BIS(2-CHLOROISOPROPYL)ETHER	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BIS(2-ETHYLHEXYL)PHTHALATE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
4-BROMOPHENYL PHENYL ETHER	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
BUTYL BENZYL PHTHALATE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
4-CHLORO-3-METHYLPHENOL	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
2-CHLORONAPHTHALENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
2-CHLOROPHENOL	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
4-CHLOROPHENYL PHENYL ETHER	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
CHRYSENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
DIBENZO(A,H)ANTHRACENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
DI-N-BUTYLPHTHALATE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

# Lab Report

11/8/01

Page 4 of 5

Solutions - IES  
Attn: Walt Beckwith  
3722 Benson Dr.  
Raleigh, NC 27609

Customer Project ID: **Graham & Trade**  
Customer Sample ID: **GP-1**  
Prism Sample ID: **AC24997**  
Login Group: **AON8H1A**  
Sample Collection Date/Time: **11/1/01 15:00**  
Lab Submittal Date/Time: **11/1/01 15:37**

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
1,2-DICHLOROBENZENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
1,3-DICHLOROBENZENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
1,4-DICHLOROBENZENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
3,3'-DICHLOROBENZIDINE	Not detected	ug/L	65	EPA 625	11/7/01 06:03	LAC
2,4-DICHLOROPHENOL	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
DIETHYL PHTHALATE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
2,4-DIMETHYLPHENOL	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
DIMETHYL PHTHALATE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
2,4-DINITROPHENOL	Not detected	ug/L	65	EPA 625	11/7/01 06:03	LAC
2,4-DINITROTOLUENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
2,6-DINITROTOLUENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
DI-N-OCTYLPHTHALATE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
FLUORANTHENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
FLUORENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
HEXACHLOROBENZENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
HEXACHLOROBUTADIENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
HEXACHLOROETHANE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
INDENO(1,2,3-CD)PYRENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
ISOPHORONE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
2-METHYL-4,6-DINITROPHENOL	Not detected	ug/L	65	EPA 625	11/7/01 06:03	LAC
NAPHTHALENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
NITROBENZENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
2-NITROPHENOL	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
4-NITROPHENOL	Not detected	ug/L	65	EPA 625	11/7/01 06:03	LAC
N-NITROSODI-N-PROPYLAMINE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
PENTACHLOROPHENOL	Not detected	ug/L	65	EPA 625	11/7/01 06:03	LAC
PHENANTHRENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
PHENOL	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
PYRENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

# Lab Report

11/8/01

Page 5 of 5

Solutions - IES  
Attn: Walt Beckwith  
3722 Benson Dr.  
Raleigh, NC 27609

**Customer Project ID:** Graham & Trade  
**Customer Sample ID:** GP-1  
**Prism Sample ID:** AC24997  
Login Group: AON8H1A  
Sample Collection Date/Time: 11/1/01 15:00  
Lab Submittal Date/Time: 11/1/01 15:37

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,4,6-TRICHLOROPHENOL	Not detected	ug/L	13	EPA 625	11/7/01 06:03	LAC

Sample Comments:

Sample for 504 analysis was received preserved with HCl.



Angela D. Overcash, V.P. Laboratory Services





Full Service Analytical & Environmental Solutions  
449 Springbrook Road • P.O. Box 240543 • Charlotte, NC 28224-0543

# CHAIN OF CUSTODY RECORD

PAGE 1 OF 1 QUOTE # TO ENSURE PROPER BILLING:  
Project Name: UST Removal / Closure Assessment  
Short Hold Analysis: (Yes) (No) (Yes) (No)  
\*Please ATTACH any project specific reporting provisions and/or QC Requirements  
Invoice To: NC DOT  
Address: 1589 MAIL SERVICE CENTER  
RALEIGH 27679-1589

Purchase Order No./Billing Reference: 19081000  
Requested Due Date  1 Day  2 Days  3 Days  4 Days  5 Days  
 6-9 Days  Standard 10 days  
Samples received after 15:00 will be processed next business day.  
Turnaround time is based on business days, excluding weekends and holidays.  
(SEE REVERSE SIDE FOR RUSH TURNAROUND FEES)

Client Company Name: SOLUTIONS-IES  
Report To/Contact Name: WALT BECKWITH  
Reporting Address: 3722 BEASON DRIVE  
RALEIGH 27609  
Phone: 919-873-1060 Fax (Yes) (No): 919-873-1074  
Site Location Name: 500 BLOOR TRADE  
Site Location Physical Address: INT. GRAHAM & TRADE, CHARLOTTE, NC

**LAB USE ONLY**  
YES / NO / N/A  
Samples INTACT upon arrival?  /  /   
Received ON WET ICE? Temp 4.5  
PROPER PRESERVATIVES indicated?  
Received WITHIN HOLDING TIMES?  
CUSTODY SEALS INTACT?  
VOLATILES rec'd w/OUT HEADSPACE?  
PROPER CONTAINERS used?

**TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL**  
Certification: NELAC \_\_\_\_\_ USACE \_\_\_\_\_ FL \_\_\_\_\_ NC \_\_\_\_\_  
SC \_\_\_\_\_ OTHER \_\_\_\_\_ N/A \_\_\_\_\_  
Water Chlorinated: YES \_\_\_\_\_ NO   
Sample Iced Upon Collection: YES  NO \_\_\_\_\_

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER		PRESERVATIVES	ANALYSES REQUESTED	REMARKS	SUB LAB CERT. ID NO.	PRISM LAB ID NO.
				*TYPE SEE BELOW	NO. SIZE					
GP-1	11/01/01	1500	WATER	4	HCl, NONE			5-DAY TURN, ADD EDGE	81997	

**PRISM USE ONLY**  
Additional Comments:  
Site Arrival Time:  
Site Departure Time:  
Field Tech Fee:  
Mileage:

Sampled By (Print Name) BRIAN REAR / MAT ZENKER Affiliation \_\_\_\_\_  
Received By: (Signature) \_\_\_\_\_ Date \_\_\_\_\_ Military/Hours \_\_\_\_\_  
Received By: (Signature) \_\_\_\_\_ Date \_\_\_\_\_  
Received For Prism Laboratories By: \_\_\_\_\_ Date 11-01-1537  
Log-in Group No. MINPHIA

Method of Shipment:  Fed Ex  UPS  Hand-delivered  Prism Field Service  Other \_\_\_\_\_

NPDES:  NC  SC  U  
GROUNDWATER:  NC  SC  U  
DRINKING WATER:  NC  SC  U  
SOLID WASTE:  NC  SC  U  
RCRA:  NC  SC  U  
CERCLA:  NC  SC  U  
LANDFILL:  NC  SC  U  
OTHER:  NC  SC  U