

Preliminary Site Assessment NC DOT Property - Parcel 5A

Charlotte, Mecklenburg County
North Carolina

H&H Job No. ROW-504
State Project P-3800
WBS Element #32213
March 13, 2015



**Preliminary Site Assessment
NC DOT Property - Parcel 5A
Charlotte, Mecklenburg County, North Carolina
H&H Project ROW-504**

Table of Contents

<u>Section</u>	<u>Page No.</u>
1.0 Introduction and Background	1
2.0 Geophysical Survey and Soil Assessment	2
2.1 Geophysical Survey	2
2.2 Soil Sampling	2
2.3 Soil Analytical Results	4
3.0 Groundwater Assessment.....	5
3.1 Temporary Monitoring Well Sampling	5
3.2 Groundwater Analytical Results	6
4.0 Investigative Derived Waste.....	6
5.0 Summary and Regulatory Considerations	7
6.0 Signature Page.....	8

List of Tables

- Table 1 Soil Boring GPS Coordinate Data
Table 2 Soil Analytical Results
Table 3 Groundwater Analytical Results

List of Figures

- Figure 1 Site Location Map
Figure 2 Site Map and TPH Analytical Results
Figure 3 PCE in Soil Map

List of Appendices

- Appendix A NC DOT Preliminary Plan
Appendix B Historical Documents
Appendix C GEL Geophysics, LLC Geophysical Survey Report
Appendix D Soil Boring Logs and Temporary Well Boring Log
Appendix E Laboratory Analytical Reports
Appendix F Subsurface Investigation Permit and Well Abandonment Record
Appendix G Disposal Manifests

**Preliminary Site Assessment
NC DOT Property - Parcel 5A
Charlotte, Mecklenburg County, North Carolina
H&H Project ROW-504**

1.0 Introduction and Background

Hart & Hickman, PC (H&H) has prepared this Preliminary Site Assessment (PSA) report documenting assessment activities performed at the North Carolina Department of Transportation (NC DOT) property (Parcel 5A) located at 511 W. Trade Street in Charlotte, Mecklenburg County, North Carolina. This assessment was conducted on behalf of the NC DOT in accordance with H&H's November 21, 2014 proposal.

The purpose of this assessment was to collect data to evaluate the presence or absence of impacted soil on the subject property. This property may be used by NC DOT to facilitate a trade for a separate parcel related to the construction of the Charlotte Multimodal Rail Station (State Project P-3800). Parcel 5A is currently occupied by a parking lot. A site location map is included as Figure 1, and a site map is presented as Figure 2. NC DOT's plan sheet depicting the parcels in this area is included in Appendix A.

H&H reviewed environmental documents for the subject property that were provided by NC DOT. Based on the Limited Phase I Environmental Site Assessment (ESA) Report dated September 2000 prepared by Arcadis Geraghty & Miller, the property was previously occupied by a dry cleaner, a shoe service shop, and a restaurant. The dry cleaner may have operated prior to 1975. Three heating oil underground storage tanks (USTs) and impacted soil were previously removed from the site.

According to the Underground Storage Tank Closure Report dated May 17, 2005, prepared by H&H, two heating oil USTs (UST-1 and UST-2) were removed from the subject property in April 2005. Concentrations of total petroleum hydrocarbons (TPH) as diesel range organics (DRO) (up to 1,600 mg/kg) were detected in soil samples collected beneath the USTs. Approximately 8 tons of impacted soil were over-excavated from the UST excavation. No target

analytes were detected above DENR target levels in post excavation samples collected from the excavation area. Based on a review of DENRs UST incident database via EDR, the incident associated with UST-1 and UST-2 is closed out. According to Underground Storage Tank Closure Report dated July 29, 2005, prepared by H&H, a third heating oil UST (UST-3) was removed from the subject property in June 2005. Concentrations of TPH DRO (20,000 mg/kg) and TPH as gasoline range organics (GRO) (29 mg/kg) were detected in samples collected beneath the UST. Approximately 8 tons of impacted soil were over-excavated from this UST excavation. No target analytes were detected above DENR target levels in post excavation samples collected from the excavation area. A No Further Action (NFA) letter was issued by DENR for UST-3. Pertinent information from the Phase I ESA, the UST closure reports, EDR, and the NFA letter are included in Appendix B.

The PSA activities recently conducted by H&H on Parcel 5A are discussed below.

2.0 Geophysical Survey and Soil Assessment

2.1 Geophysical Survey

Prior to advancing soil borings, H&H reviewed the results of a geophysical survey performed at the site by GEL Geophysics, LLC (GEL) in January 2015. GEL utilized electromagnetic (EM) induction technology and ground penetrating radar (GPR) to identify potential geophysical anomalies and potential USTs at the site. The EM/GPR results did not indicate the presence of subsurface anomalies on the property. Anomalies identified on the property were attributed to known surface metallic objects that were not characteristic signatures of possible USTs. GEL's report, including a site map depicting the results of the EM and GPR survey is provided in Appendix C.

2.2 Soil Sampling

On January 24, 2015, H&H and our subcontracted drilling firm installed 6 soil borings (5A-1 through 5A-6) by hand auger and direct push technology (DPT). Prior to conducting soil borings, underground utilities were marked by the NC 811 public utility locator and by GEL for private

underground utilities. Borings were also cleared to a five foot depth by hand auger. H&H utilized Geologic Exploration, Inc. of Statesville, North Carolina to advance the soil borings. The soil borings were advanced to depths of 15 feet below ground surface (ft bgs). To facilitate the selection of soil samples for laboratory analysis, soil from each boring was screened continuously for the presence of volatile organic compounds (VOCs) with an organic vapor analyzer (OVA). Additionally, H&H observed the soil for visual and olfactory indications of impacts. There were no significant indications of impacts based on field screening of the soil borings advanced at the site.

Because there were no significant impacts based on field screening, soil samples were collected at shallow depths ranging from 0 to 2 ft bgs to 2 ft to 4 ft bgs. Soil boring logs are included in Appendix D. GPS coordinate data for the soil borings are summarized in Table 1. Soil boring locations are shown on Figure 2.

H&H submitted a total of 6 soil samples from borings 5A-1 through 5A-6 for laboratory analysis. The soil samples were placed into laboratory supplied sample containers using nitrile glove-covered hands. The containers were then labeled as to content, analyses requested, sample date and time, and sampler's name. The samples were placed in an iced cooler upon collection and were subsequently submitted to the laboratory under standard chain-of-custody protocol. Laboratory analytical data sheets and chain-of-custody documentation are provided in Appendix E.

Soil samples were submitted for analysis of total petroleum hydrocarbons (TPH) as gasoline-range organics (GRO) and diesel-range organics (DRO) using UVF technology and for VOCs by EPA Method 8260. Soil samples analyzed for TPH using UVF technology were shipped to QROS for analysis, and the soil samples analyzed for VOCs were shipped to Pace Analytical Services, Inc for analysis. Soil sample depths and analytical results are summarized in Table 2. The analytical results are discussed below.

2.3 Soil Analytical Results

Detected TPH concentrations were compared to NC Department of Environment and Natural Resources (DENR) Action Levels. Concentrations of TPH DRO (up to 193.2 mg/kg) were detected. TPH-DRO exceeded the DENR Action Level of 10 mg/kg in one of the six samples analyzed. Concentrations of TPH DRO below the DENR Action Level were detected in three of the six samples analyzed. No concentrations of TPH GRO were detected. TPH data are depicted on Figure 2.

The detected VOC concentrations were compared to DENR Inactive Hazardous Sites Branch (IHSB) Preliminary Residential Health-Based Soil Remediation Goals (SRGs) and the IHSB Protection of Groundwater (POG) SRGs. Low level VOCs were detected in 2 of the 6 samples analyzed. Soil sample 5A-5 contained a concentration of tetrachloroethene (PCE) (0.0195 mg/kg) above the POG SRG (0.0050 mg/kg). A concentration of acetone below the SRGs was detected in sample 5A-6. Acetone is a common laboratory contaminant. PCE data is depicted on Figure 3.

Based on the above soil sample results, H&H estimates the following amounts of impacted soil are present Parcel 5A:

- H&H estimates there are roughly 100 cubic yards (150 tons) of soil impacted with TPH DRO and PCE between the surface and 4 ft in the center portion of the site near soil boring 5A-5.
- There are roughly 100 cubic yards (150 tons) of soil impacted with TPH DRO below the DENR Action Level between the surface and 2 ft in the center portion of the site near soil borings 5A-2 and 5A-3 and 50 cubic yards (75 tons) between the surface and 2 ft in the southern portion of the site near soil boring 5A-6.

The estimated depth of impacted soils is based on field screening results. However, field screening and lab results did not provide information that defines the impacted soil interval or extent in most locations. Therefore, impacts may extend beyond the depths and amounts indicated above. Although the TPH DRO impacts are below the Action Level near borings 5A-2, 5A-3, and 5A-6,

these soils should also be managed as impacted if they are disturbed or excavated by site work. The approximate areas of impacted soils are shown on Figures 2 and 3.

3.0 Groundwater Assessment

3.1 Temporary Monitoring Well Sampling

To evaluate the potential for groundwater impacts, one temporary monitoring well (TW-5A) was installed in soil boring 5A-5. Because there were no significant impacts detected during the installation of soil borings 5A-1 through 5A-6, the temporary well was installed near the center of the property. The temporary monitoring well location is shown on Figure 2.

Prior to the well installation, a Subsurface Investigation Permit (SIP) was obtained for the temporary well as required by Mecklenburg County. The well was installed by Geologic Exploration using the DPT drilling rig. The temporary monitoring well was installed with a one-inch diameter PVC riser with 10 feet of 0.010-inch slotted screen to a depth of 40 ft bgs. The annulus around the well screen was filled with sand to approximately two ft above the well screen. The annulus around the well casing above the sand was filled with approximately two ft of hydrated bentonite. The temporary well boring log is included in Appendix D. The SIP is included in Appendix F.

Upon completion of the monitoring well installation, H&H developed the well using a bailer to remove sediment from the well to the extent practical. Once development was complete and the water table equilibrated, H&H measured depth to water using an electronic meter. The static depth to water in TW-5A was approximately 34 ft below grade

The well was purged until field measurements including pH, specific conductivity, and temperature stabilized. A groundwater sample was then collected using nitrile glove-covered hands and placed into laboratory-supplied sample containers for analysis of VOCs using EPA Method 8260. The containers were then labeled as to content, analyses requested, sample date and time, and sampler's name. The sample was placed in an iced cooler upon collection and submitted to Pace Analytical Services, Inc. under standard chain-of-custody protocol. Analytical

results are summarized in Table 3. Laboratory analytical data sheets for the groundwater sample and chain-of-custody documentation are provided in Appendix E.

After completion of groundwater sampling activities, temporary monitoring well TW-5A was properly abandoned in accordance with DENR regulations by Geologic Exploration. The well abandonment record was provided to Mecklenburg County to close out the SIP. The well abandonment record is included in Appendix F.

3.2 Groundwater Analytical Results

PCE (0.0014 mg/L) was detected in the groundwater sample collected from temporary monitoring well TW-5A above the 15A NCAC 2L.0202 Groundwater Quality Standard (2L Standard) (0.0007 mg/L). Chloroform was also detected in the groundwater sample collected from TW-5A below the 2L Standard. No other VOCs were detected in the groundwater sample collected from TW-5A.

The depth to groundwater is in the range of 34 ft in this area of the property. Therefore, encountering the water table during construction is unlikely. However, if the water table is encountered during construction activities, the presence of groundwater impacts should be considered.

4.0 Investigative Derived Waste

Decontamination/purge water and soil cuttings generated during the soil boring and well installation activities were containerized in 55-gallon drums. Composite samples of the purge water and soil cuttings were analyzed for TCLP VOCs and TCLP RCRA metals. No impacts were detected in the water sample. TCLP metals were detected in the soil cuttings; however, the detected levels did not exceed the characteristically hazardous waste thresholds. Laboratory analytical data sheets and chain-of-custody documentation for investigative derived waste are provided in Appendix E. The non-hazardous IDW drums were removed by EVO Corporation of Winston-Salem, NC for proper off-site disposal. The non-hazardous soil and water disposal manifests are included in Appendix G.

5.0 Summary and Regulatory Considerations

H&H has reviewed the historical documents for Parcel 5A. This property was previously occupied by a dry cleaner, a shoe service shop, and a restaurant. Three heating oil USTs and impacted soil were previously removed from the site. NC DENR closed out the three UST incidents. Based on the EM/GPR survey, no potential USTs were identified on Parcel 5A. Impacted soil was identified on Parcel 5A during PSA activities. The primary contaminants are TPH DRO and PCE. Based on rough estimates of the extent of impacted soil, approximately 250 cubic yards (375 tons) of impacted soil appear to be present. Impacted soil that is disturbed or removed during future construction activities should be properly managed.

Analytical results of a groundwater sample collected by H&H indicate that groundwater is impacted with PCE above the 2L Standard beneath Parcel 5A. The depth to groundwater is approximately 34 ft below grade. Therefore, encountering the water table during construction is unlikely. However, if the water table is encountered during construction activities, the presence of groundwater impacts should be considered.

6.0 Signature Page

This report was prepared by:



David Graham
Senior Project Geologist for
Hart and Hickman, PC

This report was reviewed by:



Matt Bramblett, PE
Principal and Project Manager for
Hart and Hickman, PC



Table 1
Soil Boring GPS Coordinate Data
NC DOT Parcel 5A
Charlotte, Mecklenburg County, North Carolina
H&H Job No. ROW-504

Sample ID	Latitude	Longitude
5A-1	35.230520	-80.847725
5A-2	35.230592	-80.847675
5A-3	35.230666	-80.847578
5A-4	35.230731	-80.847499
5A-5 / TW-5A	35.230567	-80.847616
5A-6	35.230472	-80.847590

Notes:

GPS coordinate data points collected using a Trimble GeoExplorer 6000 series unit with external satellite for increased accuracy.

Table 2
Soil Analytical Results
NC DOT Parcel 5A
Charlotte, Mecklenburg County, North Carolina
H&H Job No. ROW-504

Sample ID Sample Depth (ft) Sample Date	5A-1	5A-2	5A-3	5A-4	5A-5	5A-6	Regulatory Standard	
	2-4 1/24/2015	2-4 1/24/2015	2-4 1/24/2015	2-4 1/24/2015	0-2 1/24/2015	2-4 1/24/2015	IHSB SRG ¹ (mg/kg)	IHSB POG ² (mg/kg)
<u>VOCs (8260) (mg/kg)</u> Tetrachloroethene Acetone	<0.0055 <0.111	<0.0055 <0.110	<0.0043 <0.0865	<0.0052 <0.104	0.0195 <0.0871	<0.0057 0.151	16 12,000	0.0050 24
<u>TPH-DRO/GRO (8015) (mg/kg)</u> Diesel-Range Organics (DRO) Gasoline-Range Organics (GRO)	<0.14 <0.7	4.16 <0.7	1.83 <0.6	<0.14 <0.7	193.2 <14.3	1.44 <0.7	NCDENR Action Level (mg/kg) 10 10	

Notes:

1. NC DENR Inactive Hazardous Sites Branch (IHSB) Residential Health-Based Soil Remediation Goals (SRGs) - September 2014
 2. NC DENR IHSB Protection of Groundwater (POG) Soil Remediation Goals - September 2014
- EPA Method follows parameter in parenthesis;
BRL=Below laboratory reporting limit; VOCs=volatile organic compounds
TPH=total petroleum hydrocarbons;
Bold indicates above potential target level.

Table 3
Groundwater Analytical Results
NC DOT Parcel 5A
Charlotte, Mecklenburg County, North Carolina
H&H Job No. ROW-504

Sample ID	TW-5A	Screening Criteria
		NC DENR 2L Standard ¹
Sample Date	1/25/2015	mg/L
Units	mg/L	mg/L
<u>VOCs (8260)</u>		
Chloroform	0.0293	0.070
Tetrachloroethene	0.0014	0.0007



Notes:

1. NC DENR 15A NCAC 2L .0202 Groundwater Quality Standards - April 2013

EPA Method follows parameter in parenthesis

VOCs=volatile organic compounds

Bold indicates above target level.




U.S.G.S. QUADRANGLE MAP
CHARLOTTE, NC 2013

QUADRANGLE
 7.5 MINUTE SERIES (TOPOGRAPHIC)

TITLE	SITE LOCATION MAP		
PROJECT	NCDOT PARCEL 5A 511 W. TRADE STREET CHARLOTTE, MECKLENBURG COUNTY, NC		
		2923 South Tryon Street-Suite 100 Charlotte, North Carolina 28203 704-586-0007 (p) 704-586-0373 (f)	
DATE:	2-10-15	REVISION NO:	0
JOB NO:	ROW-504	FIGURE:	1

S:\AAA-Master Projects\NC DOT Right-of-Way - ROW\ROW-500s\ROW-504 P-3800 Charlotte Rail Station\Figures\row-504 site maps.dwg, 5A (2), 3/13/2015 1:04:46 PM.



LEGEND

- SITE PROPERTY BOUNDARY
- PARCEL BOUNDARY
- NCDOT PARCEL NUMBER
- SOIL BORING

- [<0.14] DIESEL-RANGE TPH (mg/kg)
- (<0.7) GASOLINE-RANGE TPH (mg/kg)
- AREA OF DRO IMPACTED SOIL ABOVE DENR ACTION LEVEL
- AREA OF DRO IMPACTED SOIL BELOW DENR ACTION LEVEL


NOTE:

BOLD INDICATES ABOVE DENR ACTION LEVEL



SITE MAP AND TPH ANALYTICAL RESULTS	
PROJECT: NCDOT PARCEL 5A 511 W. TRADE STREET CHARLOTTE, MECKLENBURG COUNTY, NC	
2923 South Tryon Street-Suite 100 Charlotte, North Carolina 28203 704-586-0007(p) 704-586-0373(f) License # C-1269 / #C-245 Geology	
DATE: 03-04-15	REVISION NO. 0
JOB NO. ROW-504	FIGURE NO. 2

S:\AAA-Master Projects\NC DOT Right-of-Way - ROW\ROW-500s\ROW-504 P-3800 Charlotte Rail Station\Figures\row-504 site maps.dwg, 5A (3), 3/13/2015 1:02:29 PM.




LEGEND

- SITE PROPERTY BOUNDARY
- PARCEL BOUNDARY
- NCDOT PARCEL NUMBER
- SOIL BORING

- (0.0195) PCE CONCENTRATION (mg/kg)
- AREA OF PCE IMPACTED SOIL

NOTE:
BOLD INDICATES ABOVE DENR TARGET LEVEL




PCE IN SOIL MAP	
PROJECT NCDOT PARCEL 5A 511 W. TRADE STREET CHARLOTTE, MECKLENBURG COUNTY, NC	
 SMARTER ENVIRONMENTAL SOLUTIONS	
2923 South Tryon Street-Suite 100 Charlotte, North Carolina 28203 704-586-0007(p) 704-586-0373(f) License # C-1269 / #C-245 Geology	
DATE: 03-04-15	REVISION NO. 0
JOB NO. ROW-504	FIGURE NO. 3

Appendix A
NC DOT Preliminary Plan

NCDOT OWNED ACREAGE		COUNTY OWNED ACREAGE		APPROX TOTAL ACREAGE ON MAP
A = 3.75	F = 0.47	3D = 0.74	3E = 0.38	20.61
B = 1.50	G = 1.80	GREYHOUND OWNED ACREAGE		
C = 2.88	H = 2.14	22A = 1.34		
D = 1.56	J = 2.35	CITY OWNED ACREAGE		
E = 1.29		22B = 0.46		
APPROX TOTAL NCDOT ACREAGE = 17.7				

THIS MAP IS PREPARED USING MECKLENBURG COUNTY MAPPING DATA AND MAY NOT REFLECT THE MOST UP-TO-DATE OWNERSHIP AND BOUNDARY INFORMATION. PARCEL AND RIGHT-OF-WAY BOUNDARIES ARE APPROXIMATE.



- (A) NORTH CAROLINA DOT**
 25A DB 13053 PG 755
 TAX PARCEL ID *073-172-11
 *073-161-09
 *073-115-32
 *073-115-32
 *078-067-02
 *078-061-05
 *078-076-02
- (B) NORTH CAROLINA DOT**
 3A DB 10605 PG 225
 TRACT *2
 TAX PARCEL ID *073-161-07
 3B DB 10605 PG 225
 TRACT *1
 TAX PARCEL ID *073-161-07
 3C DB 10605 PG 225
 TRACT *3
 TAX PARCEL ID *073-161-07
 3D.1* DB 23210 PG 693
 TAX PARCEL ID *073-161-10
 3E.1* DB 23210 PG 693
 TAX PARCEL ID *073-161-10
 3F.1* DB 23210 PG 693
 TAX PARCEL ID *073-161-10
- (C) NORTH CAROLINA DOT**
 4A DB 11343 PG 772
 TAX PARCEL ID *073-151-23
 4B DB 11343 PG 772
 TAX PARCEL ID *073-151-24
 5A DB 11369 PG 001
 TAX PARCEL ID *073-151-20
 5B DB 11369 PG 001
 TAX PARCEL ID *073-151-21
 5C DB 11369 PG 001
 TAX PARCEL ID *073-151-22
 6 DB 11369 PG 003
 TAX PARCEL ID *073-151-10
 7A DB 11369 PG 011
 TAX PARCEL ID *073-151-12
 7B DB 11369 PG 011
 TAX PARCEL ID *073-151-13
 7C DB 11369 PG 011
 TAX PARCEL ID *073-151-15
 8 DB 11350 PG 050 * PG 060
 TAX PARCEL ID *073-151-19
 9 DB 11320 PG 422
 TAX PARCEL ID *073-151-16
 10 DB 11369 PG 013
 TAX PARCEL ID *073-151-14
- (C) OTHER**
 22A GLI REALTY COMPANY
 DB 5459 PG 596
 TAX PARCEL ID *073-151-29
 22B CITY OF CHARLOTTE
 DB 24319 PG 421
 TAX PARCEL ID *073-151-33
- (D) NORTH CAROLINA DOT**
 14 DB 13723 PG 174
 TAX PARCEL ID *078-056-01
 15 DB 13723 PG 184
 TAX PARCEL ID *078-056-02
 16 DB 13713 PG 486
 TAX PARCEL ID *078-056-08
 17 DB 13713 PG 490
 TAX PARCEL ID *078-056-03
 18 DB 14797 PG 69
 TAX PARCEL ID *078-056-07
 19 DB 13723 PG 187
 TAX PARCEL ID *078-056-06
- (E) NORTH CAROLINA DOT**
 11 DB 11301 PG 660
 TAX PARCEL ID *078-051-01
 12 DB 12897 PG 15
 TAX PARCEL ID *078-052-06
 13 DB 13047 PG355-358
 TAX PARCEL ID * 078-052-05
- (F) NORTH CAROLINA DOT**
 24A DB 16290 PG 947
 TAX PARCEL ID *078-067-01
- (G) NORTH CAROLINA DOT**
 1A DB 10053 PG 110
 TAX PARCEL ID *078-066-02
 24B DB 16292 PG 944
 TAX PARCEL ID *078-066-01
- (H) NORTH CAROLINA DOT**
 1B DB 10053 PG 110
 TAX PARCEL ID *078-061-04
 1C DB 10053 PG 110
 TAX PARCEL ID *078-061-02
 1D DB 10053 PG 110
 TAX PARCEL ID *078-061-03
- (J) NORTH CAROLINA DOT**
 2A DB 10053 PG 114
 TRACT I
 TAX PARCEL ID *078-076-01
 2B DB 10053 PG 114
 TRACT II
 TAX PARCEL ID *078-076-01
 2C DB 10053 PG 114
 TRACT III
 TAX PARCEL ID *078-076-01

* FORMERLY PART OF THE IDENTIFIED TAX PARCEL.

LEGEND

	NCDOT PROPERTY
	NCDOT PLATFORM EASEMENT
	CATS PROPERTY
	COUNTY PROPERTY
	FUTURE PROPERTY



CHARLOTTE GATEWAY STATION
 AREA PROPERTY MAP

EXHIBIT A

FILE: K:\49468-4001\PROPERTYMAPS\CHARLOTTEGATEWAYSTATIONAREA_7-13-12-EXHIBIT A.DGN
 DATE: 16-JULY-2012 10:40

THIS DRAWING IS AND SHALL REMAIN THE PROPERTY OF GANNETT FLEMING INC.
 ANY REUSE OR PROJECT EXTENSION OR OTHER PROJECT OR ALTERATIONS
 OR ADDITIONS TO THIS PROJECT SHALL BE AT THE USER'S SOLE RISK AND WITHOUT LIABILITY
 TO GANNETT FLEMING INC.

NO.	DESCRIPTION	DATE	BY
	REVISIONS		

DESIGNED T HOWARD
 TRACED T - 150
 SCALE
 DRAWN T HOWARD
 CHECKED T POLLACK
 APPROVED

PREPARED BY
Gannett Fleming
 GANNETT FLEMING, INC.
 301 S. McDOWELL STREET, SUITE 1008
 CHARLOTTE, NORTH CAROLINA 28204-2644
 PHONE: 704-376-2438 FAX: 704-532-9361

CLIENT: NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
 RAIL DIVISION
 PROJECT: CHARLOTTE RAILROAD IMPROVEMENT &
 SAFETY PROGRAM (CRISP)

JOB NO. 4968-000	SHEET NO.
DATE July 16, 2012	DRAWING NO.

Appendix B
Historical Documents



Table 5-1. Properties and Recognized Environmental Conditions, along proposed AMTRAK Railroad Corridor, North Carolina Department of Transportation State Project Number 9.9080178 (AMTRAK), Charlotte, Mecklenburg County, North Carolina.

NCDOT Acquisition Number	Tax Lot ID	Property Owner	Site Address	Petroleum Storage Tanks			Current Site Land Use	Historical Site Land Use of Potential Environmental Concern	Identified Environmental Concerns and Potential Liabilities	Recommend Preliminary Site Assessment
				AST	UST	LUST				
1	073-171-03	Southern Region Industrial Realty Co. Norfolk Southern	604 W. 1st Street				Wooded land	None identified.	None identified.	No.
2	078-131-04	City of Charlotte	W. 6th Street	X		X	Elmwood Cemetery, AST, embalming fluids, lawn care (fertilizers, pesticides)	Elmwood Cemetery, USTs and ASTs, embalming fluids, lawn care (e.g. fertilizers and pesticides)	Yes, petroleum impacted soil and groundwater	No, previous investigations and report document petroleum release.
3	078-121-02	City of Charlotte	725 W. 6th Street				Commercial warehouse storage.	None identified.	None identified.	No.
4	078-121-01	Sinkoe Faith F et al.	700 W 5th Street				Dixie Warehouse Building and associated parking.	None	None identified.	No.
5	078-122-10	Builders Disbursement Services, Inc.	700 W Trade Street		X		Six story office building under construction.	Former Chesapeake Paper Stock Company.	Yes, potential for impacted media related to UST operations.	Yes.
6	073-151-09	Atlanta & Charlotte Airline RWY Co.	713 W. Trade Street				Former Norfolk Southern Office Building. Vacant lot except for a mobile trailer and construction equipment, and parked cars.	Review of 1900 Sanborn maps revealed an oil house on Property #6 and a large junk yard and coal storage bunker on property currently owned by the railroad near 2nd Street.	Yes, related to junk yard waste and coal storage bunker.	Yes.
13	078-066-01	Macclements John et al	301 N. Smith Street				Carolina Rim and Wheel, Inc., distributor of automotive parts, NFPA placard health classification 2.	Automotive service reportedly has been conducted in the past on Property #13. Review of 1929 Sanborn maps revealed an engine room on the property.	Yes, potential for impacted media related to automobile servicing.	Yes, potential for release of petroleum hydrocarbons.
14	078-067-01	Carolina Rim & Wheel Co.	W. 6th Street				Carolina Rim and Wheel, Inc., grass and gravel parking.	Review of 1950 Sanborn maps revealed a coal yard on Property #14.	None identified.	No.
15	078-051-01	Nations Bank N. A. Carolinas	521 W. 6th Street				Four story office building in the final stages of construction and wooded land.	None identified on the portion of the property to be acquired.	None identified.	No, not on the portion of the property to be acquired.
16	078-052-01	Speizman Brothers Partners Robert S. Speizman	532 W. 5th Street				Paid Parking, asphalt lot.	Review of 1890 Sanborn maps revealed a large coal shed, a machine shop, and an engine room on Property #16, the Mecklenburg Iron Works (MIW), which included a large coal storage bunker.	Yes, potential for impacted media related to coal storage and machine shops (metals, petroleum hydrocarbons, solvents).	Yes.
17	078-052-02	Speizman Brothers Partners Robert S. Speizman	516 W. 5th Street		X		Speizman Building, partially vacant warehouse and parking lot, household debris and staining on outside walls.	Household debris and staining on the outside walls of the building were observed on Property #17.	Yes, potential for impacted media related to UST operations.	Yes.
18	078-056-07	Hart Cynthia & Pyon Yong	611 W. 5th Street				Witzens Art Gallery, three story building.	Review of 1890 Sanborn maps revealed the Mecklenburg Iron Works (MIW), which included two machine shops on Property #18; Review of 1929 Sanborn maps revealed a large tire warehouse. Review of the 1934 City Directory revealed tire and rubber companies.	Yes, potential for impacted media related to machine shops (metals, petroleum hydrocarbons, solvents)	Yes.
19	078-056-06	Lowery Robert Jefferson Jr. & Timothy P Blong IV	607 W. 5th Street				Daily Double Sports Bar, three story building.	Review of 1890 Sanborn maps revealed the Mecklenburg Iron Works (MIW), which included a large coal storage bunker, and two machine shops on Properties #18 through #23. Review of 1929 Sanborn maps revealed a large tire warehouse; Review of the 1934 City Directory revealed a tire and rubber company on the property.	Yes, potential for impacted media related to machine shops (metals, petroleum hydrocarbons, solvents)	Yes.
20	078-056-03	Holmes John W & Martha B.	601 W. 5th Street				Business Records Storage, Inc., three story building.	Review of 1890 Sanborn maps revealed the Mecklenburg Iron Works (MIW), which included a large coal storage bunker, and two machine shops on Properties #18 through #23. Review of 1900 Sanborn maps revealed an iron storage building. Review of 1929 Sanborn maps revealed a large tire warehouse. Review of the 1946 City Directory revealed a welding company and a radiator-repair shop on the property. Review of 1963 Sanborn maps revealed an auto-painting shop on the property.	Yes, potential for impacted media related to coal storage and machine shops, radiator shop (metals, petroleum hydrocarbons, solvents)	Yes.
21	078-056-08	Holmes John W & Martha B.	115 W. Smith Street				Business Records Storage, Inc. Addition, two story building.	Review of 1890 Sanborn maps revealed the Mecklenburg Iron Works (MIW), which included a large coal storage bunker, and two machine shops on Properties #18 through #23; Review of 1900 Sanborn maps revealed an oil house on Property #21; Review of 1950 Sanborn revealed a gasoline service station on Properties #21 through #23, however, the three associated USTs appear on Property #23.	Yes, potential for impacted media related to coal storage, machine shops (metals, petroleum hydrocarbons, solvents), and former gas station.	Yes.
22	078-056-02	Shull Carol Hart	109 Wilkes Place				Paid Parking, asphalt lot.	Review of 1890 Sanborn maps revealed the Mecklenburg Iron Works (MIW), which included a large coal storage bunker, and two machine shops on Properties #18 through #23. Review of 1950 Sanborn revealed a gasoline service station on the Properties #21 through #23, however, the three associated USTs appear on Property #23.	Yes, potential for impacted media related to coal storage, machine shops (metals, petroleum hydrocarbons, solvents), and former gas station.	Yes.
23	078-056-01	Malphurs David D	600 W. Trade Street				Paid Parking, asphalt lot.	Review of 1890 Sanborn maps revealed the Mecklenburg Iron Works (MIW), which included a large coal storage bunker, and two machine shops on Properties #18 through #23. Review of 1950 Sanborn revealed a gasoline service station on the Properties #21 through #23, the three associated USTs appear on Property #23.	Yes, potential for impacted media related to coal storage, machine shops (metals, petroleum hydrocarbons, solvents), and former gas station.	Yes.

Table 5-1. Properties and Recognized Environmental Conditions, along proposed AMTRAK Railroad Corridor, North Carolina Department of Transportation State Project Number 9.9080178 (AMTRAK), Charlotte, Mecklenburg County, North Carolina.


NCDOT Acquisition Number	Tax Lot ID	Property Owner	Site Address	Petroleum Storage Tanks			Current Site Land Use	Historical Site Land Use of Potential Environmental Concern	Identified Environmental Concerns and Potential Liabilities	Recommend Preliminary Site Assessment
				AST	UST	LUST				
24	073-151-29	Greyhound Lines Inc. (by Merger)	601 W. Trade Street		X	X	Greyhound Bus Terminal, visible oil staining on pavement, USTs, SUMP.	Greyhound Bus Terminal, USTs, SUMP.	Yes, petroleum impacted soil and groundwater	No, release is documented and investigations/redediation are ongoing.
25	073-151-24	Marsh Estates Homes, Inc.	537 W. Trade Street				Paid Parking, asphalt lot.	None.	None identified.	No.
26	073-151-22	Nixon Tom & Laura K.	525 W. Trade Street				Travelers hotel, Presto Grill, vacant space, three story building, Kitchen grease containers not maintained well.	None.	None identified.	No.
27	073-151-23	Marsh Estates Homes, Inc	533 W. Trade Street				Paid Parking, asphalt lot.	None.	None identified.	No.
28	073-151-10	Mayfield Linda Leigh H	518 W. 4th Street				Paid Parking, asphalt lot.	None.	None identified.	No.
29	073-151-12	Collias Gus (Estate) % Wachovia B&T (trustee)	512 W. 4th Street				Former Colonial Yarn Products building, vacant one story building.	None.	None identified.	No.
30	073-151-13	Collias Gus (Estate) % Wachovia B&T (trustee)	510 W. 4th Street	X			Former Heritage Printers Building, single story building, leaky AST	Review of 1911 Sanborn maps revealed a brass-works facility on Property #30; Review of the 1946 City Directory a printing shop on the property.	Yes, potential for impacted media related to the brass-works facility (metals and solvents), and the print shop (ink and industrial cleaners)	Yes, previous investigations and report document petroleum release from an AST. However, extent of release was not defined and other potential issues were not addressed.
31	073-151-14	Collias Family Limited Liability Co.	508 W, 4th Street				Gravel access road.	None.	None identified.	No.
32	073-151-21	Nixon Tom & Laura K.	517 W. Trade Street				Gravel Parking lot.	None.	None identified.	No.
Parcel 5A 33	073-151-20	Nixon Tom & Laura K.	511 W. Trade Street				Former Dirty Laundry Cleaners Building, vacant one story building. Household debris outside.	Household debris and staining at Property #33, may have operated as a dry cleaner.	Cleaning operations.	Yes, potential for release of dry chlorinate solvents, if used as a dry cleaner.
34	073-151-19	Theos Helen K. & Sophia L	503 W. Trade Street				Paid Parking, asphalt lot.	None.	None identified.	No.
35	073-151-15	Collias Gus	508 W. 4th Street				Manufacturing building, appeared vacant. Presence of a National Fire Protection Association (NFPA) indicator sign (health ranking of two and a fire ranking of three) was observed on the southwestern side of the building.	None.	Unknown manufacturing with indication of the use of chemicals.	Yes.
36	073-151-16	Service Distributing Co. Inc.	180 S. Graham Street			X	Former Servco service station, one story building, gas/diesel pumps removed, monitor wells present.	Servo Gas Station, USTs, dispenser lines, pumps.	Yes, petroleum impacted soil and groundwater	No, release is documented and investigations/redediation are ongoing.
37	073-161-07	Hargett Zeb E & Betsy H	531 W. 4th Street				Charlotte Florist Supply Company warehouse, split level one two story, appeared vacant of used for storage.	Review of 1900 Sanborn maps revealed an engine room on Property #37; Review of 1929 Sanborn maps revealed an auto repair and painting facility on Properties #3; Review of the 1934 City Directory revealed an iron-works facility on Property #37.	Yes, potential for impacted media related to automobile servicing and painting.	Yes, potential for release of petroleum hydrocarbons.
38	073-161-01	Alexander Rick L & Doris D.	536 W. 3rd Street				Image Plus, Inc. located on property 38, performs ink processes and custom color printing for slides.	Review of 1911 Sanborn maps revealed a machine shop on Property #38; Review of 1929 Sanborn maps revealed an auto repair and painting facility on Properties #38.	Yes, potential for impacted media related to automobile servicing and painting.	Yes.

AST Above Ground Storage Tank
UST Underground Storage Tank
LUST Leaky Underground Storage Tank



LEGEND

- UST LOCATIONS
- AST LOCATIONS
- AST & UST LOCATIONS
- NCDOT PROPERTY ACQUISITION NUMBER
- BUILDING
- PROPERTY BOUNDARY
- CORRIDOR BOUNDARY
- PARCEL NUMBER



ARCADIS GERAGHTY & MILLER



2301 Rexwoods Drive
Suite 102 RALEIGH, NC 27607
Tel: 919/782-5511 Fax: 919/782-5905

of North Carolina, Inc.

PRJT MANAGER:
R. ELLIS

CHECKED BY:
H. BRADY

DRAFTER:
A. NORTON

PROJECT NUMBER: NC000657.0001

NOTES: PROPERTIES 8, 9, 10, 11, AND 12 WERE NOT COVERED IN THIS REPORT.

DRAWING:
AMTRAK-ST5

NORTH CAROLINA DEPT. OF TRANSPORTATION
STATE PROJECT NUMBER 9.9080178 (AMTRAK)
CHARLOTTE, NORTH CAROLINA

SOURCE: MECKLENBERG COUNTY TAX RECORDS.

DATE:
28SEPT00

**UST & AST LOCATIONS
DOWNTOWN CHARLOTTE
PROPOSED AMTRAK STATION CORRIDOR**

FIGURE:


5-1

**Underground Storage Tank
Closure Report
NC DOT Multi-Modal Station
Orphan USTs
DOT Parcel 5A
Southwest Intersection of
Trade and Graham Streets
Charlotte, North Carolina**

H&H Job No. ROW-131

**State Project P-3800
WBS # 32179**

May 17, 2005



 **Hart & Hickman**

Hart & Hickman, PC
2923 S. Tryon Street
Suite 100
Charlotte, NC 28203

704
586-0007 phone
586-0373 fax

UNDERGROUND STORAGE TANK CLOSURE REPORT

I. General Information

A. Ownership of UST(s)

1. Name of UST owner:

Unknown - Orphan UST on NC DOT property

2. Owner address and telephone number:

Property Owner: North Carolina Department of Transportation
716 West Main Street
Albemarle, North Carolina 28001

Note:

NC DOT Contact – Cyrus Parker (919-250-4088). Mailing Address for NC DOT contact person is 1589 Mail Service Center, Raleigh, NC 27699-1589 4401

B. Facility Information

1. Facility name:

NC DOT Multi-Modal Site (Parcel 5A) Currently leased to Preferred Parking Services, Inc. Site is located at southwest corner of South Graham Street and West Trade St in Charlotte, NC.

2. Facility ID #:

NA. The USTs were located just northeast of a former Servco Site with an address of 120 and 130 S. Graham St and may have been associated with this facility. No Facility ID# is assigned to the Servco site, however the site is listed under Incident Number 8097 and UST Number MO-3214.

3. Facility address, telephone number and county:

The USTs were located near the southwestern corner of the intersection of Trade Street and Graham Street in Charlotte, North Carolina. NC DOT has designated this parcel as Parcel 5A and it is linked to the following address according to the Charlotte-Mecklenburg County GIS system:

511 West Trade Street
Charlotte, Mecklenburg County, North Carolina
Contact Phone Number (919) 250-4088 Attn: Mr. Cyrus Parker

C. Contacts

1. Name, address, telephone number and job title of primary contact person:

Mr. Cyrus Parker
GeoEnvironmental Project Manager
1589 Mail Service Center
Raleigh, North Carolina 27699-1589
(919) 250-4088

2. *Name, address and telephone number of closure contractor:*
 Soil Solutions, Inc.
 1703 Vargrave Street
 Winston-Salem, North Carolina 27107
 (336) 725-5844

3. *Name, address and telephone number of primary consultant:*
 Hart & Hickman, P.C.
 2923 South Tryon Street, Suite 100
 Charlotte, North Carolina 28203
 (704) 586-0007

4. *Name, address, telephone number, and State certification number of laboratory:*
 Pace Analytical Services, Inc.
 9800 Kincey Avenue, Suite 100
 Huntersville, NC 28078
 (704) 875-9092
 North Carolina Certification 37706

D. UST Information

Tank No.	Installation Date	Size in Gallons	Tank Dimensions	Last Contents	Other Contents (if any)
1	Unknown	200 gallons	Diameter: 48", length: 36"	Suspected to be Heating Oil	None
2	Unknown	560 gallons	Diameter: 48", length: 96"	Suspected to be Heating Oil	None

*See attached Figure No. 2 for tank locations.

Please note that evidence of a third UST was discovered during field activities. A fill port was noted and the third UST is located approximately 40 feet southwest of USTs 1 and 2. Due to access constraints and the presence of parked vehicles, the third UST could not be removed during the April 22, 2005 field activities. This UST is scheduled for removal in the near future.

E. Site Characteristics

1. *Describe any past releases at this site:*

None. However, the USTs were located adjacent to a former service station and auto sales facility, however it is not known if the USTs were part of that facility.

The subject site is currently owned by NC DOT and leased to Preferred Parking Services, Inc. as a pay-as-you-go parking lot serving downtown Charlotte. The USTs were discovered because the ground in the vicinity of the USTs was subsiding.

2. *Is the facility active or inactive at this time?*

The facility is currently a pay as you go parking lot. The property is owned by NC DOT and leased to Preferred Parking. The orphan USTs were located within an access drive to the parking lot.

3. *Describe surrounding property use (for example, residential, commercial, farming, etc.):*

The site is located in downtown Charlotte. Land use in the site area is primarily commercial. The subject property is located near the southwest corner of South Graham Street and Trade Street in downtown Charlotte, Mecklenburg County, North Carolina. A site location map is included as Figure 1.

4. *Describe the site geology/hydrogeology:*

The subject property is located in the Piedmont Physiographic Province of North Carolina. According to the *Geologic Map of North Carolina* dated 1985, the subject property lies within the Charlotte Belt of the Piedmont. In the site area, underlying bedrock is composed of metamorphosed quartz diorite. The land surface of the area is generally characterized as gently sloping, which may become moderately steep where intersected by streams.

In the Piedmont, the bedrock is overlain by a mantle of weathered rock termed saprolite or residuum. The saprolite consists of unconsolidated clay, silt, and sand with lesser amounts of rock fragments. Due to the range of parent rock types and their variable susceptibility to weathering, the saprolite ranges widely in color, texture, and thickness. Generally, the saprolite is thickest near interstream divides and thins toward streambeds. In profile, the saprolite normally grades from clayey soils near the land surface to highly weathered rock above competent bedrock.

The occurrence and movement of ground water in the Piedmont is typically within two separate but interconnected water-bearing zones. A shallow water-bearing zone occurs within the saprolite, and a deeper water-bearing zone occurs within the underlying bedrock.

Ground water in the shallow saprolite zone occurs in the interstitial pore spaces between the grains comprising the saprolitic soils. Ground water in this zone is typically under water table or unconfined conditions. Ground water movement is generally lateral from recharge areas to small streams that serve as localized discharge points.

The occurrence and movement of ground water in the underlying water-bearing zone within the crystalline bedrock is controlled by secondary joints, fractures, faults, and dikes within the bedrock. On a regional scale, the direction of ground water flow is typically from uplands to major streams and ground water sinks. The saprolite has a higher porosity than the bedrock and serves as a reservoir that supplies water to a network of fractures in the bedrock.

Visual observation of soils encountered during the excavation of the UST and during soil sample collection (maximum depth of observation of approximately 7 feet below ground surface) indicate that reddish brown silty clays and clayey silts are the predominant shallow soil type.

Based on topographic considerations, site ground water is generally expected to flow to the northwest toward Irwin Creek.

II. Closure Procedures

- A. *Describe preparations for closure including the steps taken to notify authorities, permits obtained and the steps taken to clean and purge the tanks:*

On April 20, 2005, H&H discussed the UST removal with Mr. Allen Schiff of the North Carolina Department of Environment and Natural Resources (DENR) Mooresville Regional Office. Mr. Schiff indicated that a Notice of Intent: UST Permanent Closure of Change in Service (UST-3) was not required since the UST was an orphan UST. Appendix A contains form UST-2.

The UST removal activities were conducted on April 22, 2005. Residual liquids within the UST were removed by Soil Solutions, Inc. (SSI) of Winston-Salem, North Carolina.

As required, the UST removal activities were coordinated with the Charlotte Fire Department and a UST removal permit was obtained for the site.

- B. *Note the amount of residual material pumped from the tank(s):*

Approximately 12 gallons of residual liquids were removed from the UST-1 and 560 gallons from UST-2. Additional fluid was also pumped from a third UST that was discovered during field activities but was not removed during field activities due to access constraints. The third UST is scheduled to be removed at a later date. A copy of the Certificate of Disposal for the residual liquids is included as Appendix B.

C. Describe the storage, sampling and disposal of the residual material:

The residual liquids were directly pumped to a vac truck and then transported and disposed by SSI at their facility located in Winston-Salem, NC. As indicated above, the Certificate of Disposal is included in Appendix B.

D. Excavation

1. Describe excavation procedures noting the condition of the soils and the dimensions of the excavation in relation to the tanks, piping and/or pumps:

H&H mobilized on site on April 22, 2005 to remove one orphan UST (UST-1). Upon uncovering the UST, a second UST (UST-2) was discovered beneath and adjacent to the original UST. Prior to removal, the tops of the USTs were uncovered using a trackhoe, and the tank was purged of potentially combustible vapors using dry ice. After testing the tank with a combustible gas indicator to ensure that potentially combustible vapors had dissipated, the tank was removed from the ground.

The USTs were located in a single basin in the entryway to the parking lot (Figure 2). The fill ports for the USTs were located directly above the tanks. Two ¼-inch copper lines were noted, typical of heating oil USTs.

Upon removing overburden soils and exposing the USTs, the tanks were removed by excavating along the sides of the tank until the tank could be removed. The tank was removed from the basin with a trackhoe via a chain and lifting the tank out of the ground.

Following removal, the tanks were inspected. One small hole was noted on the side of UST-1. No holes were noted in UST-2. SSI transported the USTs off-site for disposal at Atlantic Scrap and Processing in Winston-Salem, North Carolina. A copy of the tank disposal certificate for the UST is included as Appendix C.

No odors or elevated OVA readings were noted below UST-1, however elevated OVA readings were noted beneath UST-2.

2. Note the depth of tank burial(s) (from land surface to top of tank):

The top of UST-1 was located approximately 6-inches below ground surface. The top of UST-2 was located approximately 1.5 ft below ground surface.

3. *Quantity of soil removed:*

A total of 8.3 tons of impacted soil was transported to Soil Solutions facility for treatment. The manifest and Certificate of Acceptance is attached in Appendix D.

4. *Describe soil type(s):*

Shallow soils encountered during removal of the UST were predominantly brown fine sandy silts and clays.

5. *Type and source of backfill used:*

The basin was backfilled with ABC stone obtained from a local quarry. The backfill was placed in lifts in the basin and compacted with the mechanical equipment to bring the basin to grade.

E. *Impacted Soil*

1. *Describe how it was determined what extent to excavate the soil:*

Soils shifted during the removal of the UST were screened with an OVA and observed for visual staining and odors. No indications of soil impacts were noted beneath UST-1, however soils exhibiting elevated OVA readings were noted beneath UST-2. Excavation proceeded until no odors or elevated OVA readings were noted. Only a minor amount of soil was excavated and 8.3 tons of impacted soil were removed from the site, as indicated previously.

2. *Describe method of temporary storage, sampling and treatment/disposal of soil:*

Soil was loaded directly onto a dump truck for offsite transport and disposal.

III. Site Investigation

A. *Provide information of field screening and observations, include methods used to calibrate field screening instrument(s):*

During the UST removal activities, soils obtained during removal of the tank were screened in the field with an organic vapor analyzer with a photoionization detector (PID) for organic vapors. The PID was calibrated prior to its use against an isobutylene standard.

Field screening results of samples collected after tank removal did not indicate the presence of petroleum impacted soil beneath UST-1, however petroleum impacts were suspected beneath UST-2.

B. *Describe soil sampling points and sampling procedures used:*

After removal of the UST, closure samples were collected. One UST closure sample was collected from beneath UST-1. Because the tank length for UST-2 was greater than six feet, two samples were collected from beneath the 560-gallon UST and submitted for laboratory analysis. These soil samples were collected at an approximate depth of 6 ft bgs. The approximate locations of the soil samples are indicated on Figure 3.

The UST closure samples were analyzed for gasoline-range and diesel-range TPH by EPA Methods 3550/5030/8015M using EPA Method 5035 preparation. Soil samples were collected from the approximate center of the trackhoe bucket.

C. *Quality control measures:*

Soil samples were analyzed by Pace Analytical Services Inc., a North Carolina certified laboratory. Laboratory-supplied sample bottles were used for sample collection. A chain-of-custody record was completed for samples collected and included sample description, date collected, time collected, matrix, sample container information, and analyses required. The chain-of-custody was signed by H&H prior to placement in an iced cooler for hand delivery to the laboratory.

Disposable sample gloves were changed between each sampling location and clean sample containers were used to collect the samples. Sampling equipment was decontaminated between sampling locations.

D. *Investigation Results:*

The results of the soil sample analyses are summarized in Table 1. The laboratory data sheets and the chain-of-custody records are included in Appendix E.

TPH was not detected in the soil sample (UST1 Base) collected directly beneath the 200-gallon UST.

Two closure soil samples were collected directly beneath the 560-gallon UST and analyzed for TPH-GRO and TPH-DRO. These UST closure samples contained detectable concentrations of TPH-DRO and TPH-GRO. Soil sample UST2-Base 1 contained 1,600 mg/kg of TPH-DRO and TPH-GRO was not detected. Soil sample UST2-Base 2 contained 8.7 mg/kg of TPH-GRO and 190 mg/kg of TPH-DRO. Upon excavation of 8.3 tons of soil, confirmation soil samples were collected and analyzed for risk-based parameters. No analytes were detected above soil-to-ground water MSCCs in the risk-based samples with the exception of methylene chloride, a common laboratory contaminant. Therefore, no further action is recommended.

E. *Ground Water Sampling*

Ground water was not encountered during excavation activities and no ground water samples were collected during excavation activities.

IV. **Conclusions**


Include probable sources of contamination, further investigation or remediation tasks, or whether no further action is required.

One 200-gallon and one 560-gallon orphan UST were removed from the site on April 22, 2005. A visual inspection of the USTs identified one small hole in the 200-gallon UST (UST-1) but no holes in the 560-gallon UST (UST-2), which was full of fluid.

One closure sample was collected directly beneath the 200-gallon UST and analyzed for TPH-GRO and TPH-DRO. TPH was not detected in this soil sample.

Two closure soil samples were collected directly beneath the 560-gallon UST and analyzed for TPH-GRO and TPH-DRO. These UST closure samples contained detectable concentrations of TPH-DRO and TPH-GRO. Soil sample UST2-Base 1 contained 1,600 mg/kg of TPH-DRO and TPH-GRO was not detected. Soil sample UST2-Base 2 contained 8.7 mg/kg of TPH-GRO and 190 mg/kg of TPH-DRO. Upon excavation of 8.3 tons of soil, confirmation soil samples were collected and analyzed for risk-based parameters. No analytes were detected above soil-to-ground water MSCCs, with the exception of methylene chloride, a common laboratory contaminant. The detection of methylene chloride is not suspected to be representative of subsurface conditions. Therefore, no further action is recommended.

V. **Signature and Seal of Professional Engineer or Licensed Geologist**



Michael S. Crouch PE, PG
Project Manager

Table 1
 Soil Analytical Results - Closure Sampling
 130 South Graham Street
 Charlotte, North Carolina
 H&H Job No. ROW-131

Sample ID	Beneath UST-1		Beneath UST-2		Confirmation Samples						NC Target Levels	
	UST1-Base 4/22/2005 4	UST2-Base1 4/22/2005 6	UST2-Base2 4/22/2005 6	Excav Base 4/22/2005 7	Excav SW-1 4/22/2005 6	Excav SW-2 4/22/2005 6	Excav SW-3 4/22/2005 6	Excav SW-4 4/22/2005 6	Commercial MSCC	Residential MSCC	Soil to GW MSCC	
Date Collected												
Depth (ft)												
VPH/EPH												
VPH C5-C8 Aliphatics	NA	NA	NA	<14	<12	<13	<13	<11	24,528	939	72	
VPH C9-C12 Aliphatics	NA	NA	NA	<14	<12	<13	<13	<11	NS	NS	NS	
EPH C9-C18 Aliphatics	NA	NA	NA	<13	<11	<12	<13	<13	NS	NS	NS	
Total C9-C18 Aliphatics	NA	NA	NA	ND	ND	ND	ND	ND	245,280	9,306	3,255	
EPH C19-C36 Aliphatics	NA	NA	NA	<13	<11	<12	<13	<13	>100%	93,860	Immobilized	
VPH C9-C10 Aromatics	NA	NA	NA	<14	<12	<13	<13	<11	NS	NS	NS	
EPH C11-C22 Aromatics	NA	NA	NA	<13	<11	<12	<13	<13	NS	NS	NS	
Total C9-C22 Aromatics	NA	NA	NA	ND	ND	ND	ND	ND	12,264	469	34	
VOCs (#260)												
Dichlorodifluoromethane	NA	NA	NA	0.031	0.170	0.110	0.014	0.028	NS	NS	NS	
Methylene Chloride	NA	NA	NA	0.0099	0.040	0.024	0.007	<0.0054	763	85	0.02	
Toluene	NA	NA	NA	0.010	<0.0059	<0.0062	<0.0063	<0.0054	82,000	3,200	7	
1,2,4-Trimethylbenzene	NA	NA	NA	0.011	<0.0059	<0.0062	<0.0063	<0.0054	20,440	782	8	
Total Xylenes	NA	NA	NA	0.012	<0.0059	<0.0062	<0.0063	<0.0054	200,000	32,000	5	
SVOCs (#270)												
TPH												
Gasoline Range Organics (GRO)	<6.9	<6.3	8.7	NA	NA	NA	NA	NA	10			
Diesel Range Organics (DRO)	<6.4	1,600	190	NA	NA	NA	NA	NA	10			

Notes:
 EPA Method number follows parameter in parenthesis; Bold indicates concentration exceeds action level/target level
 UST = Underground Storage Tank; VPH = Volatile Petroleum Hydrocarbons; EPH = Extractable Hydrocarbons
 VOCs = Volatile Organic Compounds; SVOCs = Semi-Volatile Organic Compounds; TPH = Total Petroleum Hydrocarbons
 NA = Not Analyzed; ND = Not Detected; NS = Not Specified





SEE FIGURE 3 FOR DETAIL OF UST 1 AND 2 AREA








USTs 1 and 2 removed April 22, 2005. UST-3 was not removed due to access constrains and vehicular parking. UST-3 removal is pending.

- Former Servco Parcel
- NC DOT Parcel 5A

TITLE	ORPHAN UST LOCATIONS		
PROJECT	SOUTH GRAHAM ST ORPHAN USTS CHARLOTTE, NORTH CAROLINA		
	 2923 South Tryon Street-Suite 100 Charlotte, North Carolina 28203 704-586-0007 (p) 704-586-0373 (f)		
DATE:	5-9-05	REVISION NO:	0
JOB NO:	ROW-131	FIGURE NO:	2



- LEGEND**
-  UST
 -  EXTENT OF EXCAVATION
 -  CLOSURE SAMPLE
 -  CONFIRMATION SAMPLE


TITLE		SOIL SAMPLING LOCATIONS	
PROJECT		SOUTH GRAHAM ST AND WEST TRADE ST CHARLOTTE, NORTH CAROLINA	
		2923 South Tryon Street-Suite 100 Charlotte, North Carolina 28203 704-586-0007(p) 704-586-0373(f)	
DATE: 5-16-05		REVISION NO. 0	
JOB NO: ROW-131		FIGURE NO. 3	

**Underground Storage Tank
Closure Report
NC DOT Multi-Modal Station
Orphan UST-3
DOT Parcel 5A
Southwest Intersection of
Trade and Graham Streets
Charlotte, North Carolina**

H&H Job No. ROW-131

**State Project P-3800
WBS # 32179**

July 29, 2005



Hart & Hickman, PC
2923 S. Tryon Street
Suite 100
Charlotte, NC 28203

704
586-0007 phone
586-0373 fax

UNDERGROUND STORAGE TANK CLOSURE REPORT

I. General Information

A. Ownership of UST(s)

1. Name of UST owner:

Unknown - Orphan UST on NC DOT property

2. Owner address and telephone number:

Property Owner: North Carolina Department of Transportation
716 West Main Street
Albemarle, North Carolina 28001

Note:

NC DOT Contact – Cyrus Parker (919-250-4088). Mailing Address for NC DOT contact person is 1589 Mail Service Center, Raleigh, NC 27699-1589 4401

B. Facility Information

1. Facility name:

NC DOT Multi-Modal Site (Parcel 5A). The site is located at southwest corner of South Graham Street and West Trade Street in Charlotte, NC. The subject site is currently owned by NC DOT and leased to Preferred Parking Services, Inc. as a pay-as-you-go parking lot serving downtown Charlotte.

2. Facility ID #:

NA. The UST was located just northeast of a former Servco Site with an address of 120 and 130 S. Graham St and may have been associated with this facility. No Facility ID# is assigned to the Servco site, however the site is listed under Incident Number 8097 and UST Number MO-3214.

3. Facility address, telephone number and county:

The UST was located near the southwestern corner of the intersection of Trade Street and Graham Street in Charlotte, North Carolina. NC DOT has designated this parcel as Parcel 5A and it is linked to the following address according to the Charlotte-Mecklenburg County GIS system:

511 West Trade Street
Charlotte, Mecklenburg County, North Carolina
Contact Phone Number (919) 250-4088 Attn: Mr. Cyrus Parker

C. Contacts

1. Name, address, telephone number and job title of primary contact person:

Mr. Cyrus Parker
GeoEnvironmental Project Manager
1589 Mail Service Center
Raleigh, North Carolina 27699-1589

(919) 250-4088

2. *Name, address and telephone number of closure contractor:*

Soil Solutions, Inc.
1703 Vargrave Street
Winston-Salem, North Carolina 27107
(336) 725-5844

3. *Name, address and telephone number of primary consultant:*

Hart & Hickman, P.C.
2923 South Tryon Street, Suite 100
Charlotte, North Carolina 28203
(704) 586-0007

4. *Name, address, telephone number, and State certification number of laboratory:*

Pace Analytical Services, Inc.
9800 Kinsey Avenue, Suite 100
Huntersville, NC 28078
(704) 875-9092
North Carolina Certification 37706

D. UST Information

Tank No.	Installation Date	Size in Gallons	Tank Dimensions	Last Contents	Other Contents (if any)
3	Unknown	550 gallons	Diameter: 3' 7", length: 7' 10"	Suspected to be Heating Oil	None

*See attached Figure No. 2 for tank location.

Please note that two USTs (UST-1 and UST-2) were previously removed from the site on April 22, 2005. At that time evidence of the third UST was discovered during field activities. A fill port was noted and the third UST was located approximately 40 feet southwest of USTs 1 and 2. Due to access constraints and the presence of parked vehicles, the third UST could not be removed during the April 22, 2005 field activities. The UST removal of UST-1 and UST-2 were documented in a May 17, 2005 UST Closure Report.

E. Site Characteristics

1. *Describe any past releases at this site:*

None. However, the USTs were located adjacent to a former service station and auto sales facility, however it is not known if the USTs were part of that facility. Additionally, during removal of UST-1 and UST-2, 8.3 tons of impacted soil was

removed. Upon excavation of 8.3 tons of soil, confirmation soil samples were collected and analyzed for risk-based parameters. No analytes were detected above soil-to-ground water MSCCs in the risk-based samples with the exception of methylene chloride, a common laboratory contaminant. Therefore, no further action was recommended for UST-1 and UST-2.

2. *Is the facility active or inactive at this time?*

The facility is currently a pay as you go parking lot. The property is owned by NC DOT and leased to Preferred Parking. The orphan UST was located north of a cinder block wall near the access drive to the parking lot.

3. *Describe surrounding property use (for example, residential, commercial, farming, etc.):*

The site is located in downtown Charlotte. Land use in the site area is primarily commercial. The subject property is located near the southwest corner of South Graham Street and Trade Street in downtown Charlotte, Mecklenburg County, North Carolina. A site location map is included as Figure 1.

4. *Describe the site geology/hydrogeology:*

The subject property is located in the Piedmont Physiographic Province of North Carolina. According to the *Geologic Map of North Carolina* dated 1985, the subject property lies within the Charlotte Belt of the Piedmont. In the site area, underlying bedrock is composed of metamorphosed quartz diorite. The land surface of the area is generally characterized as gently sloping, which may become moderately steep where intersected by streams.

In the Piedmont, the bedrock is overlain by a mantle of weathered rock termed saprolite or residuum. The saprolite consists of unconsolidated clay, silt, and sand with lesser amounts of rock fragments. Due to the range of parent rock types and their variable susceptibility to weathering, the saprolite ranges widely in color, texture, and thickness. Generally, the saprolite is thickest near interstream divides and thins toward streambeds. In profile, the saprolite normally grades from clayey soils near the land surface to highly weathered rock above competent bedrock.

The occurrence and movement of ground water in the Piedmont is typically within two separate but interconnected water-bearing zones. A shallow water-bearing zone occurs within the saprolite, and a deeper water-bearing zone occurs within the underlying bedrock.

Ground water in the shallow saprolite zone occurs in the interstitial pore spaces between the grains comprising the saprolitic soils. Ground water in this zone is

typically under water table or unconfined conditions. Ground water movement is generally lateral from recharge areas to small streams that serve as localized discharge points.

The occurrence and movement of ground water in the underlying water-bearing zone within the crystalline bedrock is controlled by secondary joints, fractures, faults, and dikes within the bedrock. On a regional scale, the direction of ground water flow is typically from uplands to major streams and ground water sinks. The saprolite has a higher porosity than the bedrock and serves as a reservoir that supplies water to a network of fractures in the bedrock.

Visual observation of soils encountered during the excavation of the UST and during soil sample collection (maximum depth of observation of approximately 7 feet below ground surface) indicate that reddish brown silty clays and clayey silts are the predominant shallow soil type.

Based on topographic considerations, site ground water is generally expected to flow to the northwest toward Irwin Creek.

II. Closure Procedures

- A. *Describe preparations for closure including the steps taken to notify authorities, permits obtained and the steps taken to clean and purge the tanks:*

On April 20, 2005, H&H discussed the UST removals with Mr. Allen Schiff of the North Carolina Department of Environment and Natural Resources (DENR) Mooresville Regional Office. Mr. Schiff indicated that a Notice of Intent: UST Permanent Closure of Change in Service (UST-3) was not required since the UST was an orphan UST. Appendix A contains form UST-2.

The UST removal activities were conducted on June 16, 2005. Residual liquids within the UST were removed previously by Soil Solutions, Inc. (SSI) of Winston-Salem, North Carolina during the April 22, UST removal. Additional liquid removal was not required.

As required, the UST removal activities were coordinated with the Charlotte Fire Department and a UST removal permit was obtained for the site.

- B. *Note the amount of residual material pumped from the tank(s):*

Approximately 547 gallons of fluid were removed from UST-3 on April 22, 2005. Additionally, 12 gallons of residual liquids were removed from the UST-1 and 560 gallons from UST-2. A copy of the Certificate of Disposal for the residual liquids is included as Appendix B.

C. Describe the storage, sampling and disposal of the residual material:

The residual liquids were directly pumped to a vac truck and then transported and disposed by SSI at their facility located in Winston-Salem, NC. As indicated above, the Certificate of Disposal is included in Appendix B.

D. Excavation

1. Describe excavation procedures noting the condition of the soils and the dimensions of the excavation in relation to the tanks, piping and/or pumps:

H&H mobilized on site on June 16, 2005 to remove one orphan UST (UST-3). Prior to removal, the top of the UST was uncovered using a trackhoe, and the tank was purged of potentially combustible vapors using dry ice. After testing the tank with a combustible gas indicator to ensure that potentially combustible vapors had dissipated, the tank was removed from the ground.

The UST was located north of a cinder block wall along the northern boundary of the former Servco facility near the entryway to the parking lot (Figure 2). The fill port for the UST was located directly above the tanks. A ¼-inch copper lines was noted, typical of heating oil USTs.

Upon removing overburden soils and exposing the UST, the tank was removed by excavating along the sides of the tank until the tank could be removed. The tank was removed from the basin with a trackhoe via a chain and lifting the tank out of the ground.

Following removal, the tanks were inspected. No holes were noted. SSI transported the USTs off-site for disposal at Atlantic Scrap and Processing in Winston-Salem, North Carolina. A copy of the tank disposal certificate for the UST is included as Appendix C.

Elevated OVA readings were noted below UST-3.

2. Note the depth of tank burial(s) (from land surface to top of tank):

The top of UST-3 was located approximately 12-inches below ground surface.

3. Quantity of soil removed:

A total of 8.23 tons of impacted soil was transported to Soil Solutions facility for treatment. The manifest and Certificate of Acceptance is attached in Appendix D.

4. Describe soil type(s):

Shallow soils encountered during removal of the UST were predominantly brown fine sandy silts and clays.

5. *Type and source of backfill used:*

The basin was backfilled with ABC stone obtained from a local quarry. The backfill was placed in lifts in the basin and compacted with the mechanical equipment to bring the basin to grade.

E. *Impacted Soil*

1. *Describe how it was determined what extent to excavate the soil:*

Soils shifted during the removal of the UST were screened with an OVA and observed for visual staining and odors. Indications of soil impacts were noted beneath UST-3. Excavation proceeded until no odors or elevated OVA readings were noted. Only a minor amount of soil was excavated and 8.23 tons of impacted soil were removed from the site, as indicated previously.

2. *Describe method of temporary storage, sampling and treatment/disposal of soil:*

Soil was loaded directly onto a dump truck for offsite transport and disposal.

III. Site Investigation

A. *Provide information of field screening and observations, include methods used to calibrate field screening instrument(s):*

During the UST removal activities, soils obtained during removal of the tank were screened in the field with an organic vapor analyzer with a photoionization detector (PID) for organic vapors. The PID was calibrated prior to its use against an isobutylene standard.

Field screening results of samples collected after tank removal indicated a limited volume of petroleum-impacted soil beneath UST-3.

B. *Describe soil sampling points and sampling procedures used:*

After removal of the UST, two UST closure samples were collected beneath UST-3 because its length was greater than six feet. These soil samples were collected at an approximate depth of 6 ft bgs. The approximate locations of the soil samples are indicated on Figure 3.

The UST closure samples were analyzed for gasoline-range and diesel-range TPH by EPA Methods 3550/5030/8015M using EPA Method 5035 preparation. Soil samples were collected from the approximate center of the trackhoe bucket.

C. *Quality control measures:*

Soil samples were analyzed by Pace Analytical Services Inc., a North Carolina certified laboratory. Laboratory-supplied sample bottles were used for sample collection. A chain-of-custody record was completed for samples collected and included sample description, date collected, time collected, matrix, sample container information, and analyses required. The chain-of-custody was signed by H&H prior to placement in an iced cooler for hand delivery to the laboratory.

Disposable sample gloves were changed between each sampling location and clean sample containers were used to collect the samples. Sampling equipment was decontaminated between sampling locations.

D. *Investigation Results:*

The results of the soil sample analyses are summarized in Table 1. The laboratory data sheets and the chain-of-custody records are included in Appendix E.

Two closure soil samples were collected directly beneath UST-3 and analyzed for TPH-GRO and TPH-DRO. Soil sample UST3-Base 1 contained 20,000 mg/kg of TPH-DRO and 29 mg/kg of TPH-GRO. Closure soil sample UST3-Base 2 did not contain detectable concentrations of TPH-GRO or TPH-DRO. Upon excavation of 8.23 tons of soil, confirmation soil samples were collected and analyzed for risk-based parameters. No analytes were detected above soil-to-ground water MSCCs in the risk-based samples. Therefore, no further action is recommended.

E. *Ground Water Sampling*

Ground water was not encountered during excavation activities and no ground water samples were collected during excavation activities.

IV. Conclusions


Include probable sources of contamination, further investigation or remediation tasks, or whether no further action is required.

One 550-gallon orphan UST was removed from the site on June 16, 2005. A visual inspection of the UST did not indicate any holes in the UST.

Two closure soil samples were collected directly beneath UST-3 and analyzed for TPH-GRO and TPH-DRO. Soil sample UST3-Base 1 contained 20,000 mg/kg of TPH-DRO and 29 mg/kg of TPH-GRO. Closure soil sample UST3-Base 2 did not contain detectable concentrations of TPH-GRO or TPH-DRO. Upon excavation of 8.23 tons of soil, confirmation soil samples were collected and analyzed for risk-based parameters.

No analytes were detected above soil-to-ground water MSCCs. Therefore, no further action is recommended.

V. Signature and Seal of Professional Engineer or Licensed Geologist



Michael S. Crouch PE, PG
Project Manager

Table 1
 Soil Analytical Results - Closure Sampling
 130 South Graham Street
 Charlotte, North Carolina
 H&H Job No. ROW-131

Results in milligrams/kilogram

Sample ID	Beneath UST-3		Confirmation Samples							NC Target Levels	
	UST3-Base1 6/16/2005 6	UST3-Base2 6/16/2005 6	Excav Base 6/16/2005 7	Excav SW-1 6/16/2005 6	Excav SW-2 6/16/2005 6	Excav SW-3 6/16/2005 6	Excav SW-4 6/16/2005 6	Commercial MSCC	Residential MSCC	Soil to GW MSCC	
Date Collected	6/16/2005	6/16/2005	6/16/2005	6/16/2005	6/16/2005	6/16/2005	6/16/2005	6/16/2005	6/16/2005	6/16/2005	
Depth (ft)	6	6	7	6	6	6	6	6	6	6	
VPH/EPH											
VPH C5-C8 Aliphatics	NA	NA	<12	<13	<11	<13	<11	24,528	939	72	
EPH C9-C12 Aliphatics	NA	NA	<12	<13	<11	<13	<11	NS	NS	NS	
EPH C9-C18 Aliphatics	NA	NA	<13	<13	<13	<13	<11	NS	NS	NS	
Total C9-C18 Aliphatics	NA	NA	ND	ND	ND	ND	ND	NS	NS	NS	
EPH C19-C36 Aliphatics	NA	NA	<13	<13	<13	<13	<12	245,280	9,386	3,255	
VPH C9-C10 Aromatics	NA	NA	<12	<13	<11	<13	<11	>100%	93,860	Immobile	
EPH C11-C22 Aromatics	NA	NA	<13	<13	<13	<13	<11	NS	NS	NS	
Total C9-C22 Aromatics	NA	NA	ND	ND	ND	ND	<12	NS	NS	NS	
VOCs (#260)								12,264	469	34	
Dichlorodifluoromethane	NA	NA	0.013	<0.012	<0.012	<0.012	<0.011	NS	NS	NS	
Methylene Chloride	NA	NA	<0.0067	0.0081	<0.0062	<0.0062	0.0082	763	85	0.02	
SVOCs (#270)			BDL	BDL	BDL	BDL	BDL	NS	NS	NS	
IPH											
Gasoline Range Organics (GRO)			NA	NA	NA	NA	NA	NC Action Level			
Diesel Range Organics (DRO)	29	<6.5	NA	NA	NA	NA	NA	10			
	20,000	<6.5	NA	NA	NA	NA	NA	10			

Notes:


EPA Method number follows parameter in parenthesis; Bold indicates concentration exceeds action level/target level
 UST = Underground Storage Tank; VPH = Volatile Petroleum Hydrocarbons; EPH = Extractable Hydrocarbons
 VOCs = Volatile Organic Compounds; SVOCs = Semi-Volatile Organic Compounds; TPH = Total Petroleum Hydrocarbons
 NA = Not Analyzed; ND = Not Detected; NS = Not Specified




SEE FIGURE 3 FOR DETAIL OF UST 3 AREA




USTs 1 and 2 removed April 22, 2005. UST-3 was removed on June 16, 2005.


 Former Servco Parcel

 NC DOT Parcel 5A

TITLE	ORPHAN UST LOCATIONS	
PROJECT	SOUTH GRAHAM ST ORPHAN USTS CHARLOTTE, NORTH CAROLINA	
 Hart & Hickman <small>A PROFESSIONAL CORPORATION</small>		
<small>2923 South Tryon Street-Suite 100 Charlotte, North Carolina 28203 704-586-0007 (p) 704-586-0373 (f)</small>		
DATE:	7-25-05	REVISION NO: 0
JOB NO:	ROW-131	FIGURE NO: 2



- LEGEND**
- CLOSURE SAMPLE
 - ⊙ CONFIRMATION SAMPLE

TITLE		SOIL SAMPLE LOCATIONS (UST-3)	
PROJECT		SOUTH GRAHAM ST AND WEST TRADE ST CHARLOTTE, NORTH CAROLINA	
		2923 South Tryon Street-Suite 100 Charlotte, North Carolina 28203 704-586-0007(p) 704-586-0373(f)	
DATE: 7-24-05		REVISION NO. 0	
JOB NO: ROW-131		FIGURE NO. 3	



North Carolina Department of Environment and Natural Resources

Michael F. Easley, Governor
William G. Ross Jr., Secretary

Division of Waste Management
Underground Storage Tank Section

Dexter R. Matthews, Director

January 6, 2006

NC DOT
1589 Mail Service Center
Raleigh, NC 27699-1589 4401
Attention: Cyrus Parker

Re: Notice of No Further Action
15A NCAC 2L .0407(d)
Risk-based Assessment and Corrective Action
for Petroleum Underground Storage Tanks

Multi-Modal (Parcel 5A)
UST-3
511 West Trade Street
Mecklenburg County
Incident Number: 27936

Dear Mr. Parker:

The Underground Storage Tank (UST) Closure Report/ Soil Contamination Report received by the Underground Storage Tank (UST) Section, Mooresville Regional Office on August 26, 2005 has been reviewed. The review indicates that after tank closure and soil excavation soil contamination does not exceed the lower of the soil-to-groundwater or residential maximum soil contaminant concentrations (MSCCs), established in Title 15A NCAC 2L .0411.

The UST Section determines that no further action is warranted for this incident. This determination shall apply unless the UST Section later finds that the discharge or release poses an unacceptable risk or a potentially unacceptable risk to human health or the environment. Pursuant to Title 15A NCAC 2L .0407(a) you have a continuing obligation to notify the Department of any changes that might affect the risk or land use classifications that have been assigned.

This No Further Action determination applies only to the subject incident; for any other incidents at the subject site, the responsible party must continue to address contamination as required.

If you have any questions regarding this notice, please contact me at the address or telephone number listed below.

Sincerely,

Brett Morris

Hydrogeological Technician II
Mooresville Regional Office

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

MULTI-MODAL (PARCEL 5A) (Continued)

S107405231

Source Type: Leak-underground
Product Type: PETROLEUM
Date Reported: 01/05/2006
Date Occur: 04/28/2005
Cleanup: 04/22/2005
Closure Request: Not reported
Close Out: 01/06/2006
Level Of Soil Cleanup Achieved: Soil to Groundwater
Tank Regulated Status: Non Regulated
Of Supply Wells: 0
Commercial/NonCommercial UST Site: NON COMMERCIAL
Risk Classification: L
Risk Class Based On Review: L
Corrective Action Plan Type: Not reported
NOV Issue Date: Not reported
NORR Issue Date: Not reported
Site Priority: Not reported
Phase Of LSA Req: Not reported
Site Risk Reason: Not reported
Land Use: Industrial/commercial
MTBE: No
MTBE1: Unknown
Flag: Yes
Flag1: No
LUR Filed: Not reported
Release Detection: 0
Current Status: File Located in Archives
RBCA GW: Not reported
PETOPT: 4
RPL: True
CD Num: 289
Reel Num: 0
RPOW: False
RPOP: False
Error Flag: 0
Error Code: N
Valid: False
Lat/Long Decimal: 35.2306 -80.8475
Testlat: Not reported
Regional Officer Project Mgr: BLM
Region: Mooresville
Company: NC DOT
Contact Person: CYRUS PARKER
Telephone: 9192504088
RP Address: 1589 MAIL SERVICE CENTER
RP City,St,Zip: RALEIGH, NC 27699
RP County: Not reported
Comments: UST 1-200 GALLONS UST 2-560 GALLONS. SUSPECTED TO BE HEATING OIL.
UST-3 CLOSURE AND REMOVAL ACTIVITIES ARE DOCUMENTED UNDER SEPARATE
INCIDENT. DETECTABLE AMOUNTS OF DICHLORODIFLUOROMETHANE.

5 Min Quad: Not reported

PIRF:

Facility Id: 36011
Date Occurred: 2005-04-28 00:00:00
Date Reported: 2006-01-06 00:00:00
Description Of Incident: UST-1 AND UST-2. TANKS AND CONTAMINATED SOIL WERE REMOVED.
Owner/Operator: Not reported



Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

MULTI-MODAL (PARCEL 5A) (Continued)

S107405231

Ownership: 3
 Operation Type: Not reported
 Type: 4
 Location: 1
 Site Priority: Not reported
 Priority Update: Not reported
 Wells Affected Y/N: Not reported
 Samples Include: Not reported
 7#5 Minute Quad: Y
 5 Minute Quad: Not reported
 Pirf/Min Soil: Not reported
 Release Code: Not reported
 Source Code: Not reported
 Err Type: 2
 Cause: Not reported
 Source: Not reported
 Ust Number: P

Last Modified: Not reported
Incident Phase: Closed Out ✖
 NOV Issued: Not reported
 NORR Issued: Not reported
 45 Day Report: Not reported
 Public Meeting Held: Not reported
 Corrective Action Planned: Not reported
 SOC Signed: Not reported
 Reclassification Report: Not reported
 RS Designation: Not reported
 Closure Request Date: Not reported
 Close-out Report: Not reported

F26
 WNW
 < 1/8
 0.088 mi.
 465 ft.

MULTI-MODAL (PARCEL 5A) UST1&2
511 WEST TRADE STREET
CHARLOTTE, NC

NC IMD S107672015
 N/A

Site 5 of 17 in cluster F

Relative:
 Lower

IMD:

Region: Not reported
 Facility ID: 36011
 Date Occurred: 4/28/2005
 Submit Date: 1/6/2006
 GW Contam: No Groundwater Contamination detected
 Soil Contam: Yes
 Incident Desc: UST-1 AND UST-2. TANKS AND CONTAMINATED SOIL WERE REMOVED.
 Operator: CYRUS PARKER
 Contact Phone: 9192504088
 Owner Company: NC DOT
 Operator Address: 1589 MAIL SERVICE CENTER
 Operator City: RALEIGH
 Oper City,St,Zip: RALEIGH, NC 27699
 Ownership: Unknown
 Operation: Not reported
 Material: Not reported
 Qty Lost 1: Not reported
 Qty Recovered 1: Not reported
 Source: Leak-underground
 Type: Gasoline/diesel

Actual:
 757 ft.

Appendix C

GEL Geophysics, LLC Geophysical Survey Report

February 25, 2015

Mr. David Graham
Hart & Hickman, PC
2923 South Tryon Street, Suite 100
Charlotte, NC 28203

Re: Report for Geophysical Survey to Identify Underground
Utilities and Potential Underground Storage Tanks
11 DOT Parcels-400 W. Trade Street
Charlotte, North Carolina

Dear Mr. Graham,

GEL Geophysics, LLC appreciates the opportunity to provide Hart & Hickman with this report of our geophysical investigation for the referenced project. This investigation was designed to determine the potential presence of underground storage tanks (USTs) at the site and underground utilities that would obstruct drilling activities at the site. The geophysical field investigation was successfully performed on January 17 through January 18, 2015.

1.0 Summary of Results

Multiple subsurface anomalies were identified in the geophysical data. Figure 1 depicts the approximate location and size of the anomalies as well as the known metallic surface objects present at the time of the investigation. The actual location of 7 GPR anomalies and 6 TDEM anomalies were identified in the field with marking paint. Three anomalies were denoted as a "Possible USTs" while the remaining anomalies were not characteristic of USTs. The anomalies not denoted as USTs in post processed data in Figure 1 are consistent with known metallic surface objects, underground utilities or cultural interference. Although geophysical methods provide a high level of assurance for the location of subsurface objects, the possibility exists that not all features can or will be identified. Therefore, due caution should be used when performing any subsurface excavation, and GEL Geophysics, LLC will not be liable for any damages that may occur. Descriptions of the technologies employed during this geophysical investigation are provided below.

2.0 Overview of Geophysical Investigation

The geophysical evaluation included the deployment of radio-frequency electromagnetic (EM), ground penetrating radar (GPR) and time-domain electromagnetic (TDEM) technologies to the site. These technologies were used in concert with one another in order to identify the presence of potential underground utilities and USTs at the site. A brief description of each technology is presented in the following paragraphs.

Radio-Frequency Electromagnetic

Radio-Frequency Electromagnetic (EM) utility locating equipment consists of a transmitter and a dual-function receiver. The receiver can be operated in a "passive" mode or in an "active" mode. The two modes of operation provide various levels of detection capabilities depending on the specific target or application.

The EM system is operated in the "active" mode by either inducting or conducting a signal into the underground utility to be traced. A transmitter is placed over and in line with a suspected buried utility. The transmitter induces a signal, which propagates along the buried utility. As the receiver is moved back and forth

across the suspected path of the utility, the trace signal induces a signal into the receiver's coil sensor. A visual and audio response indicates when the receiver is directly over the buried utility.

Another means of detecting in the "active" mode utilizes a method to "conduct" a signal within the buried utility. To accomplish this, a cable from the transmitter is clamped onto an exposed section of the buried utility and a signal propagates along the buried line. This technique minimizes any interference caused by parasitic emissions from adjacent cables in congested areas. When the system is utilized in the "passive" mode, the receiver is responding to a 60 Hertz cycle current energized by underground utilities.

Interference can and may occur when buried utilities intersect or are adjacent to each other. This effect referred to as "bleed-off" may provide a false response to the identification of the tracked utility. "Bleed-off" is caused by utilities that may be energized in the "active" or "passive" mode.

Ground Penetrating Radar Methodology

A RAMAC digital radar control system configured with a 250 Megahertz (MHz) antenna array was used in this investigation. GPR is an electromagnetic geophysical method that detects interfaces between subsurface materials with differing dielectric constants. The GPR system consists of an antenna which houses the transmitter and receiver, a digital control unit which both generates and digitally records the GPR data, and a color video monitor to view data as it is collected in the field.

The transmitter radiates repetitive short-duration electromagnetic waves (at radar frequencies) into the earth from an antenna moving across the ground surface. These radar waves are reflected back to the receiver from the interface of materials with different dielectric constants. The intensity of the reflected signal is a function of the contrast in the dielectric constant between the materials, the conductivity of the material through which the wave is traveling, and the frequency of the signal.

Subsurface features that commonly cause such reflections are: 1) natural geologic conditions, such as changes in sediment composition, bedding, and cementation horizons and voids; or 2) unnatural changes to the subsurface such as disturbed soils, soil backfill, buried debris, tanks, pipelines, and utilities. The digital control unit processes the signal from the receiver and produces a continuous cross-section of the subsurface interface reflection events.

GPR data profiles were collected along transects covering the entire rights of ways. Depth of investigation of the GPR signal is highly site-specific and is limited by signal attenuation (absorption) in the subsurface materials. Signal attenuation is dependent upon the electrical conductivity of the subsurface materials. Signal attenuation is greatest in materials with relatively high electrical conductivities such as clays, brackish groundwater, or groundwater with a high dissolved solid content from natural or manmade sources. Signal attenuation is lowest in relatively low conductivity materials such as dry sand or rock. Depth of investigation is also dependent on the antenna's transmitting frequency. Depth of investigation generally increases as transmitting frequency decreases; however, the ability to resolve smaller subsurface features is diminished as frequency is decreased. The average depth of penetration at this site was approximately 2-4 feet below the surface.

The GPR antenna used at this site is internally shielded from aboveground interference sources. Accordingly, the GPR response is not affected by overhead power lines, metallic buildings, or nearby objects.

Time Domain Electromagnetic Methodology

TDEM methods measure the electrical conductivity of subsurface materials. The conductivity is determined by inducing (from a transmitter) a time or frequency-varying magnetic field and measuring (with a receiver) the

amplitude and phase shift of an induced secondary magnetic field. The secondary magnetic field is created by subsurface conductive materials behaving as an inductor as the primary magnetic field is passed through them.

The Geonics EM-61 system used in this investigation operates within these principles. However, the EM-61 TDEM system can discriminate between moderately conductive earth materials and very conductive metallic targets. The EM-61 consists of a portable coincident loop time domain transmitter and receiver with a 1.0-meter by 0.5-meter coil system. The EM-61 generates 150 pulses per second and measures the response from the ground after transmission or between pulses. The secondary EM responses from metallic targets are of longer duration than those created by conductive earth materials. By recording the later time EM arrivals, only the response from metallic targets is measured, rather than the field generated by the earth material.

3.0 Field Procedures and Results

The geophysical field investigation was successfully performed on January 17 through January 18, 2015 at the 11 DOT parcels located in the immediate vicinity of 400 W. Trade Street in Charlotte, NC. Interpretation of the GPR data was conducted in the field and any potential anomalies were marked in the field. GPR data processing typically included band pass filtering, background removal, horizontal smoothing, and gain adjustments. TDEM was also used to scan the project site. Any electromagnetic anomalies detected during field activities that were indicative of buried metallic objects were also marked in the field.

Multiple subsurface anomalies were identified in the geophysical data on Figure 1. Figure 1 depicts the approximate location and size of the anomalies as well as the known metallic surface objects present at the time of the investigation. The UST level of confidence rating system developed by NCDOT in May 2009 ("Known UST," "Probable UST," "Possible UST," or "No Confidence") was used in the interpretation and presentation of this report. The results by parcel are as follows:

DOT Parcel 4A (0.21 acres)- Two geophysical anomalies were detected during the investigation of Parcel 4A as depicted in Figure 1. Neither anomaly was indicative of a "Possible UST" or "Probable" UST.

DOT Parcel 4B (0.3 acres)- Three geophysical anomalies were detected during the investigation of Parcel 4B as depicted in Figure 1. One anomaly was indicated as being a "Possible UST" as indicated on Figure 1.

DOT Parcel 5A (0.19 acres)- There were no subsurface geophysical anomalies detected within Parcel 5A during this investigation. The anomalies represented in the data shown on Figure 1 are indicative of known metallic surface features.

DOT Parcel 5B (0.24 acres)- Multiple geophysical anomalies exist in Parcel 5B as indicated on Figure 1. Two of the anomalies are representative of "Possible USTs" as noted on the Figure. The additional anomalies present within this parcel are interpreted as either buried debris, cultural interference or known metallic surface features.

DOT Parcel 5C (0.38 acres)- There were no geophysical anomalies within Parcel 5C that were representative of a "Possible UST," "Probable UST" or "Known UST." All responses are interpreted to be cultural interference or known metallic surface features present at the time of the investigation.

DOT Parcel 6 (0.51 acres)- One geophysical anomaly was indicated within Parcel 6 on Figure 1. This anomaly was not representative of a "Possible UST," "Probable UST" or "Known UST." Additional responses are visible in Figure 1, but are representative of cultural interference or known metallic surface features.

DOT Parcel 7A (0.11 acres)- Two geophysical anomalies were identified within Parcel 7A on Figure 1. Both anomalies are interpreted to be associated with buried metallic debris based on visual evidence of a debris field on the surface. Additional responses are visible within this parcel but are representative of cultural interference or known metallic surface features.

DOT Parcel 7B (0.08 acres)- There were no geophysical anomalies within Parcel 7B that were representative of a "Possible UST," "Probable UST" or "Known UST." All responses are interpreted to be cultural interference or known metallic surface features present at the time of the investigation.

DOT Parcel 7C (0.16 acres)- There were no geophysical anomalies within Parcel 7C that were representative of a "Possible UST," "Probable UST" or "Known UST." All responses are interpreted to be cultural interference or known metallic surface features present at the time of the investigation.

DOT Parcel 8 (0.17 acres)- Multiple geophysical anomalies exist within Parcel 8 as shown on Figure 1. All of the anomalies are representative of either known metallic surface features, suspected underground utilities, or cultural interference.

DOT Parcel 10 (0.11 acres)- Two geophysical anomalies were identified within Parcel 10 on Figure 1. Neither anomaly was indicative of a "Possible UST," "Probable UST" or "Known UST." These anomalies are interpreted as buried debris based on visual evidence on the surface.

Additional TDEM responses were present in the data, but correlated to surface metallic debris and/or above ground metal structures and are not considered to be representative of "Potential USTs."

The locations of underground utilities were designated using EM and GPR equipment, and their locations were marked with paint on the land surface, and additionally shown in Figure 1.

Locations of data points were obtained using a Trimble R6 GPS antenna, which obtained sub-meter accuracy using corrections provided by the North Carolina RTN network.

4.0 Closing

GEL Geophysics appreciates the opportunity to assist Hart & Hickman with this project. If you have any questions or need further information regarding the project, please do not hesitate to call me at (843) 697-1571.

Yours very truly,



William S. Dovell
Project Manager

enclosures
fc: hahi00115_rpt.doc

Site Photos



Photo 1: Parcels 5B, 5C, and 4B looking northwest from Parcel 5A.



Photo 2: Looking northwest from Parcel 7C.



Photo 3: Looking southeast towards Parcel 5A and Parcel 8.



Photo 4: Looking northwest from Parcel 7C.



Photo 5: Looking northeast across Parcel 5C and 5B.



Photo 6: Looking north across Parcels 4A, 4B and 5C.



Photo 7: Looking south towards Parcel 10.



Photo 8: Looking west across Parcel 6.



Photo 9: Showing GPR anomaly and "Possible UST" (upper left) in Parcel 4B.



Photo 10: Showing GPR anomaly and monitoring well in Parcel 6.



Photo 11: Showing GPR anomaly in Parcel 10.



Photo 12: Showing "Possible UST" in Parcel 4B.



Photo 13: Looking west from Parcel 5A.



Photo 14: Showing TDEM anomaly in Parcel 5B.





Photo 15: Looking southeast from Parcel 5C.



Photo 16: Showing "Possible UST" in Parcel 5B.



Photo 17: Showing GPR anomaly in Parcel 5B.



LEGEND	
	APPROXIMATE LOCATION OF SUSPECTED UNDERGROUND UNKNOWN UTILITY LINE
	APPROXIMATE LOCATION OF SUSPECTED UNDERGROUND WATER LINE
	APPROXIMATE LOCATION OF SUSPECTED STORMWATER DRAIN LINE
	APPROXIMATE LOCATION OF SUSPECTED UNDERGROUND GAS LINE
	APPROXIMATE LOCATION OF SUSPECTED UNDERGROUND ELECTRICAL POWER LINE
	CHAIN LINK FENCE
	END OF DESIGNATION OR UNKNOWN DESIGNATION
	POWER POLE
	METALLIC SURFACE FEATURE
	STORM DRAIN MANHOLE
	STORM DRAIN DROP INLET
	WATER VALVE
	WATER METER
	GAS VALVE
	GAS METER
	MONITORING WELL

NOTES

- 1) UNDERGROUND FEATURES WERE LOCATED USING VISUAL EVIDENCE, GROUND PENETRATING RADAR (GPR), RADIO-FREQUENCY ELECTROMAGNETIC (EM) AND TIME DOMAIN ELECTROMAGNETIC (TDEM) METHODS. OTHER BURIED UTILITIES AND STRUCTURES MAY EXIST BUT WERE NOT DETECTED DUE TO LIMITATIONS OF THE GEOPHYSICAL METHODS, SITE ACCESS, AND/OR HIGH TARGET CONGESTION. THEREFORE, DUE CAUTION SHOULD BE USED WHEN PERFORMING SUBSURFACE EXCAVATION ACTIVITIES WHERE POTENTIAL CONFLICTS EXIST. GEL GEOPHYSICS, LLC. IS NOT RESPONSIBLE FOR DAMAGES THAT MAY OCCUR. IDENTIFYING THE LOCATION OF SOME UTILITIES AND STRUCTURES MAY ONLY BE POSSIBLE WITH VACUUM OR OTHER EXCAVATION METHODS.
- 2) FIELD SURVEY CONDUCTED ON 1/17/15-1/18/15.
- 3) DATA FROM GEONICS, LTD. EM-61 MKII AND MALA GEOSCIENCE GROUND PENETRATING RADAR.
- 4) GEL GEOPHYSICS, LLC. IS NOT RESPONSIBLE FOR ACCURACY OF BASE MAP PROVIDED BY HART & HICKMAN.

GRAPHIC SCALE



(IN FEET)
1 inch = 50 ft.

1685550 1685600 1685650 1685700 1685750 1685800 1685850 1685900 1685950 1686000
EASTING

GEL GEOPHYSICS, LLC
a Member of THE GEL GROUP, INC.
P.O. BOX 30712 CHARLESTON, SC 29417
2040 SAVAGE ROAD 29407
(843) 769-7379 FAX (843) 769-7397
WWW.GELGEOPHYSICS.COM

PROJECT: HAH00115
UST INVESTIGATION OF
11 PARCELS W.TRADE ST AND S. GRAHAM ST
CHARLOTTE, NORTH CAROLINA
NCDOT RAIL PSA PROJECT

DATE: FEBRUARY 25, 2015

RESULTS OF GEOPHYSICAL INVESTIGATION

FIGURE
1

DRAWN BY: WSD APPRV. BY: EJB

Appendix D

Soil Boring Logs and Temporary Well Boring Log



BORING NUMBER 5A-1

2923 South Tryon Street-Suite 100
 Charlotte, North Carolina 28203
 704-586-0007(p) 704-586-0373(f)

3334 Hillsborough Street
 Raleigh, North Carolina 27607
 919-847-4241(p) 919-847-4261(f)

PROJECT: NC DOT Project P-3800 - Parcel 5A

JOB NUMBER: ROW-504

LOCATION: Charlotte, NC

DEPTH (ft)	RECOVERY (%)	SAMPLE TYPE NUMBER	OVA (ppm)		LITHOLOGY	MATERIAL DESCRIPTION	BORING DIAGRAM	DEPTH (ft)
			BKG.	SAMP.				
0					ASPHALT			0
			0	1.8		Moist, loose, tan-orange silty SAND, no odor		
			0	3		Dry, loose, tan-orange silty SAND, no odor		
5			0	4				5
			0	3.1		Dry, stiff, tan-red, silty CLAY, Mn nodules, no odor		
			0	6.2				
10			0.1	4.7				10
			0	4.9				
15			0	4.9				15
						Bottom of borehole at 15.0 feet.		

BORING LOG - HART HICKMAN.GDT - 3/5/15 12:59 - S:\AAA-MASTER GINT PROJECTS\ROW-504\PARCEL 5A.GPJ

DRILLING CONTRACTOR: Geologic Exploration
DRILL RIG/ METHOD: 7822DT / DPT/Hand Auger
SAMPLING METHOD: DPT Sleeves
LOGGED BY: JCW
DRAWN BY: JCW

BORING STARTED: 1/24/15
BORING COMPLETED: 1/24/15
TOTAL DEPTH: 15 ft.
TOP OF CASING ELEV:
DEPTH TO WATER:

Remarks:
 Soil sample collected from 2-4 ft bgs for laboratory analysis.



BORING NUMBER 5A-2

2923 South Tryon Street-Suite 100
 Charlotte, North Carolina 28203
 704-586-0007(p) 704-586-0373(f)

3334 Hillsborough Street
 Raleigh, North Carolina 27607
 919-847-4241(p) 919-847-4261(f)

PROJECT: NC DOT Project P-3800 - Parcel 5A

JOB NUMBER: ROW-504

LOCATION: Charlotte, NC

DEPTH (ft)	RECOVERY (%)	SAMPLE TYPE NUMBER	OVA (ppm)		LITHOLOGY	MATERIAL DESCRIPTION	BORING DIAGRAM	DEPTH (ft)
			BKG.	SAMP.				
0					ASPHALT			0
			0	3.2	Dry, stiff, orange silty CLAY, no odor			
			0	5.1				
			0	6.1				
5			0	5.3				
			0	3.5				
			0	5.3				
			0	4.9				
			0	0.6				
15			0	0	Bottom of borehole at 15.0 feet.			15

BORING LOG - HART HICKMAN.GDT - 3/5/15 12:59 - S:\AAA-MASTER GINT PROJECTS\ROW-504\PARCEL 5A.GPJ

DRILLING CONTRACTOR: Geologic Exploration
DRILL RIG/ METHOD: 7822DT / DPT/Hand Auger
SAMPLING METHOD: DPT Sleeves
LOGGED BY: JCW
DRAWN BY: JCW

BORING STARTED: 1/24/15
BORING COMPLETED: 1/24/15
TOTAL DEPTH: 15 ft.
TOP OF CASING ELEV:
DEPTH TO WATER:

Remarks:
 Soil sample collected from 2-4 ft bgs for laboratory analysis.



BORING NUMBER 5A-3

2923 South Tryon Street-Suite 100
 Charlotte, North Carolina 28203
 704-586-0007(p) 704-586-0373(f)

3334 Hillsborough Street
 Raleigh, North Carolina 27607
 919-847-4241(p) 919-847-4261(f)

PROJECT: NC DOT Project P-3800 - Parcel 5A

JOB NUMBER: ROW-504

LOCATION: Charlotte, NC

DEPTH (ft)	RECOVERY (%)	SAMPLE TYPE NUMBER	OVA (ppm)		LITHOLOGY	MATERIAL DESCRIPTION	BORING DIAGRAM	DEPTH (ft)
			BKG.	SAMP.				
0					ASPHALT			0
			0	4	[Hatched pattern]	Dry, stiff, brown silty CLAY with gravel, no odor		
			0	4.8				
5			0	4.9				5
			0	5.1				
			0	4.6				
10			0	5.8			10	
			0	4.3		Dry, stiff, brown silty CLAY, Mn nodules, no odor		
15			0	1		Bottom of borehole at 15.0 feet.		15

BORING LOG - HART HICKMAN.GDT - 3/5/15 12:59 - S:\AAA-MASTER GINT PROJECTS\ROW-504\PARCEL 5A.GPJ

DRILLING CONTRACTOR: Geologic Exploration
DRILL RIG/ METHOD: 7822DT / DPT/Hand Auger
SAMPLING METHOD: DPT Sleeves
LOGGED BY: JCW
DRAWN BY: JCW

BORING STARTED: 1/24/15
BORING COMPLETED: 1/24/15
TOTAL DEPTH: 15 ft.
TOP OF CASING ELEV:
DEPTH TO WATER:

Remarks:
 Soil sample collected from 2-4 ft bgs for laboratory analysis.



BORING NUMBER 5A-4

2923 South Tryon Street-Suite 100
 Charlotte, North Carolina 28203
 704-586-0007(p) 704-586-0373(f)

3334 Hillsborough Street
 Raleigh, North Carolina 27607
 919-847-4241(p) 919-847-4261(f)

PROJECT: NC DOT Project P-3800 - Parcel 5A

JOB NUMBER: ROW-504

LOCATION: Charlotte, NC

DEPTH (ft)	RECOVERY (%)	SAMPLE TYPE NUMBER	OVA (ppm)		LITHOLOGY	MATERIAL DESCRIPTION	BORING DIAGRAM	DEPTH (ft)
			BKG.	SAMP.				
0					Gravel			0
			0	3.8	[Hatched pattern]	Moist, stiff, red-tan clayey SILT, no odor		
			0	4		Moist, stiff, red-tan, silty SAND, no odor		
5			0	4.6	[Dotted pattern]	Moist, stiff, red-tan clayey SILT, no odor		5
			0	4.5				
			0	0.7				
			0	0.9				10
			0	1				
15			0	0.2		Bottom of borehole at 15.0 feet.		15

BORING LOG - HART HICKMAN.GDT - 3/5/15 12:59 - S:\AAA-MASTER GINT PROJECTS\ROW-504\PARCEL 5A.GPJ

DRILLING CONTRACTOR: Geologic Exploration
DRILL RIG/ METHOD: 7822DT / DPT/Hand Auger
SAMPLING METHOD: DPT Sleeves
LOGGED BY: JCW
DRAWN BY: JCW

BORING STARTED: 1/24/15
BORING COMPLETED: 1/24/15
TOTAL DEPTH: 15 ft.
TOP OF CASING ELEV:
DEPTH TO WATER:

Remarks:
 Soil sample collected from 2-4 ft bgs for laboratory analysis.



BORING NUMBER 5A-5

2923 South Tryon Street-Suite 100
Charlotte, North Carolina 28203
704-586-0007(p) 704-586-0373(f)

3334 Hillsborough Street
Raleigh, North Carolina 27607
919-847-4241(p) 919-847-4261(f)

PROJECT: NC DOT Project P-3800 - Parcel 5A

JOB NUMBER: ROW-504

LOCATION: Charlotte, NC

DEPTH (ft)	RECOVERY (%)	SAMPLE TYPE NUMBER	OVA (ppm)		LITHOLOGY	MATERIAL DESCRIPTION	BORING DIAGRAM	DEPTH (ft)
			BKG.	SAMP.				
0			0	2		Gravel and asphalt pieces		0
			0	0		Moist, loose, brown and orange silty SAND with gravel, no odor		
5			0	1.1		Moist, loose, brown and orange silty SAND, no odor		
			0	2.2		Moist, loose, brown and orange silty SAND, Mn nodules, no odor		
10			0	1.2		Moist, loose, brown and orange silty SAND with gravel, no odor		10
			0	2.1		Moist, loose, brown and orange silty SAND with gravel, no odor		
15					No recovery			15
20								20
25								25
30								30
35								35
40								40

Bottom of borehole at 40.0 feet.

DRILLING CONTRACTOR: Geologic Exploration
DRILL RIG/ METHOD: 7822DT / DPT/Hand Auger
SAMPLING METHOD: DPT Sleeves
LOGGED BY: JCW
DRAWN BY: JCW

BORING STARTED: 1/24/15
BORING COMPLETED: 1/24/15
TOTAL DEPTH: 40 ft.
TOP OF CASING ELEV:
DEPTH TO WATER: 34.5 ft.

Remarks:
Soil sample collected from 0-2 ft bgs for laboratory analysis.

BORING LOG - HART HICKMAN.GDT - 3/5/15 12:59 - S:\AAA-MASTER GINT PROJECTS\ROW-504\PARCEL 5A.GPJ



BORING NUMBER 5A-6

2923 South Tryon Street-Suite 100
 Charlotte, North Carolina 28203
 704-586-0007(p) 704-586-0373(f)

3334 Hillsborough Street
 Raleigh, North Carolina 27607
 919-847-4241(p) 919-847-4261(f)

PROJECT: NC DOT Project P-3800 - Parcel 5A

JOB NUMBER: ROW-504

LOCATION: Charlotte, NC

DEPTH (ft)	RECOVERY (%)	SAMPLE TYPE NUMBER	OVA (ppm)		LITHOLOGY	MATERIAL DESCRIPTION	BORING DIAGRAM	DEPTH (ft)
			BKG.	SAMP.				
0						Gravel and asphalt pieces		0
			0	1		Moist, loose, orange silty SAND, Mn nodules, no odor		
			0	1.1				
5			0	1.2				
			0	0.9				
			0	1				
			0	0.2				
			0	0.9				
15			0	0.8		Bottom of borehole at 15.0 feet.		15

BORING LOG - HART HICKMAN.GDT - 3/5/15 12:59 - S:\AAA-MASTER GINT PROJECTS\ROW-504\PARCEL 5A.GPJ

DRILLING CONTRACTOR: Geologic Exploration
DRILL RIG/ METHOD: 7822DT / DPT/Hand Auger
SAMPLING METHOD: DPT Sleeves
LOGGED BY: JCW
DRAWN BY: JCW

BORING STARTED: 1/24/15
BORING COMPLETED: 1/24/15
TOTAL DEPTH: 15 ft.
TOP OF CASING ELEV:
DEPTH TO WATER:

Remarks:
 Soil sample collected from 2-4 ft bgs for laboratory analysis.

Appendix E
Laboratory Analytical Reports



Hydrocarbon Analysis Results

Client: HART HICKMAN

Address:

Samples taken

Saturday, January 24, 2015

Samples extracted

Saturday, January 24, 2015

Samples analysed

Tuesday, January 28, 2014

Contact: DAVID GRAHAM

Operator

RACHEL MENOHER







Project: ROW-504

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	5A-1 (2-4)	13.9	<0.7	<0.7	<0.14	<0.14	<0.14	<0.01	<0.014	0	3.6	96.4	Background Organics
s	5A-2 (2-4)	13.3	<0.7	<0.7	4.16	4.16	1.41	0.28	<0.013	61.3	21.6	17.1	Pyrogenic HC 56.4%
s	5A-3 (2-4)	11.5	<0.6	<0.6	1.83	1.83	1.63	0.07	<0.011	49.4	24.1	26.5	V.Deg.PHC (FCM) 45%
s	5A-4 (2-4)	14.3	<0.7	<0.7	<0.14	<0.14	<0.14	<0.01	<0.014	0	4.5	95.5	Background Organics
s	5A-5 (0-2)	286.4	<14.3	<14.3	193.2	193.2	151.1	5.96	<0.286	48.8	36.1	15	V.Deg.PHC (FCM) 75%
s	5A-6 (2-4)	14.1	<0.7	<0.7	1.44	1.44	1.25	0.05	<0.014	55	23.6	21.4	V.Deg.PHC (FCM) 59.8%
Initial Calibrator QC check										OK			102.8%
Final FCM QC Check										OK			102.8%

Results generated by a QED HC-1 analyser. Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification. The abbreviations are:- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for sample fingerprint match to library

(SBS) or (LBS) = Site Specific or Library Background Subtraction applied to result : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate present





Chain of Custody Record and Analytical Request Form

Sample ID	Sample Collection			TAT Requested		
	QED UVF	Date	Time	Initials	24 Hour	48 Hour
5A-1 (2-4)		1/24/15	1600	JCW	Standard	TAT
5A-2 (2-4)			1550	JCW		
5A-3 (2-4)			1610	JCW		
5A-4 (2-4)			1500	JCW		
5A-5 (0-2)			1620	JCW		
5A-6 (2-4)			1635	JCW		

Client: WART+HICKMAN
 Contact: David Graham
 Phone: 704.586-0007
 Email: dgraham@hart+hickman.com
 Project Reference: ROW-504

Each Sample will be analyzed for total BTEX, GRO, DRO, TPH, and PAH
 Each Sample will generate a fingerprint representative of the petroleum product within the sample. Electronic Data will be submitted to the email above.

<u>JL WEAVER</u>	<u>1/26/15 1530</u>	<u>[Signature]</u>	<u>12/27 1600</u>
Relinquished by	Date/time	Accepted by	Date/time
Relinquished by	Date/time	Accepted by	Date/time
Relinquished by	Date/time	Accepted by	Date/time

SHIP TO: QROS
 420 Raleigh Street Suite E
 Wilmington, NC 28412
 Rachel Menoher
 rachelm@grosilc.com
 910-520-2902

February 05, 2015

Chemical Testing Engineer
NCDOT
Materials & Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: ROW-504 32213
Pace Project No.: 92234865

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on January 26, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kevin Godwin
kevin.godwin@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: ROW-504 32213

Pace Project No.: 92234865

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Drive, Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
West Virginia Certification #: 356
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: ROW-504 32213

Pace Project No.: 92234865

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92234865001	5A-1 (2-4)	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	EJK	1	PASI-C
92234865002	5A-2 (2-4)	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	EJK	1	PASI-C
92234865003	5A-3 (2-4)	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	EJK	1	PASI-C
92234865004	5A-4 (2-4)	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	SLJ	1	PASI-C
92234865005	5A-5 (0-2)	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	SLJ	1	PASI-C
92234865006	5A-6 (2-4)	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	SLJ	1	PASI-C
92234865007	5AS-Drum	EPA 6010	JMW	7	PASI-A
		EPA 7470	HVK	1	PASI-A
		EPA 8260	DLK	14	PASI-C
92234865008	5AW-Drum	EPA 6010	JMW	7	PASI-A
		EPA 7470	HVK	1	PASI-A
		EPA 8260	GAW	14	PASI-C
92234865009	TW-5A	EPA 8260	GAW	63	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-1 (2-4) **Lab ID: 92234865001** Collected: 01/24/15 16:00 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	111	1		01/27/15 17:43	67-64-1	
Benzene	ND	ug/kg	5.5	1		01/27/15 17:43	71-43-2	
Bromobenzene	ND	ug/kg	5.5	1		01/27/15 17:43	108-86-1	
Bromochloromethane	ND	ug/kg	5.5	1		01/27/15 17:43	74-97-5	
Bromodichloromethane	ND	ug/kg	5.5	1		01/27/15 17:43	75-27-4	
Bromoform	ND	ug/kg	5.5	1		01/27/15 17:43	75-25-2	
Bromomethane	ND	ug/kg	11.1	1		01/27/15 17:43	74-83-9	M1
2-Butanone (MEK)	ND	ug/kg	111	1		01/27/15 17:43	78-93-3	
n-Butylbenzene	ND	ug/kg	5.5	1		01/27/15 17:43	104-51-8	
sec-Butylbenzene	ND	ug/kg	5.5	1		01/27/15 17:43	135-98-8	
tert-Butylbenzene	ND	ug/kg	5.5	1		01/27/15 17:43	98-06-6	
Carbon tetrachloride	ND	ug/kg	5.5	1		01/27/15 17:43	56-23-5	
Chlorobenzene	ND	ug/kg	5.5	1		01/27/15 17:43	108-90-7	
Chloroethane	ND	ug/kg	11.1	1		01/27/15 17:43	75-00-3	M1
Chloroform	ND	ug/kg	5.5	1		01/27/15 17:43	67-66-3	
Chloromethane	ND	ug/kg	11.1	1		01/27/15 17:43	74-87-3	M1
2-Chlorotoluene	ND	ug/kg	5.5	1		01/27/15 17:43	95-49-8	
4-Chlorotoluene	ND	ug/kg	5.5	1		01/27/15 17:43	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	5.5	1		01/27/15 17:43	96-12-8	
Dibromochloromethane	ND	ug/kg	5.5	1		01/27/15 17:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	5.5	1		01/27/15 17:43	106-93-4	
Dibromomethane	ND	ug/kg	5.5	1		01/27/15 17:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	5.5	1		01/27/15 17:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	5.5	1		01/27/15 17:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	5.5	1		01/27/15 17:43	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	11.1	1		01/27/15 17:43	75-71-8	
1,1-Dichloroethane	ND	ug/kg	5.5	1		01/27/15 17:43	75-34-3	
1,2-Dichloroethane	ND	ug/kg	5.5	1		01/27/15 17:43	107-06-2	
1,1-Dichloroethene	ND	ug/kg	5.5	1		01/27/15 17:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	5.5	1		01/27/15 17:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	5.5	1		01/27/15 17:43	156-60-5	
1,2-Dichloropropane	ND	ug/kg	5.5	1		01/27/15 17:43	78-87-5	
1,3-Dichloropropane	ND	ug/kg	5.5	1		01/27/15 17:43	142-28-9	
2,2-Dichloropropane	ND	ug/kg	5.5	1		01/27/15 17:43	594-20-7	
1,1-Dichloropropene	ND	ug/kg	5.5	1		01/27/15 17:43	563-58-6	M1
cis-1,3-Dichloropropene	ND	ug/kg	5.5	1		01/27/15 17:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	5.5	1		01/27/15 17:43	10061-02-6	
Diisopropyl ether	ND	ug/kg	5.5	1		01/27/15 17:43	108-20-3	
Ethylbenzene	ND	ug/kg	5.5	1		01/27/15 17:43	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	5.5	1		01/27/15 17:43	87-68-3	
2-Hexanone	ND	ug/kg	55.4	1		01/27/15 17:43	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	5.5	1		01/27/15 17:43	98-82-8	
p-Isopropyltoluene	ND	ug/kg	5.5	1		01/27/15 17:43	99-87-6	
Methylene Chloride	ND	ug/kg	22.2	1		01/27/15 17:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	55.4	1		01/27/15 17:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	5.5	1		01/27/15 17:43	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-1 (2-4) **Lab ID: 92234865001** Collected: 01/24/15 16:00 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Naphthalene	ND	ug/kg	5.5	1		01/27/15 17:43	91-20-3	
n-Propylbenzene	ND	ug/kg	5.5	1		01/27/15 17:43	103-65-1	
Styrene	ND	ug/kg	5.5	1		01/27/15 17:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.5	1		01/27/15 17:43	630-20-6	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.5	1		01/27/15 17:43	79-34-5	
Tetrachloroethene	ND	ug/kg	5.5	1		01/27/15 17:43	127-18-4	
Toluene	ND	ug/kg	5.5	1		01/27/15 17:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	5.5	1		01/27/15 17:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	5.5	1		01/27/15 17:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	5.5	1		01/27/15 17:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	5.5	1		01/27/15 17:43	79-00-5	
Trichloroethene	ND	ug/kg	5.5	1		01/27/15 17:43	79-01-6	
Trichlorofluoromethane	ND	ug/kg	5.5	1		01/27/15 17:43	75-69-4	M1
1,2,3-Trichloropropane	ND	ug/kg	5.5	1		01/27/15 17:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	5.5	1		01/27/15 17:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	5.5	1		01/27/15 17:43	108-67-8	
Vinyl acetate	ND	ug/kg	55.4	1		01/27/15 17:43	108-05-4	
Vinyl chloride	ND	ug/kg	11.1	1		01/27/15 17:43	75-01-4	
Xylene (Total)	ND	ug/kg	11.1	1		01/27/15 17:43	1330-20-7	
m&p-Xylene	ND	ug/kg	11.1	1		01/27/15 17:43	179601-23-1	
o-Xylene	ND	ug/kg	5.5	1		01/27/15 17:43	95-47-6	
Surrogates								
Toluene-d8 (S)	103 %		70-130	1		01/27/15 17:43	2037-26-5	
4-Bromofluorobenzene (S)	86 %		70-130	1		01/27/15 17:43	460-00-4	
1,2-Dichloroethane-d4 (S)	115 %		70-132	1		01/27/15 17:43	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	20.0 %		0.10	1		01/27/15 15:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-2 (2-4) **Lab ID: 92234865002** Collected: 01/24/15 15:50 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	110	1		01/27/15 18:03	67-64-1	
Benzene	ND	ug/kg	5.5	1		01/27/15 18:03	71-43-2	
Bromobenzene	ND	ug/kg	5.5	1		01/27/15 18:03	108-86-1	
Bromochloromethane	ND	ug/kg	5.5	1		01/27/15 18:03	74-97-5	
Bromodichloromethane	ND	ug/kg	5.5	1		01/27/15 18:03	75-27-4	
Bromoform	ND	ug/kg	5.5	1		01/27/15 18:03	75-25-2	
Bromomethane	ND	ug/kg	11.0	1		01/27/15 18:03	74-83-9	
2-Butanone (MEK)	ND	ug/kg	110	1		01/27/15 18:03	78-93-3	
n-Butylbenzene	ND	ug/kg	5.5	1		01/27/15 18:03	104-51-8	
sec-Butylbenzene	ND	ug/kg	5.5	1		01/27/15 18:03	135-98-8	
tert-Butylbenzene	ND	ug/kg	5.5	1		01/27/15 18:03	98-06-6	
Carbon tetrachloride	ND	ug/kg	5.5	1		01/27/15 18:03	56-23-5	
Chlorobenzene	ND	ug/kg	5.5	1		01/27/15 18:03	108-90-7	
Chloroethane	ND	ug/kg	11.0	1		01/27/15 18:03	75-00-3	
Chloroform	ND	ug/kg	5.5	1		01/27/15 18:03	67-66-3	
Chloromethane	ND	ug/kg	11.0	1		01/27/15 18:03	74-87-3	
2-Chlorotoluene	ND	ug/kg	5.5	1		01/27/15 18:03	95-49-8	
4-Chlorotoluene	ND	ug/kg	5.5	1		01/27/15 18:03	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	5.5	1		01/27/15 18:03	96-12-8	
Dibromochloromethane	ND	ug/kg	5.5	1		01/27/15 18:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	5.5	1		01/27/15 18:03	106-93-4	
Dibromomethane	ND	ug/kg	5.5	1		01/27/15 18:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	5.5	1		01/27/15 18:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	5.5	1		01/27/15 18:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	5.5	1		01/27/15 18:03	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	11.0	1		01/27/15 18:03	75-71-8	
1,1-Dichloroethane	ND	ug/kg	5.5	1		01/27/15 18:03	75-34-3	
1,2-Dichloroethane	ND	ug/kg	5.5	1		01/27/15 18:03	107-06-2	
1,1-Dichloroethene	ND	ug/kg	5.5	1		01/27/15 18:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	5.5	1		01/27/15 18:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	5.5	1		01/27/15 18:03	156-60-5	
1,2-Dichloropropane	ND	ug/kg	5.5	1		01/27/15 18:03	78-87-5	
1,3-Dichloropropane	ND	ug/kg	5.5	1		01/27/15 18:03	142-28-9	
2,2-Dichloropropane	ND	ug/kg	5.5	1		01/27/15 18:03	594-20-7	
1,1-Dichloropropene	ND	ug/kg	5.5	1		01/27/15 18:03	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	5.5	1		01/27/15 18:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	5.5	1		01/27/15 18:03	10061-02-6	
Diisopropyl ether	ND	ug/kg	5.5	1		01/27/15 18:03	108-20-3	
Ethylbenzene	ND	ug/kg	5.5	1		01/27/15 18:03	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	5.5	1		01/27/15 18:03	87-68-3	
2-Hexanone	ND	ug/kg	55.2	1		01/27/15 18:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	5.5	1		01/27/15 18:03	98-82-8	
p-Isopropyltoluene	ND	ug/kg	5.5	1		01/27/15 18:03	99-87-6	
Methylene Chloride	ND	ug/kg	22.1	1		01/27/15 18:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	55.2	1		01/27/15 18:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	5.5	1		01/27/15 18:03	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-2 (2-4) **Lab ID: 92234865002** Collected: 01/24/15 15:50 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Naphthalene	ND	ug/kg	5.5	1		01/27/15 18:03	91-20-3	
n-Propylbenzene	ND	ug/kg	5.5	1		01/27/15 18:03	103-65-1	
Styrene	ND	ug/kg	5.5	1		01/27/15 18:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.5	1		01/27/15 18:03	630-20-6	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.5	1		01/27/15 18:03	79-34-5	
Tetrachloroethene	ND	ug/kg	5.5	1		01/27/15 18:03	127-18-4	
Toluene	ND	ug/kg	5.5	1		01/27/15 18:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	5.5	1		01/27/15 18:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	5.5	1		01/27/15 18:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	5.5	1		01/27/15 18:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	5.5	1		01/27/15 18:03	79-00-5	
Trichloroethene	ND	ug/kg	5.5	1		01/27/15 18:03	79-01-6	
Trichlorofluoromethane	ND	ug/kg	5.5	1		01/27/15 18:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	5.5	1		01/27/15 18:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	5.5	1		01/27/15 18:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	5.5	1		01/27/15 18:03	108-67-8	
Vinyl acetate	ND	ug/kg	55.2	1		01/27/15 18:03	108-05-4	
Vinyl chloride	ND	ug/kg	11.0	1		01/27/15 18:03	75-01-4	
Xylene (Total)	ND	ug/kg	11.0	1		01/27/15 18:03	1330-20-7	
m&p-Xylene	ND	ug/kg	11.0	1		01/27/15 18:03	179601-23-1	
o-Xylene	ND	ug/kg	5.5	1		01/27/15 18:03	95-47-6	
Surrogates								
Toluene-d8 (S)	106 %		70-130	1		01/27/15 18:03	2037-26-5	
4-Bromofluorobenzene (S)	87 %		70-130	1		01/27/15 18:03	460-00-4	
1,2-Dichloroethane-d4 (S)	117 %		70-132	1		01/27/15 18:03	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	25.0 %		0.10	1		01/27/15 15:35		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-3 (2-4) **Lab ID: 92234865003** Collected: 01/24/15 16:10 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	86.5	1		01/29/15 16:30	67-64-1	
Benzene	ND	ug/kg	4.3	1		01/29/15 16:30	71-43-2	
Bromobenzene	ND	ug/kg	4.3	1		01/29/15 16:30	108-86-1	
Bromochloromethane	ND	ug/kg	4.3	1		01/29/15 16:30	74-97-5	
Bromodichloromethane	ND	ug/kg	4.3	1		01/29/15 16:30	75-27-4	
Bromoform	ND	ug/kg	4.3	1		01/29/15 16:30	75-25-2	
Bromomethane	ND	ug/kg	8.7	1		01/29/15 16:30	74-83-9	
2-Butanone (MEK)	ND	ug/kg	86.5	1		01/29/15 16:30	78-93-3	
n-Butylbenzene	ND	ug/kg	4.3	1		01/29/15 16:30	104-51-8	
sec-Butylbenzene	ND	ug/kg	4.3	1		01/29/15 16:30	135-98-8	
tert-Butylbenzene	ND	ug/kg	4.3	1		01/29/15 16:30	98-06-6	
Carbon tetrachloride	ND	ug/kg	4.3	1		01/29/15 16:30	56-23-5	
Chlorobenzene	ND	ug/kg	4.3	1		01/29/15 16:30	108-90-7	
Chloroethane	ND	ug/kg	8.7	1		01/29/15 16:30	75-00-3	
Chloroform	ND	ug/kg	4.3	1		01/29/15 16:30	67-66-3	
Chloromethane	ND	ug/kg	8.7	1		01/29/15 16:30	74-87-3	
2-Chlorotoluene	ND	ug/kg	4.3	1		01/29/15 16:30	95-49-8	
4-Chlorotoluene	ND	ug/kg	4.3	1		01/29/15 16:30	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	4.3	1		01/29/15 16:30	96-12-8	
Dibromochloromethane	ND	ug/kg	4.3	1		01/29/15 16:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	4.3	1		01/29/15 16:30	106-93-4	
Dibromomethane	ND	ug/kg	4.3	1		01/29/15 16:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	4.3	1		01/29/15 16:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	4.3	1		01/29/15 16:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	4.3	1		01/29/15 16:30	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	8.7	1		01/29/15 16:30	75-71-8	
1,1-Dichloroethane	ND	ug/kg	4.3	1		01/29/15 16:30	75-34-3	
1,2-Dichloroethane	ND	ug/kg	4.3	1		01/29/15 16:30	107-06-2	
1,1-Dichloroethene	ND	ug/kg	4.3	1		01/29/15 16:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	4.3	1		01/29/15 16:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	4.3	1		01/29/15 16:30	156-60-5	
1,2-Dichloropropane	ND	ug/kg	4.3	1		01/29/15 16:30	78-87-5	
1,3-Dichloropropane	ND	ug/kg	4.3	1		01/29/15 16:30	142-28-9	
2,2-Dichloropropane	ND	ug/kg	4.3	1		01/29/15 16:30	594-20-7	
1,1-Dichloropropene	ND	ug/kg	4.3	1		01/29/15 16:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	4.3	1		01/29/15 16:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	4.3	1		01/29/15 16:30	10061-02-6	
Diisopropyl ether	ND	ug/kg	4.3	1		01/29/15 16:30	108-20-3	
Ethylbenzene	ND	ug/kg	4.3	1		01/29/15 16:30	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	4.3	1		01/29/15 16:30	87-68-3	
2-Hexanone	ND	ug/kg	43.3	1		01/29/15 16:30	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	4.3	1		01/29/15 16:30	98-82-8	
p-Isopropyltoluene	ND	ug/kg	4.3	1		01/29/15 16:30	99-87-6	
Methylene Chloride	ND	ug/kg	17.3	1		01/29/15 16:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	43.3	1		01/29/15 16:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	4.3	1		01/29/15 16:30	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-3 (2-4) **Lab ID: 92234865003** Collected: 01/24/15 16:10 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Naphthalene	ND	ug/kg	4.3	1		01/29/15 16:30	91-20-3	
n-Propylbenzene	ND	ug/kg	4.3	1		01/29/15 16:30	103-65-1	
Styrene	ND	ug/kg	4.3	1		01/29/15 16:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	4.3	1		01/29/15 16:30	630-20-6	
1,1,1,2-Tetrachloroethane	ND	ug/kg	4.3	1		01/29/15 16:30	79-34-5	
Tetrachloroethene	ND	ug/kg	4.3	1		01/29/15 16:30	127-18-4	
Toluene	ND	ug/kg	4.3	1		01/29/15 16:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	4.3	1		01/29/15 16:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	4.3	1		01/29/15 16:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	4.3	1		01/29/15 16:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	4.3	1		01/29/15 16:30	79-00-5	
Trichloroethene	ND	ug/kg	4.3	1		01/29/15 16:30	79-01-6	
Trichlorofluoromethane	ND	ug/kg	4.3	1		01/29/15 16:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	4.3	1		01/29/15 16:30	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	4.3	1		01/29/15 16:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	4.3	1		01/29/15 16:30	108-67-8	
Vinyl acetate	ND	ug/kg	43.3	1		01/29/15 16:30	108-05-4	
Vinyl chloride	ND	ug/kg	8.7	1		01/29/15 16:30	75-01-4	
Xylene (Total)	ND	ug/kg	8.7	1		01/29/15 16:30	1330-20-7	
m&p-Xylene	ND	ug/kg	8.7	1		01/29/15 16:30	179601-23-1	
o-Xylene	ND	ug/kg	4.3	1		01/29/15 16:30	95-47-6	
Surrogates								
Toluene-d8 (S)	100 %		70-130	1		01/29/15 16:30	2037-26-5	
4-Bromofluorobenzene (S)	89 %		70-130	1		01/29/15 16:30	460-00-4	
1,2-Dichloroethane-d4 (S)	93 %		70-132	1		01/29/15 16:30	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	17.3 %		0.10	1		01/27/15 15:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-4 (2-4) **Lab ID: 92234865004** Collected: 01/24/15 15:00 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	104	1		01/27/15 18:43	67-64-1	
Benzene	ND	ug/kg	5.2	1		01/27/15 18:43	71-43-2	
Bromobenzene	ND	ug/kg	5.2	1		01/27/15 18:43	108-86-1	
Bromochloromethane	ND	ug/kg	5.2	1		01/27/15 18:43	74-97-5	
Bromodichloromethane	ND	ug/kg	5.2	1		01/27/15 18:43	75-27-4	
Bromoform	ND	ug/kg	5.2	1		01/27/15 18:43	75-25-2	
Bromomethane	ND	ug/kg	10.4	1		01/27/15 18:43	74-83-9	
2-Butanone (MEK)	ND	ug/kg	104	1		01/27/15 18:43	78-93-3	
n-Butylbenzene	ND	ug/kg	5.2	1		01/27/15 18:43	104-51-8	
sec-Butylbenzene	ND	ug/kg	5.2	1		01/27/15 18:43	135-98-8	
tert-Butylbenzene	ND	ug/kg	5.2	1		01/27/15 18:43	98-06-6	
Carbon tetrachloride	ND	ug/kg	5.2	1		01/27/15 18:43	56-23-5	
Chlorobenzene	ND	ug/kg	5.2	1		01/27/15 18:43	108-90-7	
Chloroethane	ND	ug/kg	10.4	1		01/27/15 18:43	75-00-3	
Chloroform	ND	ug/kg	5.2	1		01/27/15 18:43	67-66-3	
Chloromethane	ND	ug/kg	10.4	1		01/27/15 18:43	74-87-3	
2-Chlorotoluene	ND	ug/kg	5.2	1		01/27/15 18:43	95-49-8	
4-Chlorotoluene	ND	ug/kg	5.2	1		01/27/15 18:43	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	5.2	1		01/27/15 18:43	96-12-8	
Dibromochloromethane	ND	ug/kg	5.2	1		01/27/15 18:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	5.2	1		01/27/15 18:43	106-93-4	
Dibromomethane	ND	ug/kg	5.2	1		01/27/15 18:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	5.2	1		01/27/15 18:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	5.2	1		01/27/15 18:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	5.2	1		01/27/15 18:43	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	10.4	1		01/27/15 18:43	75-71-8	
1,1-Dichloroethane	ND	ug/kg	5.2	1		01/27/15 18:43	75-34-3	
1,2-Dichloroethane	ND	ug/kg	5.2	1		01/27/15 18:43	107-06-2	
1,1-Dichloroethene	ND	ug/kg	5.2	1		01/27/15 18:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	5.2	1		01/27/15 18:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	5.2	1		01/27/15 18:43	156-60-5	
1,2-Dichloropropane	ND	ug/kg	5.2	1		01/27/15 18:43	78-87-5	
1,3-Dichloropropane	ND	ug/kg	5.2	1		01/27/15 18:43	142-28-9	
2,2-Dichloropropane	ND	ug/kg	5.2	1		01/27/15 18:43	594-20-7	
1,1-Dichloropropene	ND	ug/kg	5.2	1		01/27/15 18:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	5.2	1		01/27/15 18:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	5.2	1		01/27/15 18:43	10061-02-6	
Diisopropyl ether	ND	ug/kg	5.2	1		01/27/15 18:43	108-20-3	
Ethylbenzene	ND	ug/kg	5.2	1		01/27/15 18:43	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	5.2	1		01/27/15 18:43	87-68-3	
2-Hexanone	ND	ug/kg	51.8	1		01/27/15 18:43	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	5.2	1		01/27/15 18:43	98-82-8	
p-Isopropyltoluene	ND	ug/kg	5.2	1		01/27/15 18:43	99-87-6	
Methylene Chloride	ND	ug/kg	20.7	1		01/27/15 18:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	51.8	1		01/27/15 18:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	5.2	1		01/27/15 18:43	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-4 (2-4) **Lab ID: 92234865004** Collected: 01/24/15 15:00 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Naphthalene	ND	ug/kg	5.2	1		01/27/15 18:43	91-20-3	
n-Propylbenzene	ND	ug/kg	5.2	1		01/27/15 18:43	103-65-1	
Styrene	ND	ug/kg	5.2	1		01/27/15 18:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.2	1		01/27/15 18:43	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/kg	5.2	1		01/27/15 18:43	79-34-5	
Tetrachloroethene	ND	ug/kg	5.2	1		01/27/15 18:43	127-18-4	
Toluene	ND	ug/kg	5.2	1		01/27/15 18:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	5.2	1		01/27/15 18:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	5.2	1		01/27/15 18:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	5.2	1		01/27/15 18:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	5.2	1		01/27/15 18:43	79-00-5	
Trichloroethene	ND	ug/kg	5.2	1		01/27/15 18:43	79-01-6	
Trichlorofluoromethane	ND	ug/kg	5.2	1		01/27/15 18:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	5.2	1		01/27/15 18:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	5.2	1		01/27/15 18:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	5.2	1		01/27/15 18:43	108-67-8	
Vinyl acetate	ND	ug/kg	51.8	1		01/27/15 18:43	108-05-4	
Vinyl chloride	ND	ug/kg	10.4	1		01/27/15 18:43	75-01-4	
Xylene (Total)	ND	ug/kg	10.4	1		01/27/15 18:43	1330-20-7	
m&p-Xylene	ND	ug/kg	10.4	1		01/27/15 18:43	179601-23-1	
o-Xylene	ND	ug/kg	5.2	1		01/27/15 18:43	95-47-6	
Surrogates								
Toluene-d8 (S)	105 %		70-130	1		01/27/15 18:43	2037-26-5	
4-Bromofluorobenzene (S)	89 %		70-130	1		01/27/15 18:43	460-00-4	
1,2-Dichloroethane-d4 (S)	130 %		70-132	1		01/27/15 18:43	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	20.4 %		0.10	1		01/28/15 18:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-5 (0-2) **Lab ID: 92234865005** Collected: 01/24/15 16:20 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	87.1	1		01/27/15 19:03	67-64-1	
Benzene	ND	ug/kg	4.4	1		01/27/15 19:03	71-43-2	
Bromobenzene	ND	ug/kg	4.4	1		01/27/15 19:03	108-86-1	
Bromochloromethane	ND	ug/kg	4.4	1		01/27/15 19:03	74-97-5	
Bromodichloromethane	ND	ug/kg	4.4	1		01/27/15 19:03	75-27-4	
Bromoform	ND	ug/kg	4.4	1		01/27/15 19:03	75-25-2	
Bromomethane	ND	ug/kg	8.7	1		01/27/15 19:03	74-83-9	
2-Butanone (MEK)	ND	ug/kg	87.1	1		01/27/15 19:03	78-93-3	
n-Butylbenzene	ND	ug/kg	4.4	1		01/27/15 19:03	104-51-8	
sec-Butylbenzene	ND	ug/kg	4.4	1		01/27/15 19:03	135-98-8	
tert-Butylbenzene	ND	ug/kg	4.4	1		01/27/15 19:03	98-06-6	
Carbon tetrachloride	ND	ug/kg	4.4	1		01/27/15 19:03	56-23-5	
Chlorobenzene	ND	ug/kg	4.4	1		01/27/15 19:03	108-90-7	
Chloroethane	ND	ug/kg	8.7	1		01/27/15 19:03	75-00-3	
Chloroform	ND	ug/kg	4.4	1		01/27/15 19:03	67-66-3	
Chloromethane	ND	ug/kg	8.7	1		01/27/15 19:03	74-87-3	
2-Chlorotoluene	ND	ug/kg	4.4	1		01/27/15 19:03	95-49-8	
4-Chlorotoluene	ND	ug/kg	4.4	1		01/27/15 19:03	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	4.4	1		01/27/15 19:03	96-12-8	
Dibromochloromethane	ND	ug/kg	4.4	1		01/27/15 19:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	4.4	1		01/27/15 19:03	106-93-4	
Dibromomethane	ND	ug/kg	4.4	1		01/27/15 19:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	4.4	1		01/27/15 19:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	4.4	1		01/27/15 19:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	4.4	1		01/27/15 19:03	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	8.7	1		01/27/15 19:03	75-71-8	
1,1-Dichloroethane	ND	ug/kg	4.4	1		01/27/15 19:03	75-34-3	
1,2-Dichloroethane	ND	ug/kg	4.4	1		01/27/15 19:03	107-06-2	
1,1-Dichloroethene	ND	ug/kg	4.4	1		01/27/15 19:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	4.4	1		01/27/15 19:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	4.4	1		01/27/15 19:03	156-60-5	
1,2-Dichloropropane	ND	ug/kg	4.4	1		01/27/15 19:03	78-87-5	
1,3-Dichloropropane	ND	ug/kg	4.4	1		01/27/15 19:03	142-28-9	
2,2-Dichloropropane	ND	ug/kg	4.4	1		01/27/15 19:03	594-20-7	
1,1-Dichloropropene	ND	ug/kg	4.4	1		01/27/15 19:03	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	4.4	1		01/27/15 19:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	4.4	1		01/27/15 19:03	10061-02-6	
Diisopropyl ether	ND	ug/kg	4.4	1		01/27/15 19:03	108-20-3	
Ethylbenzene	ND	ug/kg	4.4	1		01/27/15 19:03	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	4.4	1		01/27/15 19:03	87-68-3	
2-Hexanone	ND	ug/kg	43.6	1		01/27/15 19:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	4.4	1		01/27/15 19:03	98-82-8	
p-Isopropyltoluene	ND	ug/kg	4.4	1		01/27/15 19:03	99-87-6	
Methylene Chloride	ND	ug/kg	17.4	1		01/27/15 19:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	43.6	1		01/27/15 19:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	4.4	1		01/27/15 19:03	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-5 (0-2) **Lab ID: 92234865005** Collected: 01/24/15 16:20 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Naphthalene	ND	ug/kg	4.4	1		01/27/15 19:03	91-20-3	
n-Propylbenzene	ND	ug/kg	4.4	1		01/27/15 19:03	103-65-1	
Styrene	ND	ug/kg	4.4	1		01/27/15 19:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	4.4	1		01/27/15 19:03	630-20-6	
1,1,1,2-Tetrachloroethane	ND	ug/kg	4.4	1		01/27/15 19:03	79-34-5	
Tetrachloroethene	19.5	ug/kg	4.4	1		01/27/15 19:03	127-18-4	
Toluene	ND	ug/kg	4.4	1		01/27/15 19:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	4.4	1		01/27/15 19:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	4.4	1		01/27/15 19:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	4.4	1		01/27/15 19:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	4.4	1		01/27/15 19:03	79-00-5	
Trichloroethene	ND	ug/kg	4.4	1		01/27/15 19:03	79-01-6	
Trichlorofluoromethane	ND	ug/kg	4.4	1		01/27/15 19:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	4.4	1		01/27/15 19:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	4.4	1		01/27/15 19:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	4.4	1		01/27/15 19:03	108-67-8	
Vinyl acetate	ND	ug/kg	43.6	1		01/27/15 19:03	108-05-4	
Vinyl chloride	ND	ug/kg	8.7	1		01/27/15 19:03	75-01-4	
Xylene (Total)	ND	ug/kg	8.7	1		01/27/15 19:03	1330-20-7	
m&p-Xylene	ND	ug/kg	8.7	1		01/27/15 19:03	179601-23-1	
o-Xylene	ND	ug/kg	4.4	1		01/27/15 19:03	95-47-6	
Surrogates								
Toluene-d8 (S)	101	%	70-130	1		01/27/15 19:03	2037-26-5	2g
4-Bromofluorobenzene (S)	78	%	70-130	1		01/27/15 19:03	460-00-4	
1,2-Dichloroethane-d4 (S)	127	%	70-132	1		01/27/15 19:03	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	13.4	%	0.10	1		01/28/15 18:14		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-6 (2-4) **Lab ID: 92234865006** Collected: 01/24/15 16:35 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	151	ug/kg	114	1		01/27/15 19:42	67-64-1	
Benzene	ND	ug/kg	5.7	1		01/27/15 19:42	71-43-2	
Bromobenzene	ND	ug/kg	5.7	1		01/27/15 19:42	108-86-1	
Bromochloromethane	ND	ug/kg	5.7	1		01/27/15 19:42	74-97-5	
Bromodichloromethane	ND	ug/kg	5.7	1		01/27/15 19:42	75-27-4	
Bromoform	ND	ug/kg	5.7	1		01/27/15 19:42	75-25-2	
Bromomethane	ND	ug/kg	11.4	1		01/27/15 19:42	74-83-9	
2-Butanone (MEK)	ND	ug/kg	114	1		01/27/15 19:42	78-93-3	
n-Butylbenzene	ND	ug/kg	5.7	1		01/27/15 19:42	104-51-8	
sec-Butylbenzene	ND	ug/kg	5.7	1		01/27/15 19:42	135-98-8	
tert-Butylbenzene	ND	ug/kg	5.7	1		01/27/15 19:42	98-06-6	
Carbon tetrachloride	ND	ug/kg	5.7	1		01/27/15 19:42	56-23-5	
Chlorobenzene	ND	ug/kg	5.7	1		01/27/15 19:42	108-90-7	
Chloroethane	ND	ug/kg	11.4	1		01/27/15 19:42	75-00-3	
Chloroform	ND	ug/kg	5.7	1		01/27/15 19:42	67-66-3	
Chloromethane	ND	ug/kg	11.4	1		01/27/15 19:42	74-87-3	
2-Chlorotoluene	ND	ug/kg	5.7	1		01/27/15 19:42	95-49-8	
4-Chlorotoluene	ND	ug/kg	5.7	1		01/27/15 19:42	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	5.7	1		01/27/15 19:42	96-12-8	
Dibromochloromethane	ND	ug/kg	5.7	1		01/27/15 19:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	5.7	1		01/27/15 19:42	106-93-4	
Dibromomethane	ND	ug/kg	5.7	1		01/27/15 19:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	5.7	1		01/27/15 19:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	5.7	1		01/27/15 19:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	5.7	1		01/27/15 19:42	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	11.4	1		01/27/15 19:42	75-71-8	
1,1-Dichloroethane	ND	ug/kg	5.7	1		01/27/15 19:42	75-34-3	
1,2-Dichloroethane	ND	ug/kg	5.7	1		01/27/15 19:42	107-06-2	
1,1-Dichloroethene	ND	ug/kg	5.7	1		01/27/15 19:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	5.7	1		01/27/15 19:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	5.7	1		01/27/15 19:42	156-60-5	
1,2-Dichloropropane	ND	ug/kg	5.7	1		01/27/15 19:42	78-87-5	
1,3-Dichloropropane	ND	ug/kg	5.7	1		01/27/15 19:42	142-28-9	
2,2-Dichloropropane	ND	ug/kg	5.7	1		01/27/15 19:42	594-20-7	
1,1-Dichloropropene	ND	ug/kg	5.7	1		01/27/15 19:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	5.7	1		01/27/15 19:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	5.7	1		01/27/15 19:42	10061-02-6	
Diisopropyl ether	ND	ug/kg	5.7	1		01/27/15 19:42	108-20-3	
Ethylbenzene	ND	ug/kg	5.7	1		01/27/15 19:42	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	5.7	1		01/27/15 19:42	87-68-3	
2-Hexanone	ND	ug/kg	56.9	1		01/27/15 19:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	5.7	1		01/27/15 19:42	98-82-8	
p-Isopropyltoluene	ND	ug/kg	5.7	1		01/27/15 19:42	99-87-6	
Methylene Chloride	ND	ug/kg	22.7	1		01/27/15 19:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	56.9	1		01/27/15 19:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	5.7	1		01/27/15 19:42	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5A-6 (2-4) **Lab ID: 92234865006** Collected: 01/24/15 16:35 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Naphthalene	ND	ug/kg	5.7	1		01/27/15 19:42	91-20-3	
n-Propylbenzene	ND	ug/kg	5.7	1		01/27/15 19:42	103-65-1	
Styrene	ND	ug/kg	5.7	1		01/27/15 19:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.7	1		01/27/15 19:42	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/kg	5.7	1		01/27/15 19:42	79-34-5	
Tetrachloroethene	ND	ug/kg	5.7	1		01/27/15 19:42	127-18-4	
Toluene	ND	ug/kg	5.7	1		01/27/15 19:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	5.7	1		01/27/15 19:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	5.7	1		01/27/15 19:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	5.7	1		01/27/15 19:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	5.7	1		01/27/15 19:42	79-00-5	
Trichloroethene	ND	ug/kg	5.7	1		01/27/15 19:42	79-01-6	
Trichlorofluoromethane	ND	ug/kg	5.7	1		01/27/15 19:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	5.7	1		01/27/15 19:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	5.7	1		01/27/15 19:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	5.7	1		01/27/15 19:42	108-67-8	
Vinyl acetate	ND	ug/kg	56.9	1		01/27/15 19:42	108-05-4	
Vinyl chloride	ND	ug/kg	11.4	1		01/27/15 19:42	75-01-4	
Xylene (Total)	ND	ug/kg	11.4	1		01/27/15 19:42	1330-20-7	
m&p-Xylene	ND	ug/kg	11.4	1		01/27/15 19:42	179601-23-1	
o-Xylene	ND	ug/kg	5.7	1		01/27/15 19:42	95-47-6	
Surrogates								
Toluene-d8 (S)	104 %		70-130	1		01/27/15 19:42	2037-26-5	
4-Bromofluorobenzene (S)	87 %		70-130	1		01/27/15 19:42	460-00-4	
1,2-Dichloroethane-d4 (S)	118 %		70-132	1		01/27/15 19:42	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	23.7 %		0.10	1		01/28/15 18:14		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5AS-Drum **Lab ID: 92234865007** Collected: 01/25/15 10:00 Received: 01/26/15 08:00 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, TCLP		Analytical Method: EPA 6010 Preparation Method: EPA 3010 Leachate Method/Date: EPA 1311; 01/28/15 17:20						
Arsenic	ND	mg/L	0.050	1	01/29/15 17:50	01/30/15 03:17	7440-38-2	
Barium	1.5	mg/L	0.25	1	01/29/15 17:50	01/30/15 03:17	7440-39-3	
Cadmium	0.0099	mg/L	0.0050	1	01/29/15 17:50	01/30/15 03:17	7440-43-9	
Chromium	ND	mg/L	0.025	1	01/29/15 17:50	01/30/15 03:17	7440-47-3	
Lead	2.2	mg/L	0.025	1	01/29/15 17:50	01/30/15 03:17	7439-92-1	
Selenium	ND	mg/L	0.10	1	01/29/15 17:50	01/30/15 03:17	7782-49-2	
Silver	ND	mg/L	0.025	1	01/29/15 17:50	01/30/15 03:17	7440-22-4	
7470 Mercury, TCLP		Analytical Method: EPA 7470 Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 01/28/15 17:20						
Mercury	ND	ug/L	0.20	1	01/29/15 18:00	01/30/15 16:52	7439-97-6	
8260 MSV TCLP		Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 01/26/15 15:31						
Benzene	ND	ug/L	192	38.5		01/27/15 20:22	71-43-2	
2-Butanone (MEK)	ND	ug/L	385	38.5		01/27/15 20:22	78-93-3	
Carbon tetrachloride	ND	ug/L	192	38.5		01/27/15 20:22	56-23-5	
Chlorobenzene	ND	ug/L	192	38.5		01/27/15 20:22	108-90-7	
Chloroform	ND	ug/L	192	38.5		01/27/15 20:22	67-66-3	
1,4-Dichlorobenzene	ND	ug/L	192	38.5		01/27/15 20:22	106-46-7	
1,2-Dichloroethane	ND	ug/L	192	38.5		01/27/15 20:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	192	38.5		01/27/15 20:22	75-35-4	
Tetrachloroethene	ND	ug/L	192	38.5		01/27/15 20:22	127-18-4	
Trichloroethene	ND	ug/L	192	38.5		01/27/15 20:22	79-01-6	
Vinyl chloride	ND	ug/L	192	38.5		01/27/15 20:22	75-01-4	
Surrogates								
1,2-Dichloroethane-d4 (S)	107 %		70-130	38.5		01/27/15 20:22	17060-07-0	1g
Toluene-d8 (S)	104 %		67-135	38.5		01/27/15 20:22	2037-26-5	
4-Bromofluorobenzene (S)	89 %		70-130	38.5		01/27/15 20:22	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: 5AW-Drum	Lab ID: 92234865008	Collected: 01/25/15 10:55	Received: 01/26/15 08:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, TCLP								
Analytical Method: EPA 6010 Preparation Method: EPA 3010								
Leachate Method/Date: EPA 1311; 02/02/15 17:15								
Arsenic	ND mg/L		0.050	1	02/03/15 16:30	02/04/15 03:31	7440-38-2	
Barium	ND mg/L		0.25	1	02/03/15 16:30	02/04/15 03:31	7440-39-3	
Cadmium	ND mg/L		0.0050	1	02/03/15 16:30	02/04/15 03:31	7440-43-9	
Chromium	ND mg/L		0.025	1	02/03/15 16:30	02/04/15 03:31	7440-47-3	
Lead	ND mg/L		0.025	1	02/03/15 16:30	02/04/15 03:31	7439-92-1	
Selenium	ND mg/L		0.10	1	02/03/15 16:30	02/04/15 03:31	7782-49-2	
Silver	ND mg/L		0.025	1	02/03/15 16:30	02/04/15 03:31	7440-22-4	
7470 Mercury, TCLP								
Analytical Method: EPA 7470 Preparation Method: EPA 7470								
Leachate Method/Date: EPA 1311; 02/02/15 17:15								
Mercury	ND ug/L		0.20	1	02/03/15 17:15	02/04/15 11:18	7439-97-6	
8260 MSV TCLP								
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 01/27/15 13:51								
Benzene	ND ug/L		5.0	1		01/28/15 14:40	71-43-2	
2-Butanone (MEK)	ND ug/L		10.0	1		01/28/15 14:40	78-93-3	
Carbon tetrachloride	ND ug/L		5.0	1		01/28/15 14:40	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		01/28/15 14:40	108-90-7	
Chloroform	ND ug/L		5.0	1		01/28/15 14:40	67-66-3	
1,4-Dichlorobenzene	ND ug/L		5.0	1		01/28/15 14:40	106-46-7	
1,2-Dichloroethane	ND ug/L		5.0	1		01/28/15 14:40	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		01/28/15 14:40	75-35-4	
Tetrachloroethene	ND ug/L		5.0	1		01/28/15 14:40	127-18-4	
Trichloroethene	ND ug/L		5.0	1		01/28/15 14:40	79-01-6	
Vinyl chloride	ND ug/L		5.0	1		01/28/15 14:40	75-01-4	
Surrogates								
1,2-Dichloroethane-d4 (S)	103 %		70-130	1		01/28/15 14:40	17060-07-0	
Toluene-d8 (S)	96 %		67-135	1		01/28/15 14:40	2037-26-5	
4-Bromofluorobenzene (S)	94 %		70-130	1		01/28/15 14:40	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: TW-5A		Lab ID: 92234865009	Collected: 01/25/15 10:20	Received: 01/26/15 08:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level		Analytical Method: EPA 8260						
Acetone	ND	ug/L	25.0	1		02/04/15 01:19	67-64-1	
Benzene	ND	ug/L	1.0	1		02/04/15 01:19	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		02/04/15 01:19	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		02/04/15 01:19	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		02/04/15 01:19	75-27-4	
Bromoform	ND	ug/L	1.0	1		02/04/15 01:19	75-25-2	
Bromomethane	ND	ug/L	2.0	1		02/04/15 01:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		02/04/15 01:19	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		02/04/15 01:19	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/04/15 01:19	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/04/15 01:19	75-00-3	
Chloroform	29.3	ug/L	1.0	1		02/04/15 01:19	67-66-3	
Chloromethane	ND	ug/L	1.0	1		02/04/15 01:19	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		02/04/15 01:19	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/04/15 01:19	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		02/04/15 01:19	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		02/04/15 01:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/04/15 01:19	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		02/04/15 01:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/04/15 01:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/04/15 01:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/04/15 01:19	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/04/15 01:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/04/15 01:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		02/04/15 01:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/04/15 01:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/04/15 01:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/04/15 01:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		02/04/15 01:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/04/15 01:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		02/04/15 01:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/04/15 01:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		02/04/15 01:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		02/04/15 01:19	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		02/04/15 01:19	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		02/04/15 01:19	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/04/15 01:19	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/04/15 01:19	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/04/15 01:19	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		02/04/15 01:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/04/15 01:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/04/15 01:19	1634-04-4	
Naphthalene	ND	ug/L	1.0	1		02/04/15 01:19	91-20-3	
Styrene	ND	ug/L	1.0	1		02/04/15 01:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/04/15 01:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/04/15 01:19	79-34-5	
Tetrachloroethene	1.4	ug/L	1.0	1		02/04/15 01:19	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: ROW-504 32213

Pace Project No.: 92234865

Sample: TW-5A		Lab ID: 92234865009	Collected: 01/25/15 10:20	Received: 01/26/15 08:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level		Analytical Method: EPA 8260						
Toluene	ND ug/L		1.0	1		02/04/15 01:19	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/04/15 01:19	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/04/15 01:19	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/04/15 01:19	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/04/15 01:19	79-00-5	
Trichloroethene	ND ug/L		1.0	1		02/04/15 01:19	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/04/15 01:19	75-69-4	
1,2,3-Trichloropropane	ND ug/L		1.0	1		02/04/15 01:19	96-18-4	
Vinyl acetate	ND ug/L		2.0	1		02/04/15 01:19	108-05-4	
Vinyl chloride	ND ug/L		1.0	1		02/04/15 01:19	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		02/04/15 01:19	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/04/15 01:19	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/04/15 01:19	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	88 %		70-130	1		02/04/15 01:19	460-00-4	
1,2-Dichloroethane-d4 (S)	105 %		70-130	1		02/04/15 01:19	17060-07-0	
Toluene-d8 (S)	96 %		70-130	1		02/04/15 01:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213
Pace Project No.: 92234865

QC Batch: MERP/7527 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury TCLP
Associated Lab Samples: 92234865007

METHOD BLANK: 1380919 Matrix: Water
Associated Lab Samples: 92234865007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	ND	0.20	01/30/15 16:10	

LABORATORY CONTROL SAMPLE: 1380920

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	2.5	2.4	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1380921 1380922

Parameter	Units	92234020001 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
Mercury	ug/L	ND	2.5	2.5	2.3	2.2	92	88	75-125	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

QC Batch: MERP/7544

Analysis Method: EPA 7470

QC Batch Method: EPA 7470

Analysis Description: 7470 Mercury TCLP

Associated Lab Samples: 92234865008

METHOD BLANK: 1383242

Matrix: Water

Associated Lab Samples: 92234865008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	ND	0.20	02/04/15 11:02	

LABORATORY CONTROL SAMPLE: 1383243

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	2.5	2.5	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1383244 1383245

Parameter	Units	92234856006		MS		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Mercury	ug/L	ND	ND	2.5	2.5	2.1	2.1	85	85	75-125	0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213
Pace Project No.: 92234865

QC Batch: MPRP/17806 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET TCLP
Associated Lab Samples: 92234865007

METHOD BLANK: 1380969 Matrix: Water
Associated Lab Samples: 92234865007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	ND	0.050	01/30/15 02:23	
Barium	mg/L	ND	0.25	01/30/15 02:23	
Cadmium	mg/L	ND	0.0050	01/30/15 02:23	
Chromium	mg/L	ND	0.025	01/30/15 02:23	
Lead	mg/L	ND	0.025	01/30/15 02:23	
Selenium	mg/L	ND	0.10	01/30/15 02:23	
Silver	mg/L	ND	0.025	01/30/15 02:23	

LABORATORY CONTROL SAMPLE: 1380970

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	2.5	2.5	98	80-120	
Barium	mg/L	2.5	2.4	96	80-120	
Cadmium	mg/L	2.5	2.4	97	80-120	
Chromium	mg/L	2.5	2.4	96	80-120	
Lead	mg/L	2.5	2.4	94	80-120	
Selenium	mg/L	2.5	2.5	101	80-120	
Silver	mg/L	1.2	1.2	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1380971 1380972

Parameter	Units	92234020001		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
Arsenic	mg/L	ND	2.5	2.5	2.5	2.4	101	96	75-125	5		
Barium	mg/L	ND	2.5	2.5	2.4	2.4	98	95	75-125	2		
Cadmium	mg/L	ND	2.5	2.5	2.5	2.4	99	96	75-125	4		
Chromium	mg/L	ND	2.5	2.5	2.5	2.4	98	95	75-125	4		
Lead	mg/L	ND	2.5	2.5	2.4	2.3	96	92	75-125	4		
Selenium	mg/L	ND	2.5	2.5	2.6	2.5	104	99	75-125	4		
Silver	mg/L	ND	1.2	1.2	1.2	1.2	99	96	75-125	3		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213
Pace Project No.: 92234865

QC Batch: MPRP/17830 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET TCLP
Associated Lab Samples: 92234865008

METHOD BLANK: 1383298 Matrix: Water
Associated Lab Samples: 92234865008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	ND	0.050	02/04/15 03:12	
Barium	mg/L	ND	0.25	02/04/15 03:12	
Cadmium	mg/L	ND	0.0050	02/04/15 03:12	
Chromium	mg/L	ND	0.025	02/04/15 03:12	
Lead	mg/L	ND	0.025	02/04/15 03:12	
Selenium	mg/L	ND	0.10	02/04/15 03:12	
Silver	mg/L	ND	0.025	02/04/15 03:12	

LABORATORY CONTROL SAMPLE: 1383299

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	2.5	2.5	101	80-120	
Barium	mg/L	2.5	2.4	95	80-120	
Cadmium	mg/L	2.5	2.5	100	80-120	
Chromium	mg/L	2.5	2.5	99	80-120	
Lead	mg/L	2.5	2.3	94	80-120	
Selenium	mg/L	2.5	2.6	105	80-120	
Silver	mg/L	1.2	1.2	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1383300 1383301

Parameter	Units	92234856006		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	% Rec				
Arsenic	mg/L	ND	2.5	2.5	2.2	2.0	87	79	75-125	9		
Barium	mg/L	ND	2.5	2.5	2.9	2.8	90	83	75-125	6		
Cadmium	mg/L	ND	2.5	2.5	2.2	2.1	89	85	75-125	4		
Chromium	mg/L	ND	2.5	2.5	2.2	2.1	89	85	75-125	4		
Lead	mg/L	ND	2.5	2.5	2.2	2.1	87	86	75-125	2		
Selenium	mg/L	ND	2.5	2.5	2.3	2.1	90	86	75-125	5		
Silver	mg/L	ND	1.2	1.2	1.1	1.1	89	85	75-125	4		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

QC Batch: MSV/30139

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV TCLP

Associated Lab Samples: 92234865007

METHOD BLANK: 1378433

Matrix: Water

Associated Lab Samples: 92234865007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	ug/L	ND	5.0	01/27/15 12:26	
1,2-Dichloroethane	ug/L	ND	5.0	01/27/15 12:26	
1,4-Dichlorobenzene	ug/L	ND	5.0	01/27/15 12:26	
2-Butanone (MEK)	ug/L	ND	10.0	01/27/15 12:26	
Benzene	ug/L	ND	5.0	01/27/15 12:26	
Carbon tetrachloride	ug/L	ND	5.0	01/27/15 12:26	
Chlorobenzene	ug/L	ND	5.0	01/27/15 12:26	
Chloroform	ug/L	ND	5.0	01/27/15 12:26	
Tetrachloroethene	ug/L	ND	5.0	01/27/15 12:26	
Trichloroethene	ug/L	ND	5.0	01/27/15 12:26	
Vinyl chloride	ug/L	ND	5.0	01/27/15 12:26	
1,2-Dichloroethane-d4 (S)	%	109	70-130	01/27/15 12:26	
4-Bromofluorobenzene (S)	%	93	70-130	01/27/15 12:26	
Toluene-d8 (S)	%	101	67-135	01/27/15 12:26	

LABORATORY CONTROL SAMPLE: 1378434

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	46.5	93	66-135	
1,2-Dichloroethane	ug/L	50	50.1	100	67-128	
1,4-Dichlorobenzene	ug/L	50	56.4	113	78-130	
2-Butanone (MEK)	ug/L	100	98.9	99	61-144	
Benzene	ug/L	50	54.5	109	80-125	
Carbon tetrachloride	ug/L	50	54.8	110	69-131	
Chlorobenzene	ug/L	50	53.4	107	81-122	
Chloroform	ug/L	50	47.3	95	73-127	
Tetrachloroethene	ug/L	50	47.6	95	78-122	
Trichloroethene	ug/L	50	56.9	114	78-122	
Vinyl chloride	ug/L	50	47.5	95	58-137	
1,2-Dichloroethane-d4 (S)	%			93	70-130	
4-Bromofluorobenzene (S)	%			104	70-130	
Toluene-d8 (S)	%			97	67-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213
Pace Project No.: 92234865

QC Batch: MSV/30152 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV TCLP
Associated Lab Samples: 92234865008

METHOD BLANK: 1379318 Matrix: Water
Associated Lab Samples: 92234865008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	ug/L	ND	5.0	01/28/15 13:34	
1,2-Dichloroethane	ug/L	ND	5.0	01/28/15 13:34	
1,4-Dichlorobenzene	ug/L	ND	5.0	01/28/15 13:34	
2-Butanone (MEK)	ug/L	ND	10.0	01/28/15 13:34	
Benzene	ug/L	ND	5.0	01/28/15 13:34	
Carbon tetrachloride	ug/L	ND	5.0	01/28/15 13:34	
Chlorobenzene	ug/L	ND	5.0	01/28/15 13:34	
Chloroform	ug/L	ND	5.0	01/28/15 13:34	
Tetrachloroethene	ug/L	ND	5.0	01/28/15 13:34	
Trichloroethene	ug/L	ND	5.0	01/28/15 13:34	
Vinyl chloride	ug/L	ND	5.0	01/28/15 13:34	
1,2-Dichloroethane-d4 (S)	%	99	70-130	01/28/15 13:34	
4-Bromofluorobenzene (S)	%	101	70-130	01/28/15 13:34	
Toluene-d8 (S)	%	94	67-135	01/28/15 13:34	

LABORATORY CONTROL SAMPLE: 1379319

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	53.2	106	66-135	
1,2-Dichloroethane	ug/L	50	56.2	112	67-128	
1,4-Dichlorobenzene	ug/L	50	52.6	105	78-130	
2-Butanone (MEK)	ug/L	100	105	105	61-144	
Benzene	ug/L	50	51.7	103	80-125	
Carbon tetrachloride	ug/L	50	60.7	121	69-131	
Chlorobenzene	ug/L	50	51.5	103	81-122	
Chloroform	ug/L	50	49.2	98	73-127	
Tetrachloroethene	ug/L	50	51.1	102	78-122	
Trichloroethene	ug/L	50	52.6	105	78-122	
Vinyl chloride	ug/L	50	48.1	96	58-137	
1,2-Dichloroethane-d4 (S)	%			94	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			99	67-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

QC Batch: MSV/30222

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV Low Level

Associated Lab Samples: 92234865009

METHOD BLANK: 1383462

Matrix: Water

Associated Lab Samples: 92234865009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/03/15 22:14	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/03/15 22:14	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/03/15 22:14	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/03/15 22:14	
1,1-Dichloroethane	ug/L	ND	1.0	02/03/15 22:14	
1,1-Dichloroethene	ug/L	ND	1.0	02/03/15 22:14	
1,1-Dichloropropene	ug/L	ND	1.0	02/03/15 22:14	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/03/15 22:14	
1,2,3-Trichloropropane	ug/L	ND	1.0	02/03/15 22:14	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/03/15 22:14	
1,2-Dibromo-3-chloropropane	ug/L	ND	2.0	02/03/15 22:14	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/03/15 22:14	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/03/15 22:14	
1,2-Dichloroethane	ug/L	ND	1.0	02/03/15 22:14	
1,2-Dichloropropane	ug/L	ND	1.0	02/03/15 22:14	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/03/15 22:14	
1,3-Dichloropropane	ug/L	ND	1.0	02/03/15 22:14	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/03/15 22:14	
2,2-Dichloropropane	ug/L	ND	1.0	02/03/15 22:14	
2-Butanone (MEK)	ug/L	ND	5.0	02/03/15 22:14	
2-Chlorotoluene	ug/L	ND	1.0	02/03/15 22:14	
2-Hexanone	ug/L	ND	5.0	02/03/15 22:14	
4-Chlorotoluene	ug/L	ND	1.0	02/03/15 22:14	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/03/15 22:14	
Acetone	ug/L	ND	25.0	02/03/15 22:14	
Benzene	ug/L	ND	1.0	02/03/15 22:14	
Bromobenzene	ug/L	ND	1.0	02/03/15 22:14	
Bromochloromethane	ug/L	ND	1.0	02/03/15 22:14	
Bromodichloromethane	ug/L	ND	1.0	02/03/15 22:14	
Bromoform	ug/L	ND	1.0	02/03/15 22:14	
Bromomethane	ug/L	ND	2.0	02/03/15 22:14	
Carbon tetrachloride	ug/L	ND	1.0	02/03/15 22:14	
Chlorobenzene	ug/L	ND	1.0	02/03/15 22:14	
Chloroethane	ug/L	ND	1.0	02/03/15 22:14	
Chloroform	ug/L	ND	1.0	02/03/15 22:14	
Chloromethane	ug/L	ND	1.0	02/03/15 22:14	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/03/15 22:14	
cis-1,3-Dichloropropene	ug/L	ND	1.0	02/03/15 22:14	
Dibromochloromethane	ug/L	ND	1.0	02/03/15 22:14	
Dibromomethane	ug/L	ND	1.0	02/03/15 22:14	
Dichlorodifluoromethane	ug/L	ND	1.0	02/03/15 22:14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

METHOD BLANK: 1383462

Matrix: Water

Associated Lab Samples: 92234865009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	ND	1.0	02/03/15 22:14	
Ethylbenzene	ug/L	ND	1.0	02/03/15 22:14	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/03/15 22:14	
m&p-Xylene	ug/L	ND	2.0	02/03/15 22:14	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/03/15 22:14	
Methylene Chloride	ug/L	ND	2.0	02/03/15 22:14	
Naphthalene	ug/L	ND	1.0	02/03/15 22:14	
o-Xylene	ug/L	ND	1.0	02/03/15 22:14	
p-Isopropyltoluene	ug/L	ND	1.0	02/03/15 22:14	
Styrene	ug/L	ND	1.0	02/03/15 22:14	
Tetrachloroethene	ug/L	ND	1.0	02/03/15 22:14	
Toluene	ug/L	ND	1.0	02/03/15 22:14	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/03/15 22:14	
trans-1,3-Dichloropropene	ug/L	ND	1.0	02/03/15 22:14	
Trichloroethene	ug/L	ND	1.0	02/03/15 22:14	
Trichlorofluoromethane	ug/L	ND	1.0	02/03/15 22:14	
Vinyl acetate	ug/L	ND	2.0	02/03/15 22:14	
Vinyl chloride	ug/L	ND	1.0	02/03/15 22:14	
Xylene (Total)	ug/L	ND	2.0	02/03/15 22:14	
1,2-Dichloroethane-d4 (S)	%	98	70-130	02/03/15 22:14	
4-Bromofluorobenzene (S)	%	98	70-130	02/03/15 22:14	
Toluene-d8 (S)	%	97	70-130	02/03/15 22:14	

LABORATORY CONTROL SAMPLE: 1383463

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	53.1	106	70-130	
1,1,1-Trichloroethane	ug/L	50	51.2	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	54.1	108	70-130	
1,1,2-Trichloroethane	ug/L	50	53.3	107	70-130	
1,1-Dichloroethane	ug/L	50	53.0	106	70-130	
1,1-Dichloroethene	ug/L	50	51.2	102	70-132	
1,1-Dichloropropene	ug/L	50	56.5	113	70-130	
1,2,3-Trichlorobenzene	ug/L	50	56.5	113	70-135	
1,2,3-Trichloropropane	ug/L	50	54.0	108	70-130	
1,2,4-Trichlorobenzene	ug/L	50	57.1	114	70-134	
1,2-Dibromo-3-chloropropane	ug/L	50	58.0	116	70-130	
1,2-Dibromoethane (EDB)	ug/L	50	55.4	111	70-130	
1,2-Dichlorobenzene	ug/L	50	54.5	109	70-130	
1,2-Dichloroethane	ug/L	50	50.8	102	70-130	
1,2-Dichloropropane	ug/L	50	54.1	108	70-130	
1,3-Dichlorobenzene	ug/L	50	52.1	104	70-130	
1,3-Dichloropropane	ug/L	50	54.9	110	70-130	
1,4-Dichlorobenzene	ug/L	50	52.0	104	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

LABORATORY CONTROL SAMPLE: 1383463

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,2-Dichloropropane	ug/L	50	48.4	97	58-145	
2-Butanone (MEK)	ug/L	100	110	110	70-145	
2-Chlorotoluene	ug/L	50	47.0	94	70-130	
2-Hexanone	ug/L	100	110	110	70-144	
4-Chlorotoluene	ug/L	50	51.3	103	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	108	108	70-140	
Acetone	ug/L	100	97.4	97	50-175	
Benzene	ug/L	50	55.1	110	70-130	
Bromobenzene	ug/L	50	53.0	106	70-130	
Bromochloromethane	ug/L	50	52.9	106	70-130	
Bromodichloromethane	ug/L	50	46.7	93	70-130	
Bromoform	ug/L	50	52.0	104	70-130	
Bromomethane	ug/L	50	51.4	103	54-130	
Carbon tetrachloride	ug/L	50	51.8	104	70-132	
Chlorobenzene	ug/L	50	52.1	104	70-130	
Chloroethane	ug/L	50	56.8	114	64-134	
Chloroform	ug/L	50	48.4	97	70-130	
Chloromethane	ug/L	50	54.5	109	64-130	
cis-1,2-Dichloroethene	ug/L	50	55.5	111	70-131	
cis-1,3-Dichloropropene	ug/L	50	54.7	109	70-130	
Dibromochloromethane	ug/L	50	50.7	101	70-130	
Dibromomethane	ug/L	50	52.9	106	70-131	
Dichlorodifluoromethane	ug/L	50	55.4	111	56-130	
Diisopropyl ether	ug/L	50	51.5	103	70-130	
Ethylbenzene	ug/L	50	51.8	104	70-130	
Hexachloro-1,3-butadiene	ug/L	50	53.0	106	70-130	
m&p-Xylene	ug/L	100	103	103	70-130	
Methyl-tert-butyl ether	ug/L	50	53.3	107	70-130	
Methylene Chloride	ug/L	50	53.7	107	63-130	
Naphthalene	ug/L	50	60.2	120	70-138	
o-Xylene	ug/L	50	51.7	103	70-130	
p-Isopropyltoluene	ug/L	50	52.9	106	70-130	
Styrene	ug/L	50	55.7	111	70-130	
Tetrachloroethene	ug/L	50	50.2	100	70-130	
Toluene	ug/L	50	54.0	108	70-130	
trans-1,2-Dichloroethene	ug/L	50	53.6	107	70-130	
trans-1,3-Dichloropropene	ug/L	50	54.2	108	70-132	
Trichloroethene	ug/L	50	51.2	102	70-130	
Trichlorofluoromethane	ug/L	50	52.1	104	62-133	
Vinyl acetate	ug/L	100	106	106	66-157	
Vinyl chloride	ug/L	50	60.3	121	50-150	
Xylene (Total)	ug/L	150	155	103	70-130	
1,2-Dichloroethane-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

MATRIX SPIKE SAMPLE:	1383466	92234861005	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	20	21.7	108	70-130	
1,1,1-Trichloroethane	ug/L	ND	20	22.8	114	70-130	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	21.8	109	70-130	
1,1,2-Trichloroethane	ug/L	ND	20	21.6	108	70-130	
1,1-Dichloroethane	ug/L	ND	20	24.4	122	70-130	
1,1-Dichloroethene	ug/L	ND	20	23.3	117	70-166	
1,1-Dichloropropene	ug/L	ND	20	25.9	129	70-130	
1,2,3-Trichlorobenzene	ug/L	ND	20	18.4	92	70-130	
1,2,3-Trichloropropane	ug/L	ND	20	20.9	105	70-130	
1,2,4-Trichlorobenzene	ug/L	ND	20	20.0	100	70-130	
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20.0	100	70-130	
1,2-Dibromoethane (EDB)	ug/L	ND	20	22.3	112	70-130	
1,2-Dichlorobenzene	ug/L	ND	20	22.0	110	70-130	
1,2-Dichloroethane	ug/L	ND	20	22.9	110	70-130	
1,2-Dichloropropane	ug/L	ND	20	23.6	118	70-130	
1,3-Dichlorobenzene	ug/L	ND	20	21.9	110	70-130	
1,3-Dichloropropane	ug/L	ND	20	23.1	116	70-130	
1,4-Dichlorobenzene	ug/L	ND	20	21.9	109	70-130	
2,2-Dichloropropane	ug/L	ND	20	19.6	98	70-130	
2-Butanone (MEK)	ug/L	ND	40	46.2	116	70-130	
2-Chlorotoluene	ug/L	ND	20	20.8	104	70-130	
2-Hexanone	ug/L	ND	40	45.8	115	70-130	
4-Chlorotoluene	ug/L	ND	20	23.0	115	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	40	46.0	115	70-130	
Acetone	ug/L	ND	40	47.9	116	70-130	
Benzene	ug/L	ND	20	26.0	125	70-148	
Bromobenzene	ug/L	ND	20	23.0	115	70-130	
Bromochloromethane	ug/L	ND	20	22.5	113	70-130	
Bromodichloromethane	ug/L	ND	20	19.5	98	70-130	
Bromoform	ug/L	ND	20	17.6	88	70-130	
Bromomethane	ug/L	ND	20	16.9	85	70-130	
Carbon tetrachloride	ug/L	ND	20	22.7	114	70-130	
Chlorobenzene	ug/L	ND	20	22.1	110	70-146	
Chloroethane	ug/L	ND	20	28.0	140	70-130 MO	
Chloroform	ug/L	ND	20	21.8	109	70-130	
Chloromethane	ug/L	ND	20	26.8	134	70-130 MO	
cis-1,2-Dichloroethene	ug/L	ND	20	24.4	122	70-130	
cis-1,3-Dichloropropene	ug/L	ND	20	21.4	107	70-130	
Dibromochloromethane	ug/L	ND	20	18.8	94	70-130	
Dibromomethane	ug/L	ND	20	19.6	98	70-130	
Dichlorodifluoromethane	ug/L	ND	20	23.9	119	70-130	
Diisopropyl ether	ug/L	ND	20	24.8	123	70-130	
Ethylbenzene	ug/L	ND	20	23.1	115	70-130	
Hexachloro-1,3-butadiene	ug/L	ND	20	23.6	118	70-130	
m&p-Xylene	ug/L	ND	40	46.7	116	70-130	
Methyl-tert-butyl ether	ug/L	ND	20	22.2	110	70-130	
Methylene Chloride	ug/L	ND	20	26.7	133	70-130 MO	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

MATRIX SPIKE SAMPLE: 1383466		92234861005	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Naphthalene	ug/L	ND	20	21.4	106	70-130	
o-Xylene	ug/L	ND	20	22.2	110	70-130	
p-Isopropyltoluene	ug/L	ND	20	22.1	110	70-130	
Styrene	ug/L	ND	20	22.7	113	70-130	
Tetrachloroethene	ug/L	1.3	20	22.4	106	70-130	
Toluene	ug/L	ND	20	23.5	117	70-155	
trans-1,2-Dichloroethene	ug/L	ND	20	24.3	122	70-130	
trans-1,3-Dichloropropene	ug/L	ND	20	21.6	108	70-130	
Trichloroethene	ug/L	1.1	20	22.7	108	69-151	
Trichlorofluoromethane	ug/L	ND	20	26.0	130	70-130	
Vinyl acetate	ug/L	ND	40	38.8	97	70-130	
Vinyl chloride	ug/L	ND	20	26.5	132	70-130	MO
1,2-Dichloroethane-d4 (S)	%				104	70-130	
4-Bromofluorobenzene (S)	%				91	70-130	
Toluene-d8 (S)	%				101	70-130	

SAMPLE DUPLICATE: 1383465

Parameter	Units	92235771004	Dup	RPD	Qualifiers
		Result	Result		
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		
1,1,1-Trichloroethane	ug/L	ND	ND		
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		
1,1,2-Trichloroethane	ug/L	ND	ND		
1,1-Dichloroethane	ug/L	ND	ND		
1,1-Dichloroethene	ug/L	ND	ND		
1,1-Dichloropropene	ug/L	ND	ND		
1,2,3-Trichlorobenzene	ug/L	ND	ND		
1,2,3-Trichloropropane	ug/L	ND	ND		
1,2,4-Trichlorobenzene	ug/L	ND	ND		
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		
1,2-Dibromoethane (EDB)	ug/L	ND	ND		
1,2-Dichlorobenzene	ug/L	ND	ND		
1,2-Dichloroethane	ug/L	ND	ND		
1,2-Dichloropropane	ug/L	ND	ND		
1,3-Dichlorobenzene	ug/L	ND	ND		
1,3-Dichloropropane	ug/L	ND	ND		
1,4-Dichlorobenzene	ug/L	ND	ND		
2,2-Dichloropropane	ug/L	ND	ND		
2-Butanone (MEK)	ug/L	ND	ND		
2-Chlorotoluene	ug/L	ND	ND		
2-Hexanone	ug/L	ND	ND		
4-Chlorotoluene	ug/L	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		
Acetone	ug/L	ND	ND		
Benzene	ug/L	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

SAMPLE DUPLICATE: 1383465

Parameter	Units	92235771004 Result	Dup Result	RPD	Qualifiers
Bromobenzene	ug/L	ND	ND		
Bromochloromethane	ug/L	ND	ND		
Bromodichloromethane	ug/L	ND	ND		
Bromoform	ug/L	ND	ND		
Bromomethane	ug/L	ND	ND		
Carbon tetrachloride	ug/L	ND	ND		
Chlorobenzene	ug/L	ND	ND		
Chloroethane	ug/L	ND	ND		
Chloroform	ug/L	ND	ND		
Chloromethane	ug/L	ND	ND		
cis-1,2-Dichloroethene	ug/L	ND	ND		
cis-1,3-Dichloropropene	ug/L	ND	ND		
Dibromochloromethane	ug/L	ND	ND		
Dibromomethane	ug/L	ND	ND		
Dichlorodifluoromethane	ug/L	ND	ND		
Diisopropyl ether	ug/L	ND	ND		
Ethylbenzene	ug/L	ND	ND		
Hexachloro-1,3-butadiene	ug/L	ND	ND		
m&p-Xylene	ug/L	ND	ND		
Methyl-tert-butyl ether	ug/L	ND	ND		
Methylene Chloride	ug/L	ND	ND		
Naphthalene	ug/L	ND	ND		
o-Xylene	ug/L	ND	ND		
p-Isopropyltoluene	ug/L	ND	ND		
Styrene	ug/L	ND	ND		
Tetrachloroethene	ug/L	ND	ND		
Toluene	ug/L	ND	ND		
trans-1,2-Dichloroethene	ug/L	ND	ND		
trans-1,3-Dichloropropene	ug/L	ND	ND		
Trichloroethene	ug/L	ND	ND		
Trichlorofluoromethane	ug/L	ND	ND		
Vinyl acetate	ug/L	ND	ND		
Vinyl chloride	ug/L	ND	ND		
Xylene (Total)	ug/L	ND	ND		
1,2-Dichloroethane-d4 (S)	%	102	99	4	
4-Bromofluorobenzene (S)	%	89	88	1	
Toluene-d8 (S)	%	97	98	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

QC Batch: MSV/30140

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV 5035A Volatile Organics

Associated Lab Samples: 92234865001, 92234865002, 92234865004, 92234865005, 92234865006

METHOD BLANK: 1378439

Matrix: Solid

Associated Lab Samples: 92234865001, 92234865002, 92234865004, 92234865005, 92234865006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	4.5	01/27/15 12:26	
1,1,1-Trichloroethane	ug/kg	ND	4.5	01/27/15 12:26	
1,1,2,2-Tetrachloroethane	ug/kg	ND	4.5	01/27/15 12:26	
1,1,2-Trichloroethane	ug/kg	ND	4.5	01/27/15 12:26	
1,1-Dichloroethane	ug/kg	ND	4.5	01/27/15 12:26	
1,1-Dichloroethene	ug/kg	ND	4.5	01/27/15 12:26	
1,1-Dichloropropene	ug/kg	ND	4.5	01/27/15 12:26	
1,2,3-Trichlorobenzene	ug/kg	ND	4.5	01/27/15 12:26	
1,2,3-Trichloropropane	ug/kg	ND	4.5	01/27/15 12:26	
1,2,4-Trichlorobenzene	ug/kg	ND	4.5	01/27/15 12:26	
1,2,4-Trimethylbenzene	ug/kg	ND	4.5	01/27/15 12:26	
1,2-Dibromo-3-chloropropane	ug/kg	ND	4.5	01/27/15 12:26	
1,2-Dibromoethane (EDB)	ug/kg	ND	4.5	01/27/15 12:26	
1,2-Dichlorobenzene	ug/kg	ND	4.5	01/27/15 12:26	
1,2-Dichloroethane	ug/kg	ND	4.5	01/27/15 12:26	
1,2-Dichloropropane	ug/kg	ND	4.5	01/27/15 12:26	
1,3,5-Trimethylbenzene	ug/kg	ND	4.5	01/27/15 12:26	
1,3-Dichlorobenzene	ug/kg	ND	4.5	01/27/15 12:26	
1,3-Dichloropropane	ug/kg	ND	4.5	01/27/15 12:26	
1,4-Dichlorobenzene	ug/kg	ND	4.5	01/27/15 12:26	
2,2-Dichloropropane	ug/kg	ND	4.5	01/27/15 12:26	
2-Butanone (MEK)	ug/kg	ND	90.9	01/27/15 12:26	
2-Chlorotoluene	ug/kg	ND	4.5	01/27/15 12:26	
2-Hexanone	ug/kg	ND	45.5	01/27/15 12:26	
4-Chlorotoluene	ug/kg	ND	4.5	01/27/15 12:26	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	45.5	01/27/15 12:26	
Acetone	ug/kg	ND	90.9	01/27/15 12:26	
Benzene	ug/kg	ND	4.5	01/27/15 12:26	
Bromobenzene	ug/kg	ND	4.5	01/27/15 12:26	
Bromochloromethane	ug/kg	ND	4.5	01/27/15 12:26	
Bromodichloromethane	ug/kg	ND	4.5	01/27/15 12:26	
Bromoform	ug/kg	ND	4.5	01/27/15 12:26	
Bromomethane	ug/kg	ND	9.1	01/27/15 12:26	
Carbon tetrachloride	ug/kg	ND	4.5	01/27/15 12:26	
Chlorobenzene	ug/kg	ND	4.5	01/27/15 12:26	
Chloroethane	ug/kg	ND	9.1	01/27/15 12:26	
Chloroform	ug/kg	ND	4.5	01/27/15 12:26	
Chloromethane	ug/kg	ND	9.1	01/27/15 12:26	
cis-1,2-Dichloroethene	ug/kg	ND	4.5	01/27/15 12:26	
cis-1,3-Dichloropropene	ug/kg	ND	4.5	01/27/15 12:26	
Dibromochloromethane	ug/kg	ND	4.5	01/27/15 12:26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

METHOD BLANK: 1378439

Matrix: Solid

Associated Lab Samples: 92234865001, 92234865002, 92234865004, 92234865005, 92234865006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/kg	ND	4.5	01/27/15 12:26	
Dichlorodifluoromethane	ug/kg	ND	9.1	01/27/15 12:26	
Diisopropyl ether	ug/kg	ND	4.5	01/27/15 12:26	
Ethylbenzene	ug/kg	ND	4.5	01/27/15 12:26	
Hexachloro-1,3-butadiene	ug/kg	ND	4.5	01/27/15 12:26	
Isopropylbenzene (Cumene)	ug/kg	ND	4.5	01/27/15 12:26	
m&p-Xylene	ug/kg	ND	9.1	01/27/15 12:26	
Methyl-tert-butyl ether	ug/kg	ND	4.5	01/27/15 12:26	
Methylene Chloride	ug/kg	ND	18.2	01/27/15 12:26	
n-Butylbenzene	ug/kg	ND	4.5	01/27/15 12:26	
n-Propylbenzene	ug/kg	ND	4.5	01/27/15 12:26	
Naphthalene	ug/kg	ND	4.5	01/27/15 12:26	
o-Xylene	ug/kg	ND	4.5	01/27/15 12:26	
p-Isopropyltoluene	ug/kg	ND	4.5	01/27/15 12:26	
sec-Butylbenzene	ug/kg	ND	4.5	01/27/15 12:26	
Styrene	ug/kg	ND	4.5	01/27/15 12:26	
tert-Butylbenzene	ug/kg	ND	4.5	01/27/15 12:26	
Tetrachloroethene	ug/kg	ND	4.5	01/27/15 12:26	
Toluene	ug/kg	ND	4.5	01/27/15 12:26	
trans-1,2-Dichloroethene	ug/kg	ND	4.5	01/27/15 12:26	
trans-1,3-Dichloropropene	ug/kg	ND	4.5	01/27/15 12:26	
Trichloroethene	ug/kg	ND	4.5	01/27/15 12:26	
Trichlorofluoromethane	ug/kg	ND	4.5	01/27/15 12:26	
Vinyl acetate	ug/kg	ND	45.5	01/27/15 12:26	
Vinyl chloride	ug/kg	ND	9.1	01/27/15 12:26	
Xylene (Total)	ug/kg	ND	9.1	01/27/15 12:26	
1,2-Dichloroethane-d4 (S)	%	109	70-132	01/27/15 12:26	
4-Bromofluorobenzene (S)	%	93	70-130	01/27/15 12:26	
Toluene-d8 (S)	%	101	70-130	01/27/15 12:26	

LABORATORY CONTROL SAMPLE: 1378440

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	46.2	49.3	107	74-137	
1,1,1-Trichloroethane	ug/kg	46.2	47.0	102	67-140	
1,1,2,2-Tetrachloroethane	ug/kg	46.2	46.1	100	72-141	
1,1,2-Trichloroethane	ug/kg	46.2	49.5	107	78-138	
1,1-Dichloroethane	ug/kg	46.2	45.5	98	69-134	
1,1-Dichloroethene	ug/kg	46.2	43.0	93	67-138	
1,1-Dichloropropene	ug/kg	46.2	50.3	109	69-139	
1,2,3-Trichlorobenzene	ug/kg	46.2	55.5	120	70-146	
1,2,3-Trichloropropane	ug/kg	46.2	48.3	105	69-144	
1,2,4-Trichlorobenzene	ug/kg	46.2	56.1	121	68-148	
1,2,4-Trimethylbenzene	ug/kg	46.2	52.7	114	74-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

LABORATORY CONTROL SAMPLE: 1378440

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	46.2	53.0	115	65-140	
1,2-Dibromoethane (EDB)	ug/kg	46.2	50.2	109	77-135	
1,2-Dichlorobenzene	ug/kg	46.2	52.2	113	77-141	
1,2-Dichloroethane	ug/kg	46.2	46.3	100	65-137	
1,2-Dichloropropane	ug/kg	46.2	47.4	103	72-136	
1,3,5-Trimethylbenzene	ug/kg	46.2	52.7	114	76-133	
1,3-Dichlorobenzene	ug/kg	46.2	51.6	112	74-138	
1,3-Dichloropropane	ug/kg	46.2	49.1	106	71-139	
1,4-Dichlorobenzene	ug/kg	46.2	52.1	113	76-138	
2,2-Dichloropropane	ug/kg	46.2	46.5	101	68-137	
2-Butanone (MEK)	ug/kg	92.4	91.4J	99	58-147	
2-Chlorotoluene	ug/kg	46.2	55.9	121	73-139	
2-Hexanone	ug/kg	92.4	95.5	103	62-145	
4-Chlorotoluene	ug/kg	46.2	51.8	112	76-141	
4-Methyl-2-pentanone (MIBK)	ug/kg	92.4	103	112	64-149	
Acetone	ug/kg	92.4	92.5	100	53-153	
Benzene	ug/kg	46.2	50.4	109	73-135	
Bromobenzene	ug/kg	46.2	48.3	105	75-133	
Bromochloromethane	ug/kg	46.2	47.7	103	73-134	
Bromodichloromethane	ug/kg	46.2	43.8	95	71-135	
Bromoform	ug/kg	46.2	49.4	107	66-141	
Bromomethane	ug/kg	46.2	49.3	107	53-160	
Carbon tetrachloride	ug/kg	46.2	50.7	110	60-145	
Chlorobenzene	ug/kg	46.2	49.4	107	78-130	
Chloroethane	ug/kg	46.2	54.8	119	64-149	
Chloroform	ug/kg	46.2	43.7	95	70-134	
Chloromethane	ug/kg	46.2	46.2	100	52-150	
cis-1,2-Dichloroethene	ug/kg	46.2	47.8	104	70-133	
cis-1,3-Dichloropropene	ug/kg	46.2	49.1	106	68-134	
Dibromochloromethane	ug/kg	46.2	46.7	101	71-138	
Dibromomethane	ug/kg	46.2	46.9	101	74-130	
Dichlorodifluoromethane	ug/kg	46.2	47.0	102	40-160	
Diisopropyl ether	ug/kg	46.2	44.0	95	69-141	
Ethylbenzene	ug/kg	46.2	50.9	110	75-133	
Hexachloro-1,3-butadiene	ug/kg	46.2	54.3	117	68-143	
Isopropylbenzene (Cumene)	ug/kg	46.2	52.5	114	76-143	
m&p-Xylene	ug/kg	92.4	102	110	75-136	
Methyl-tert-butyl ether	ug/kg	46.2	43.1	93	68-144	
Methylene Chloride	ug/kg	46.2	47.7	103	45-154	
n-Butylbenzene	ug/kg	46.2	52.4	113	72-137	
n-Propylbenzene	ug/kg	46.2	50.9	110	76-136	
Naphthalene	ug/kg	46.2	58.3	126	68-151	
o-Xylene	ug/kg	46.2	50.5	109	76-141	
p-Isopropyltoluene	ug/kg	46.2	52.5	114	76-140	
sec-Butylbenzene	ug/kg	46.2	51.4	111	79-139	
Styrene	ug/kg	46.2	51.9	112	79-137	
tert-Butylbenzene	ug/kg	46.2	47.5	103	74-143	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

LABORATORY CONTROL SAMPLE: 1378440

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/kg	46.2	44.0	95	71-138	
Toluene	ug/kg	46.2	49.3	107	74-131	
trans-1,2-Dichloroethene	ug/kg	46.2	45.2	98	67-135	
trans-1,3-Dichloropropene	ug/kg	46.2	49.3	107	65-146	
Trichloroethene	ug/kg	46.2	52.6	114	67-135	F3
Trichlorofluoromethane	ug/kg	46.2	47.5	103	59-144	
Vinyl acetate	ug/kg	92.4	56.7	61	40-160	F3
Vinyl chloride	ug/kg	46.2	43.9	95	56-141	
Xylene (Total)	ug/kg	139	152	110	76-137	
1,2-Dichloroethane-d4 (S)	%			93	70-132	
4-Bromofluorobenzene (S)	%			104	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE SAMPLE: 1380112

Parameter	Units	92234865001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	23.9	23.3	98	70-130	
1,1,1-Trichloroethane	ug/kg	ND	23.9	29.6	124	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	ND	23.9	21.7	91	70-130	
1,1,2-Trichloroethane	ug/kg	ND	23.9	22.6	95	70-130	
1,1-Dichloroethane	ug/kg	ND	23.9	28.2	118	70-130	
1,1-Dichloroethene	ug/kg	ND	23.9	29.0	122	49-180	
1,1-Dichloropropene	ug/kg	ND	23.9	31.3	131	70-130	M1
1,2,3-Trichlorobenzene	ug/kg	ND	23.9	24.7	104	70-130	
1,2,3-Trichloropropane	ug/kg	ND	23.9	24.4	102	70-130	
1,2,4-Trichlorobenzene	ug/kg	ND	23.9	23.8	100	70-130	
1,2,4-Trimethylbenzene	ug/kg	ND	23.9	25.5	107	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	ND	23.9	25.0	105	70-130	
1,2-Dibromoethane (EDB)	ug/kg	ND	23.9	24.3	102	70-130	
1,2-Dichlorobenzene	ug/kg	ND	23.9	24.7	103	70-130	
1,2-Dichloroethane	ug/kg	ND	23.9	27.2	114	70-130	
1,2-Dichloropropane	ug/kg	ND	23.9	22.8	96	70-130	
1,3,5-Trimethylbenzene	ug/kg	ND	23.9	25.6	107	70-130	
1,3-Dichlorobenzene	ug/kg	ND	23.9	23.6	99	70-130	
1,3-Dichloropropane	ug/kg	ND	23.9	24.3	102	70-130	
1,4-Dichlorobenzene	ug/kg	ND	23.9	24.2	101	70-130	
2,2-Dichloropropane	ug/kg	ND	23.9	29.1	122	70-130	
2-Butanone (MEK)	ug/kg	ND	47.8	52.8J	111	70-130	
2-Chlorotoluene	ug/kg	ND	23.9	26.8	113	70-130	
2-Hexanone	ug/kg	ND	47.8	41.6J	87	70-130	
4-Chlorotoluene	ug/kg	ND	23.9	24.6	103	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	47.8	44.6J	93	70-130	
Acetone	ug/kg	ND	47.8	47.9J	100	70-130	
Benzene	ug/kg	ND	23.9	24.8	104	50-166	
Bromobenzene	ug/kg	ND	23.9	24.7	104	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

MATRIX SPIKE SAMPLE: 1380112		92234865001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromochloromethane	ug/kg	ND	23.9	28.5	120	70-130	
Bromodichloromethane	ug/kg	ND	23.9	19.9	84	70-130	
Bromoform	ug/kg	ND	23.9	20.9	87	70-130	
Bromomethane	ug/kg	ND	23.9	40.7	171	70-130	M1
Carbon tetrachloride	ug/kg	ND	23.9	25.0	105	70-130	
Chlorobenzene	ug/kg	ND	23.9	23.8	100	43-169	
Chloroethane	ug/kg	ND	23.9	35.2	147	70-130	M1
Chloroform	ug/kg	ND	23.9	26.5	111	70-130	
Chloromethane	ug/kg	ND	23.9	33.5	140	70-130	M1
cis-1,2-Dichloroethene	ug/kg	ND	23.9	29.3	123	70-130	
cis-1,3-Dichloropropene	ug/kg	ND	23.9	22.0	92	70-130	
Dibromochloromethane	ug/kg	ND	23.9	22.1	93	70-130	
Dibromomethane	ug/kg	ND	23.9	22.0	92	70-130	
Dichlorodifluoromethane	ug/kg	ND	23.9	30.3	127	70-130	
Diisopropyl ether	ug/kg	ND	23.9	26.0	109	70-130	
Ethylbenzene	ug/kg	ND	23.9	25.5	107	70-130	
Hexachloro-1,3-butadiene	ug/kg	ND	23.9	24.6	103	70-130	
Isopropylbenzene (Cumene)	ug/kg	ND	23.9	25.2	106	70-130	
m&p-Xylene	ug/kg	ND	47.8	50.9	107	70-130	
Methyl-tert-butyl ether	ug/kg	ND	23.9	27.1	114	70-130	
Methylene Chloride	ug/kg	ND	23.9	30.4	117	70-130	
n-Butylbenzene	ug/kg	ND	23.9	26.5	111	70-130	
n-Propylbenzene	ug/kg	ND	23.9	24.8	104	70-130	
Naphthalene	ug/kg	ND	23.9	24.5	103	70-130	
o-Xylene	ug/kg	ND	23.9	23.5	98	70-130	
p-Isopropyltoluene	ug/kg	ND	23.9	26.0	109	70-130	
sec-Butylbenzene	ug/kg	ND	23.9	25.3	106	70-130	
Styrene	ug/kg	ND	23.9	23.7	99	70-130	
tert-Butylbenzene	ug/kg	ND	23.9	23.8	100	70-130	
Tetrachloroethene	ug/kg	ND	23.9	22.5	94	70-130	
Toluene	ug/kg	ND	23.9	23.6	99	52-163	
trans-1,2-Dichloroethene	ug/kg	ND	23.9	28.4	119	70-130	
trans-1,3-Dichloropropene	ug/kg	ND	23.9	22.6	95	70-130	
Trichloroethene	ug/kg	ND	23.9	23.6	99	49-167	
Trichlorofluoromethane	ug/kg	ND	23.9	34.9	146	70-130	M1
Vinyl acetate	ug/kg	ND	47.8	42.2J	88	70-130	
Vinyl chloride	ug/kg	ND	23.9	30.7	129	70-130	
1,2-Dichloroethane-d4 (S)	%				126	70-132	
4-Bromofluorobenzene (S)	%				100	70-130	
Toluene-d8 (S)	%				99	70-130	

SAMPLE DUPLICATE: 1380111

Parameter	Units	92234861002 Result	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

SAMPLE DUPLICATE: 1380111

Parameter	Units	92234861002 Result	Dup Result	RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	ND	ND		
1,1,2,2-Tetrachloroethane	ug/kg	ND	ND		
1,1,2-Trichloroethane	ug/kg	ND	ND		
1,1-Dichloroethane	ug/kg	ND	ND		
1,1-Dichloroethene	ug/kg	ND	ND		
1,1-Dichloropropene	ug/kg	ND	ND		
1,2,3-Trichlorobenzene	ug/kg	ND	ND		
1,2,3-Trichloropropane	ug/kg	ND	ND		
1,2,4-Trichlorobenzene	ug/kg	ND	ND		
1,2,4-Trimethylbenzene	ug/kg	ND	ND		
1,2-Dibromo-3-chloropropane	ug/kg	ND	ND		
1,2-Dibromoethane (EDB)	ug/kg	ND	ND		
1,2-Dichlorobenzene	ug/kg	ND	ND		
1,2-Dichloroethane	ug/kg	ND	ND		
1,2-Dichloropropane	ug/kg	ND	ND		
1,3,5-Trimethylbenzene	ug/kg	ND	ND		
1,3-Dichlorobenzene	ug/kg	ND	ND		
1,3-Dichloropropane	ug/kg	ND	ND		
1,4-Dichlorobenzene	ug/kg	ND	ND		
2,2-Dichloropropane	ug/kg	ND	ND		
2-Butanone (MEK)	ug/kg	ND	ND		
2-Chlorotoluene	ug/kg	ND	ND		
2-Hexanone	ug/kg	ND	ND		
4-Chlorotoluene	ug/kg	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	ND		
Acetone	ug/kg	ND	ND		
Benzene	ug/kg	ND	ND		
Bromobenzene	ug/kg	ND	ND		
Bromochloromethane	ug/kg	ND	ND		
Bromodichloromethane	ug/kg	ND	ND		
Bromoform	ug/kg	ND	ND		
Bromomethane	ug/kg	ND	ND		
Carbon tetrachloride	ug/kg	ND	ND		
Chlorobenzene	ug/kg	ND	ND		
Chloroethane	ug/kg	ND	ND		
Chloroform	ug/kg	ND	ND		
Chloromethane	ug/kg	ND	ND		
cis-1,2-Dichloroethene	ug/kg	ND	ND		
cis-1,3-Dichloropropene	ug/kg	ND	ND		
Dibromochloromethane	ug/kg	ND	ND		
Dibromomethane	ug/kg	ND	ND		
Dichlorodifluoromethane	ug/kg	ND	ND		
Diisopropyl ether	ug/kg	ND	ND		
Ethylbenzene	ug/kg	ND	ND		
Hexachloro-1,3-butadiene	ug/kg	ND	ND		
Isopropylbenzene (Cumene)	ug/kg	ND	ND		
m&p-Xylene	ug/kg	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

SAMPLE DUPLICATE: 1380111

Parameter	Units	92234861002 Result	Dup Result	RPD	Qualifiers
Methyl-tert-butyl ether	ug/kg	ND	ND		
Methylene Chloride	ug/kg	ND	ND		
n-Butylbenzene	ug/kg	ND	ND		
n-Propylbenzene	ug/kg	ND	ND		
Naphthalene	ug/kg	ND	ND		
o-Xylene	ug/kg	ND	ND		
p-Isopropyltoluene	ug/kg	ND	ND		
sec-Butylbenzene	ug/kg	ND	ND		
Styrene	ug/kg	ND	ND		
tert-Butylbenzene	ug/kg	ND	ND		
Tetrachloroethene	ug/kg	ND	ND		
Toluene	ug/kg	ND	ND		
trans-1,2-Dichloroethene	ug/kg	ND	ND		
trans-1,3-Dichloropropene	ug/kg	ND	ND		
Trichloroethene	ug/kg	ND	ND		
Trichlorofluoromethane	ug/kg	ND	ND		
Vinyl acetate	ug/kg	ND	ND		
Vinyl chloride	ug/kg	ND	ND		
Xylene (Total)	ug/kg	ND	ND		
1,2-Dichloroethane-d4 (S)	%	115	109	6	
4-Bromofluorobenzene (S)	%	88	97	9	
Toluene-d8 (S)	%	105	100	5	2g

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

QC Batch: MSV/30164

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV 5035A Volatile Organics

Associated Lab Samples: 92234865003

METHOD BLANK: 1380344

Matrix: Solid

Associated Lab Samples: 92234865003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	5.7	01/29/15 13:52	
1,1,1-Trichloroethane	ug/kg	ND	5.7	01/29/15 13:52	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5.7	01/29/15 13:52	
1,1,2-Trichloroethane	ug/kg	ND	5.7	01/29/15 13:52	
1,1-Dichloroethane	ug/kg	ND	5.7	01/29/15 13:52	
1,1-Dichloroethene	ug/kg	ND	5.7	01/29/15 13:52	
1,1-Dichloropropene	ug/kg	ND	5.7	01/29/15 13:52	
1,2,3-Trichlorobenzene	ug/kg	ND	5.7	01/29/15 13:52	
1,2,3-Trichloropropane	ug/kg	ND	5.7	01/29/15 13:52	
1,2,4-Trichlorobenzene	ug/kg	ND	5.7	01/29/15 13:52	
1,2,4-Trimethylbenzene	ug/kg	ND	5.7	01/29/15 13:52	
1,2-Dibromo-3-chloropropane	ug/kg	ND	5.7	01/29/15 13:52	
1,2-Dibromoethane (EDB)	ug/kg	ND	5.7	01/29/15 13:52	
1,2-Dichlorobenzene	ug/kg	ND	5.7	01/29/15 13:52	
1,2-Dichloroethane	ug/kg	ND	5.7	01/29/15 13:52	
1,2-Dichloropropane	ug/kg	ND	5.7	01/29/15 13:52	
1,3,5-Trimethylbenzene	ug/kg	ND	5.7	01/29/15 13:52	
1,3-Dichlorobenzene	ug/kg	ND	5.7	01/29/15 13:52	
1,3-Dichloropropane	ug/kg	ND	5.7	01/29/15 13:52	
1,4-Dichlorobenzene	ug/kg	ND	5.7	01/29/15 13:52	
2,2-Dichloropropane	ug/kg	ND	5.7	01/29/15 13:52	
2-Butanone (MEK)	ug/kg	ND	114	01/29/15 13:52	
2-Chlorotoluene	ug/kg	ND	5.7	01/29/15 13:52	
2-Hexanone	ug/kg	ND	56.8	01/29/15 13:52	
4-Chlorotoluene	ug/kg	ND	5.7	01/29/15 13:52	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	56.8	01/29/15 13:52	
Acetone	ug/kg	ND	114	01/29/15 13:52	
Benzene	ug/kg	ND	5.7	01/29/15 13:52	
Bromobenzene	ug/kg	ND	5.7	01/29/15 13:52	
Bromochloromethane	ug/kg	ND	5.7	01/29/15 13:52	
Bromodichloromethane	ug/kg	ND	5.7	01/29/15 13:52	
Bromoform	ug/kg	ND	5.7	01/29/15 13:52	
Bromomethane	ug/kg	ND	11.4	01/29/15 13:52	
Carbon tetrachloride	ug/kg	ND	5.7	01/29/15 13:52	
Chlorobenzene	ug/kg	ND	5.7	01/29/15 13:52	
Chloroethane	ug/kg	ND	11.4	01/29/15 13:52	
Chloroform	ug/kg	ND	5.7	01/29/15 13:52	
Chloromethane	ug/kg	ND	11.4	01/29/15 13:52	
cis-1,2-Dichloroethene	ug/kg	ND	5.7	01/29/15 13:52	
cis-1,3-Dichloropropene	ug/kg	ND	5.7	01/29/15 13:52	
Dibromochloromethane	ug/kg	ND	5.7	01/29/15 13:52	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

METHOD BLANK: 1380344

Matrix: Solid

Associated Lab Samples: 92234865003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/kg	ND	5.7	01/29/15 13:52	
Dichlorodifluoromethane	ug/kg	ND	11.4	01/29/15 13:52	
Diisopropyl ether	ug/kg	ND	5.7	01/29/15 13:52	
Ethylbenzene	ug/kg	ND	5.7	01/29/15 13:52	
Hexachloro-1,3-butadiene	ug/kg	ND	5.7	01/29/15 13:52	
Isopropylbenzene (Cumene)	ug/kg	ND	5.7	01/29/15 13:52	
m&p-Xylene	ug/kg	ND	11.4	01/29/15 13:52	
Methyl-tert-butyl ether	ug/kg	ND	5.7	01/29/15 13:52	
Methylene Chloride	ug/kg	ND	22.7	01/29/15 13:52	
n-Butylbenzene	ug/kg	ND	5.7	01/29/15 13:52	
n-Propylbenzene	ug/kg	ND	5.7	01/29/15 13:52	
Naphthalene	ug/kg	ND	5.7	01/29/15 13:52	
o-Xylene	ug/kg	ND	5.7	01/29/15 13:52	
p-Isopropyltoluene	ug/kg	ND	5.7	01/29/15 13:52	
sec-Butylbenzene	ug/kg	ND	5.7	01/29/15 13:52	
Styrene	ug/kg	ND	5.7	01/29/15 13:52	
tert-Butylbenzene	ug/kg	ND	5.7	01/29/15 13:52	
Tetrachloroethene	ug/kg	ND	5.7	01/29/15 13:52	
Toluene	ug/kg	ND	5.7	01/29/15 13:52	
trans-1,2-Dichloroethene	ug/kg	ND	5.7	01/29/15 13:52	
trans-1,3-Dichloropropene	ug/kg	ND	5.7	01/29/15 13:52	
Trichloroethene	ug/kg	ND	5.7	01/29/15 13:52	
Trichlorofluoromethane	ug/kg	ND	5.7	01/29/15 13:52	
Vinyl acetate	ug/kg	ND	56.8	01/29/15 13:52	
Vinyl chloride	ug/kg	ND	11.4	01/29/15 13:52	
Xylene (Total)	ug/kg	ND	11.4	01/29/15 13:52	
1,2-Dichloroethane-d4 (S)	%	99	70-132	01/29/15 13:52	
4-Bromofluorobenzene (S)	%	92	70-130	01/29/15 13:52	
Toluene-d8 (S)	%	102	70-130	01/29/15 13:52	

LABORATORY CONTROL SAMPLE: 1380345

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	49.9	50.8	102	74-137	
1,1,1-Trichloroethane	ug/kg	49.9	48.4	97	67-140	
1,1,2,2-Tetrachloroethane	ug/kg	49.9	40.7	82	72-141	
1,1,2-Trichloroethane	ug/kg	49.9	48.6	97	78-138	
1,1-Dichloroethane	ug/kg	49.9	49.0	98	69-134	
1,1-Dichloroethene	ug/kg	49.9	47.6	95	67-138	
1,1-Dichloropropene	ug/kg	49.9	50.7	102	69-139	
1,2,3-Trichlorobenzene	ug/kg	49.9	47.9	96	70-146	
1,2,3-Trichloropropane	ug/kg	49.9	51.5	103	69-144	
1,2,4-Trichlorobenzene	ug/kg	49.9	46.4	93	68-148	
1,2,4-Trimethylbenzene	ug/kg	49.9	52.4	105	74-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

LABORATORY CONTROL SAMPLE: 1380345

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	49.9	47.6	95	65-140	
1,2-Dibromoethane (EDB)	ug/kg	49.9	51.9	104	77-135	
1,2-Dichlorobenzene	ug/kg	49.9	49.2	99	77-141	
1,2-Dichloroethane	ug/kg	49.9	45.6	91	65-137	
1,2-Dichloropropane	ug/kg	49.9	49.1	98	72-136	
1,3,5-Trimethylbenzene	ug/kg	49.9	51.5	103	76-133	
1,3-Dichlorobenzene	ug/kg	49.9	48.7	98	74-138	
1,3-Dichloropropane	ug/kg	49.9	50.5	101	71-139	
1,4-Dichlorobenzene	ug/kg	49.9	49.7	100	76-138	
2,2-Dichloropropane	ug/kg	49.9	47.8	96	68-137	
2-Butanone (MEK)	ug/kg	99.8	88.9J	89	58-147	
2-Chlorotoluene	ug/kg	49.9	47.0	94	73-139	
2-Hexanone	ug/kg	99.8	108	108	62-145	
4-Chlorotoluene	ug/kg	49.9	49.3	99	76-141	
4-Methyl-2-pentanone (MIBK)	ug/kg	99.8	99.7	100	64-149	
Acetone	ug/kg	99.8	106	107	53-153	
Benzene	ug/kg	49.9	51.8	104	73-135	
Bromobenzene	ug/kg	49.9	44.9	90	75-133	
Bromochloromethane	ug/kg	49.9	47.2	94	73-134	
Bromodichloromethane	ug/kg	49.9	43.9	88	71-135	
Bromoform	ug/kg	49.9	46.9	94	66-141	
Bromomethane	ug/kg	49.9	57.1	114	53-160	
Carbon tetrachloride	ug/kg	49.9	50.3	101	60-145	
Chlorobenzene	ug/kg	49.9	49.8	100	78-130	
Chloroethane	ug/kg	49.9	56.3	113	64-149	
Chloroform	ug/kg	49.9	43.1	86	70-134	
Chloromethane	ug/kg	49.9	54.3	109	52-150	
cis-1,2-Dichloroethene	ug/kg	49.9	48.4	97	70-133	
cis-1,3-Dichloropropene	ug/kg	49.9	48.1	96	68-134	
Dibromochloromethane	ug/kg	49.9	46.9	94	71-138	
Dibromomethane	ug/kg	49.9	46.6	93	74-130	
Dichlorodifluoromethane	ug/kg	49.9	54.2	109	40-160	
Diisopropyl ether	ug/kg	49.9	47.4	95	69-141	
Ethylbenzene	ug/kg	49.9	52.6	105	75-133	
Hexachloro-1,3-butadiene	ug/kg	49.9	47.6	95	68-143	
Isopropylbenzene (Cumene)	ug/kg	49.9	54.4	109	76-143	
m&p-Xylene	ug/kg	99.8	107	107	75-136	
Methyl-tert-butyl ether	ug/kg	49.9	46.9	94	68-144	
Methylene Chloride	ug/kg	49.9	52.3	105	45-154	
n-Butylbenzene	ug/kg	49.9	51.7	104	72-137	
n-Propylbenzene	ug/kg	49.9	46.6	93	76-136	
Naphthalene	ug/kg	49.9	51.7	104	68-151	
o-Xylene	ug/kg	49.9	51.1	102	76-141	
p-Isopropyltoluene	ug/kg	49.9	53.2	107	76-140	
sec-Butylbenzene	ug/kg	49.9	49.2	99	79-139	
Styrene	ug/kg	49.9	51.9	104	79-137	
tert-Butylbenzene	ug/kg	49.9	47.2	95	74-143	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

LABORATORY CONTROL SAMPLE: 1380345

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/kg	49.9	43.5	87	71-138	
Toluene	ug/kg	49.9	49.7	100	74-131	
trans-1,2-Dichloroethene	ug/kg	49.9	48.5	97	67-135	
trans-1,3-Dichloropropene	ug/kg	49.9	49.3	99	65-146	
Trichloroethene	ug/kg	49.9	55.8	112	67-135	
Trichlorofluoromethane	ug/kg	49.9	56.0	112	59-144	
Vinyl acetate	ug/kg	99.8	39.9J	40	40-160	F3,IC
Vinyl chloride	ug/kg	49.9	52.5	105	56-141	
Xylene (Total)	ug/kg	150	158	105	76-137	
1,2-Dichloroethane-d4 (S)	%			95	70-132	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213

Pace Project No.: 92234865

QC Batch: PMST/7457

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 92234865001, 92234865002, 92234865003

SAMPLE DUPLICATE: 1377973

Parameter	Units	92234781001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	97.7	97.5	0	

SAMPLE DUPLICATE: 1377974

Parameter	Units	92234865003 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	17.3	17.1	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: ROW-504 32213
Pace Project No.: 92234865

QC Batch: PMST/7466 Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture
Associated Lab Samples: 92234865004, 92234865005, 92234865006

SAMPLE DUPLICATE: 1378890

Parameter	Units	92234241004 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	14.0	14.2	2	

SAMPLE DUPLICATE: 1378891

Parameter	Units	92234865006 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	23.7	24.0	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: ROW-504 32213

Pace Project No.: 92234865

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-A Pace Analytical Services - Asheville

PASI-C Pace Analytical Services - Charlotte

ANALYTE QUALIFIERS

1g 8260 results are from a total analysis which show that analytes are not present or that they are present but at such low levels that the appropriate regulatory levels could not possibly be exceeded, per Section 1.2 of Method 1311

2g The internal standard response is below criteria. No hits associated with this internal standard. Results unaffected by high bias.

F3 The recovery of the second source standard used to verify the initial calibration curve for this analyte is outside the laboratory's control limits. The result is estimated.

IC The initial calibration for this compound was outside of method control limits. The result is estimated.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: ROW-504 32213

Pace Project No.: 92234865

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92234865007	5AS-Drum	EPA 3010	MPRP/17806	EPA 6010	ICP/16027
92234865008	5AW-Drum	EPA 3010	MPRP/17830	EPA 6010	ICP/16046
92234865007	5AS-Drum	EPA 7470	MERP/7527	EPA 7470	MERC/7225
92234865008	5AW-Drum	EPA 7470	MERP/7544	EPA 7470	MERC/7241
92234865007	5AS-Drum	EPA 8260	MSV/30139		
92234865008	5AW-Drum	EPA 8260	MSV/30152		
92234865009	TW-5A	EPA 8260	MSV/30222		
92234865001	5A-1 (2-4)	EPA 8260	MSV/30140		
92234865002	5A-2 (2-4)	EPA 8260	MSV/30140		
92234865003	5A-3 (2-4)	EPA 8260	MSV/30164		
92234865004	5A-4 (2-4)	EPA 8260	MSV/30140		
92234865005	5A-5 (0-2)	EPA 8260	MSV/30140		
92234865006	5A-6 (2-4)	EPA 8260	MSV/30140		
92234865001	5A-1 (2-4)	ASTM D2974-87	PMST/7457		
92234865002	5A-2 (2-4)	ASTM D2974-87	PMST/7457		
92234865003	5A-3 (2-4)	ASTM D2974-87	PMST/7457		
92234865004	5A-4 (2-4)	ASTM D2974-87	PMST/7466		
92234865005	5A-5 (0-2)	ASTM D2974-87	PMST/7466		
92234865006	5A-6 (2-4)	ASTM D2974-87	PMST/7466		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Sample Condition Upon Receipt (SCUR)

Document Number: F-CHR-CS-003-rev.15

Issuing Authority: Pace Huntersville Quality Office

Client Name: Hart & Hickman

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble V ip Bubble Bags None Other _____

Thermometer Used: IR Gun T1401 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Temp Correction Factor T1401 No Correction

Corrected Cooler Temp.: 3.1 °C Biological Tissue is Frozen: Yes No N/A
Temp should be above freezing to 6°C Comments:

Date and Initials of person examining contents: ps 1/26/15

Chain of Custody Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15. <u>ps 1/26</u>
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

SCURF Review: [Signature] Date: 1/26/15
SRF Review: [Signature] Date: 1/27/15

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

WO#: 92234865



CHAIN-OF-CUSTODY / Analytical Request Document
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: HART + HILKEMAN		Report To: David Graham		Attention: (111)	
Address: 2923 South Tigon		Copy To:		Company Name: (111)	
City: ATLANTA, GA 30303		Purchase Order No.:		Address:	
Email To: Johnathan E. Hart/Hilkeman, Inc.		Project Name: ROW - 504		Pace Quote Reference:	
Phone: 504 586 0003		Project Number:		Pace Project Manager:	
Requested Due Date/TAT: Standard		Project Number:		Pace Profile #:	
REGULATORY AGENCY		REGULATORY AGENCY		REGULATORY AGENCY	
<input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER		<input type="checkbox"/> UST <input type="checkbox"/> RCRA		<input type="checkbox"/> OTHER	
Site Location STATE: NC		Requested Analysis Filtered (Y/N)		Requested Analysis Filtered (Y/N)	

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives						Analysis Test	Residual Chlorine (Y/N)		
					COMPOSITE START	COMPOSITE END/GRAB			DATE	TIME	DATE	TIME	Unpreserved	H ₂ SO ₄			HNO ₃	HCl
1	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE																	
1	SA-1 (2-4)		SL G			10/15	1600	6	2									001
2	SA-2 (2-4)						1550											002
3	SA-3 (2-4)						1610											003
4	SA-4 (2-4)						1500											004
5	SA-5 (0-3)						1630											005
6	SA-6 (2-4)						1635											006
7	SA5-Driver					10/15	1000											007
8	SAW-Driver						1055											008
9	TW-54						1030											009
10																		
11																		
12																		

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	JCWEAVER	1/26	500	John PAUL	1/26	800	3:1 Y N Y

ORIGINAL

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: **JCWEAVER**

SIGNATURE of SAMPLER: *JC Weaver*

DATE Signed (MM/DD/YY): **1/25/15**

Temp in °C

Received on Ice (Y/N)

Custody Sealed Cooler (Y/N)

Samples Intact (Y/N)

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.07, 15-May-2007

Appendix F

Subsurface Investigation Permit and Well Abandonment Record



SUBSURFACE INVESTIGATION PERMIT

I. Well Owner Information

Name: NC DOT
Attn: Gordon Box
Phone #: 919-707-6859
Address 1: 1020 Birch Ridge Dr.
Address 2: _____
City: Raleigh State: NC Zip: 27610

II. Agent Information (if applicable)

Name: Hart & Hickman
Attn: David Graham
Phone #: 704-586-0007
Address 1: 2923 S. Tryon St, Suite 100
Address 2: _____
City: Charlotte State: NC Zip: 28203

III. Site Information

Site Name: Parking Lot NC DOT Parcel 5A
Parcel ID Number: 07315120
Address: 511 W TRADE ST
City: CHARLOTTE State: NC Zip: 28202

General Conditions of This Permit:

- This permit shall be VALID for a period not to exceed twelve (12) months from the date of issuance.
- This permit is VALID for the site specified above and a representative must be on-site during the course of the investigation and made available to a Department representative upon request.
- A North Carolina Certified Well Contractor must perform any well contractor activities associated with this permit.
- All wells shall be constructed and abandoned to the standards of Chapter VI, Section V and Section VI of the Mecklenburg County Groundwater Well Regulations.
- All temporary wells, including those installed using Direct Push Technology, must be abandoned to the standards of Chapter VI, Section VI of the Mecklenburg County Groundwater Well Regulations.
- Registration information for all wells must be submitted to the Department within thirty (30) days of well completion. If water samples are collected, it is recommended that the well NOT be registered until the analytical results are received.

WELL ABANDONMENT RECORD

This form can be used for single or multiple wells

1. Well Contractor Information:

KENNY SARGENT

Well Contractor Name (or well owner personally abandoning well on his/her property)

A - 4226

NC Well Contractor Certification Number

GEOLOGIC EXPLORATION, INC

Company Name

2. Well Construction Permit #:

List all applicable well construction permits (i.e. County, State, Variance, etc.) if known

3. Well use (check well use):

Water Supply Well:	
<input type="checkbox"/> Agricultural	<input type="checkbox"/> Municipal/Public
<input type="checkbox"/> Geothermal (Heating/Cooling Supply)	<input type="checkbox"/> Residential Water Supply (single)
<input type="checkbox"/> Industrial/Commercial	<input type="checkbox"/> Residential Water Supply (shared)
<input type="checkbox"/> Irrigation	
Non-Water Supply Well:	
<input checked="" type="checkbox"/> Monitoring	<input type="checkbox"/> Recovery
Injection Well:	
<input type="checkbox"/> Aquifer Recharge	<input type="checkbox"/> Groundwater Remediation
<input type="checkbox"/> Aquifer Storage and Recovery	<input type="checkbox"/> Salinity Barrier
<input type="checkbox"/> Aquifer Test	<input type="checkbox"/> Stormwater Drainage
<input type="checkbox"/> Experimental Technology	<input type="checkbox"/> Subsidence Control
<input type="checkbox"/> Geothermal (Closed Loop)	<input type="checkbox"/> Tracer
<input type="checkbox"/> Geothermal (Heating/Cooling Return)	<input type="checkbox"/> Other (explain under 7g)

4. Date well(s) abandoned: 01/25/15

5a. Well location:

ROW - 504

Facility/Owner Name

Facility ID# (if applicable)

511 WEST TRADE STREET CHARLOTTE 28202

Physical Address, City, and Zip

MECKLENBURG

County

Parcel Identification No. (PIN)

5b. Latitude and longitude in degrees/minutes/seconds or decimal degrees:

(if well field, one lat/long is sufficient)

35° 13' 50.15" N 80° 50' 51.68" W

CONSTRUCTION DETAILS OF WELL(S) BEING ABANDONED

Attach well construction record(s) if available. For multiple injection or non-water supply wells ONLY with the same construction/abandonment, you can submit one form.

6a. Well ID#: TW-5A

6b. Total well depth: 40.0 (ft.)

6c. Borehole diameter: 2.0 (in.)

6d. Water level below ground surface: _____ (ft.)

6e. Outer casing length (if known): _____ (ft.)

6f. Inner casing/tubing length (if known): _____ (ft.)

6g. Screen length (if known): _____ (ft.)

For Internal Use ONLY:

WELL ABANDONMENT DETAILS

7a. Number of wells being abandoned: 1
For multiple injection or non-water supply wells ONLY with the same construction/abandonment, you can submit one form.

7b. Approximate volume of water remaining in well(s): _____ (gal.)

FOR WATER SUPPLY WELLS ONLY:

7c. Type of disinfectant used: _____

7d. Amount of disinfectant used: _____

7e. Sealing materials used (check all that apply):

- | | |
|---|---|
| <input checked="" type="checkbox"/> Neat Cement Grout | <input type="checkbox"/> Bentonite Chips or Pellets |
| <input type="checkbox"/> Sand Cement Grout | <input type="checkbox"/> Dry Clay |
| <input type="checkbox"/> Concrete Grout | <input type="checkbox"/> Drill Cuttings |
| <input type="checkbox"/> Specialty Grout | <input type="checkbox"/> Gravel |
| <input type="checkbox"/> Bentonite Slurry | <input type="checkbox"/> Other (explain under 7g) |

7f. For each material selected above, provide amount of materials used:

6.5 GALLONS

7g. Provide a brief description of the abandonment procedure:

WELL ABANDONED VIA TREMIE PIPE WITH
PORTLAND BENTONITE SLURRY

8. Certification:


Signature of Certified Well Contractor or Well Owner

02/25/15

Date

By signing this form, I hereby certify that the well(s) was (were) abandoned in accordance with 15A NCAC 02C .0100 or 2C .0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

9. Site diagram or additional well details:

You may use the back of this page to provide additional well site details or well abandonment details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS

10a. **For All Wells:** Submit this form within 30 days of completion of well abandonment to the following:

Division of Water Quality, Information Processing Unit,
1617 Mail Service Center, Raleigh, NC 27699-1617

10b. **For Injection Wells:** In addition to sending the form to the address in 10a above, also submit one copy of this form within 30 days of completion of well abandonment to the following:

Division of Water Quality, Underground Injection Control Program,
1636 Mail Service Center, Raleigh, NC 27699-1636

10c. **For Water Supply & Injection Wells:** In addition to sending the form to the address(es) above, also submit one copy of this form within 30 days of completion of well abandonment to the county health department of the county where abandoned.

Appendix G
Disposal Manifests



1703 Vargrave Street
Winston-Salem, NC 27107
ph 336-725-5844
fax 336-725-6244

CERTIFICATE OF DISPOSAL

Evo Corporation does hereby certify that 1 drum of non-hazardous contaminated water received on 02/13/2015 from:

Generator: NC Department of Transportation

Originating at: Parcel 5A - 511 W. Trade St.
Charlotte, NC

EC Waste ID #: 021526

has been disposed of by Evo Corporation in a manner approved by the North Carolina Department of Environment and Natural Resources.

A handwritten signature in black ink, appearing to read "Thomas W. Hammett", is written over a horizontal line.

Signature

Thomas W. Hammett
CEO
Evo Corporation



1703 Vargrave Street
Winston-Salem, NC 27107
ph 336-725-5844
fax 336-725-6244

CERTIFICATE OF DISPOSAL

Evo Corporation does hereby certify that 1 drum of non-hazardous contaminated material received on 02/13/2015 from:

Generator: NC Department of Transportation

Originating at: Parcel 5A - 511 W. Trade St.
Charlotte, NC

EC Waste ID #: 021526

has been disposed of by Evo Corporation in a manner approved by the North Carolina Department of Environment and Natural Resources.

A handwritten signature in black ink, appearing to read "Thomas W. Hammett", is written over a horizontal line.

Signature

Thomas W. Hammett
CEO
Evo Corporation

EVO CORPORATION

1703 Vargrave Street, Winston-Salem, NC 27107

www.evocorp.net

NON-HAZARDOUS MATERIALS MANIFEST

Load #

Manifest No. **73816**

GENERATOR INFORMATION

Generator: Evo Corporation

Phone: 919-707-6859

Site Address: Parcel 5A-511 W. Trade Street

City/State: Charlotte, NC 28202

Contact: Gordon Box

MATERIAL DESCRIPTION / QUANTITY / WEIGHT

Gross Weight (lbs): _____

Material: Water

Empty Weight (lbs): _____

Contaminant: Non Hazardous Metals

Net Weight (lbs): _____

Quantity

1

Tons Drums Pails Sacs Yards Other: _____

TRANSPORTER INFORMATION

Transporter: Evo Corporation

Phone: 336-725-5844

Truck #: 401

Contact: Tony Disher

As the transporter, I certify that the materials described above being shipped under this non-hazardous materials manifest are properly classified, packaged, labeled, secured and are in proper condition for transport in commerce under the applicable regulations governing transportation, and I hereby receive this material for delivery to the facility designate.

Driver Signature: *Anthony Weyl*

Date: 2/13/15

FACILITY INFORMATION

EVO CORPORATION
1703 Vargrave Street
Winston-Salem, NC 27107

Evo Project #: 021526

Phone: (336) 725-5844

Contact: Tony Disher

I certify that the carrier has delivered the materials described above to this facility, and I hereby accept this material for treatment and/or disposal in a manner that has been authorized by the State of North Carolina.

Facility Signature: *[Signature]*

Date: 2-13-15

White/Facility

Canary/Invoice

Goldenrod/Generator

Pink/Carrier

EVO CORPORATION

1703 Vargrave Street, Winston-Salem, NC 27107

www.evocorp.net

NON-HAZARDOUS MATERIALS MANIFEST

Load #

Manifest No. **73811**

GENERATOR INFORMATION

Generator: **NC Dept of Transportation**

Phone: **919-707-6859**

Site Address: **Parcel 5A-511 W. Trade Street**

City/State: **Charlotte, NC 28202**

Contact: **Gordon Box**

MATERIAL DESCRIPTION// QUANTITY / WEIGHT

Gross Weight (lbs): _____

Material: **Soil**

Empty Weight (lbs): _____

Contaminant: **Non Hazardous Metals**

Net Weight (lbs): _____

Quantity

1

Tons **Drums** Pails Sacs Yards Other: _____

TRANSPORTER INFORMATION

Transporter: **Evo Corporation**

Phone: **336-725-5844**

Truck #: **401**

Contact: **Tony Disher**

As the transporter, I certify that the materials described above being shipped under this non-hazardous materials manifest are properly classified, packaged, labeled, secured and are in proper condition for transport in commerce under the applicable regulations governing transportation, and I hereby receive this material for delivery to the facility designate.

Driver Signature: 

Date: **2/13/15**

FACILITY INFORMATION


EVO CORPORATION
1703 Vargrave Street
Winston-Salem, NC 27107

Evo Project #: **021526**

Phone: **(336) 725-5844**

Contact: **Tony Disher**

I certify that the carrier has delivered the materials described above to this facility, and I hereby accept this material for treatment and/or disposal in a manner that has been authorized by the State of North Carolina.

Facility Signature: 

Date: **2-13-15**

White/Facility

Canary/Invoice

Goldenrod/Generator

Pink/Carrier