




**SECTION A-A
CONCRETE RETAINING WALL**



**SECTION A-A
BRICK MASONRY RETAINING WALL**




**ELEVATION VIEW
OF RETAINING WALL**



INSET 'A'

GENERAL NOTES:

EMBED CHAIN LINK FENCE 11" INTO PROPOSED WALL IN A SLEEVE OR BLOCKOUT WITH EPOXY OR CONCRETE GROUT ANCHORING SYSTEM. PRE-MEASURE AND CENTER THE PROPOSED FENCE ON TOP OF WALL FOR POST SPACINGS. IF DRILLING THE HOLES FOR POSTS, USE A ROTARY DRILL TO DRILL HOLES IN THE CONCRETE. NO IMPACT DRILLS WILL BE ALLOWED, TO ELIMINATE ANY POSSIBILITY OF STRUCTURAL DAMAGES TO THE PROPOSED WALL.
INSTALL PIPE SLEEVES IN THE BRICK RETAINING WALL (SEE INSET 'A') AND REFER TO STD. SPECIFICATION 1081 FOR PROPER ANCHOR SYSTEM.



DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED

**CONTRACT STANDARDS
AND DEVELOPMENT UNIT**
Office 919-707-6950 FAX 919-250-4119

**CHAIN LINK FENCE
ON RETAINING WALL**

ORIGINAL BY: L. Robinson	DATE: Nov. 1996
MODIFIED BY: K. Kempf	DATE: May. 2018
CHECKED BY:	DATE:
FILE SPEC.: details/jhowerton/chain link on retaining wall.dgn	

I:\MAY-2018 4416
S:\Contracts\Special Details\jhowerton\chain link on retaining wall.dgn
Kempf AT USD-292596