STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKING PLAN CLAY COUNTY

PROJECT REFERENCE NO. R-5742 PMP-I

11/9/2018 DOCUMENT NOT CONSIDERED FINAL

UNLESS ALL SIGNATURES COMPLETED

LOCATION: NC 175 FROM GEORGIA STATE LINE TO US 64

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" -PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	<u>TITLE</u>
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTI-LANE ROADWAYS
1205.04	PAVEMENT MARKINGS - INTERSECTIONS
1205.05	PAVEMENT MARKINGS - TURN LANES
1205.08	PAVEMENT MARKINGS - SYMBOLS AND WORD MESSAGES
1205.09	PAVEMENT MARKINGS - PAINTED ISLANDS
1250.01	RAISED PAVEMENT MARKERS - INSTALLATION SPACING
1251.01	RAISED PAVEMENT MARKERS - PERMANENT AND TEMPORARY
1253.01	RAISED PAVEMENT MARKERS - SNOWPLOWABLE
1261.01	GUARDRAIL AND BARRIER DELINEATORS- INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION

PAVEMENT MARKING SCHEDULE

THERMOPLASTIC

(TA) - 4" WHITE EDGE LINE, 90 MILS

(TE) - 4" WHITE SOLID LANE LINE, 120 MILS

(TD) - 4" 3FT.-9FT./SP WHITE MINISKIP, 120 MILS

(TI) - 4" YELLOW DOUBLE CENTER LINE, 120 MILS

(TN) - 8" WHITE GORELINE, 90 MILS

(TU) - 12" WHITE DIAGONAL, 90 MILS

(TV) - 12" YELLOW DIAGONAL, 90 MILS

(T2) - 24" WHITE STOPBAR, 120 MILS

(T4) - 4" WHITE RUMBLE STRIP, 240 MILS

(T8) - 4" 2FT.-6FT./SP WHITE MINISKIP, 120 MILS

(UA) - LEFT TURN ARROW, 90 MILS

(UB) - RIGHT TURN ARROW, 90 MILS

MARKERS

(ME) - YELLOW/YELLOW, SNOWPLOWABLE

- CRYSTAL/RED, SNOWPLOWABLE

INDEX

SHEET NO.

DESCRIPTION

PAVEMENT MARKING PLAN TITLE SHEET

PMP-1A

PMP - 1

RUMBLE STRIP DETAIL

PMP-2 THRU PMP-7

PAVEMENT MARKING DETAILS

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:

ROAD NAME

MARKING

MARKER

-L- LINE, -Y- LINES

SNOWPLOWABLE THERMOPLASTIC

B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.

C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS.

PAVEMENT MARKING PLAN PLANS PREPARED BY:

C. BYRON HOLDEN, P.E. PROJECT ENGINEER

M. A. COLE PROJECT DESIGNER

