


- NOTES:**
1. ATTACH NEW COMMUNICATIONS CABLE TO FRONT SIDE OF POLE AT 40 INCHES BELOW POWER PRESENCE UNLESS OTHERWISE NOTED.
 2. MAINTAIN A MINIMUM OF 6 FEET FROM THE EDGE OF PAVEMENT WHEN TRENCHING PARALLEL TO THE ROADWAY UNLESS OTHERWISE NOTED.


12/14/2018 K:\ARL_TPTD\ITS\01036410 - Durham Signal System\Plans\U-5968_ITS_psh_15.dgn

Kimley»Horn
 NC License #F-0102
 421 Fayetteville St., Suite 600
 Raleigh, NC 27636
 Tel: (919) 677-2000
 Fax: (919) 677-2050



| | |
|---|----------------------------|
| CITY OF DURHAM COMPUTERIZED SIGNAL SYSTEM COMMUNICATIONS CABLE AND CONDUIT ROUTING PLAN | |
| DIVISION 05 | DURHAM COUNTY |
| PLAN DATE: DEC 2018 | REVIEWED BY: I. VAN OSDELL |
| PREPARED BY: KHA | REVIEWED BY: K. SMITH |
| REVISIONS | INIT. DATE |
| | |
| | |
| | |

SEAL
 NORTH CAROLINA PROFESSIONAL ENGINEER
 KEVIN W. SMITH
 SEAL 030472
 Documented by: KEVIN W. SMITH 12/17/2018
 SIGNATURE DATE
 CADD Filename:



- NOTES:
1. ATTACH NEW COMMUNICATIONS CABLE TO FRONT SIDE OF POLE AT 40 INCHES BELOW POWER PRESENCE UNLESS OTHERWISE NOTED.
 2. MAINTAIN A MINIMUM OF 6 FEET FROM THE EDGE OF PAVEMENT WHEN TRENCHING PARALLEL TO THE ROADWAY UNLESS OTHERWISE NOTED.
 3. INSTALL CCTV ON EXISTING STRAIN POLE, 6" BELOW SIGNAL SPAN. SEE ITS-22.

Plans Prepared For:

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

CITY OF DURHAM COMPUTERIZED SIGNAL SYSTEM COMMUNICATIONS CABLE AND CONDUIT ROUTING PLAN

DIVISION 05 DURHAM COUNTY

PLAN DATE: DEC 2018 REVIEWED BY: I. VAN OSDELL

PREPARED BY: KHA REVIEWED BY: K. SMITH


| REVISIONS | INIT. | DATE |
|-----------|-------|------|
| | | |

SEAL


DocuSigned by:
Kevin W. Smith
12/17/2018

CADD Filename:

Kimley»Horn
 NC License #F-0102
 421 Fayetteville St., Suite 600
 Raleigh, NC 27636
 Tel: (919) 677-2000
 Fax: (919) 677-2050



12/14/2018 K:\ARL_TPTD_ITS\01036410 - Durham Signal System\Plans\U-5968_ITS_psh_16.dgn




MATCH LINE, SEE SHEET CR-16

MATCH LINE, SEE SHEET CR-18

- NOTES:**
1. ATTACH NEW COMMUNICATIONS CABLE TO FRONT SIDE OF POLE AT 40 INCHES BELOW POWER PRESENCE UNLESS OTHERWISE NOTED.
 2. MAINTAIN A MINIMUM OF 6 FEET FROM THE EDGE OF PAVEMENT WHEN TRENCHING PARALLEL TO THE ROADWAY UNLESS OTHERWISE NOTED.


12/14/2018 K:\ARL_TPTD_LITS\01036410 - Durham Signal System\Plans\U-5968_LITS_psh_17.dgn

Kimley»Horn
 NC License #F-0102
 421 Fayetteville St., Suite 600
 Raleigh, NC 27636
 Tel: (919) 677-2000
 Fax: (919) 677-2050



| | |
|--|----------------------------|
| CITY OF DURHAM COMPUTERIZED SIGNAL SYSTEM COMMUNICATIONS CABLE AND CONDUIT ROUTING PLAN | |
| DIVISION 05 | DURHAM COUNTY |
| PLAN DATE: DEC 2018 | REVIEWED BY: I. VAN OSDELL |
| PREPARED BY: KHA | REVIEWED BY: K. SMITH |
| REVISIONS | INIT. DATE |
| | |
| | |
| | |


SEAL
 NORTH CAROLINA PROFESSIONAL ENGINEER
 KEVIN W. SMITH
 SEAL 030472
 DocuSigned by:
 KEVIN W. SMITH
 12/17/2018
 CADD File name:



- NOTES:
1. ATTACH NEW COMMUNICATIONS CABLE TO FRONT SIDE OF POLE AT 40 INCHES BELOW POWER PRESENCE UNLESS OTHERWISE NOTED.
 2. MAINTAIN A MINIMUM OF 6 FEET FROM THE EDGE OF PAVEMENT WHEN TRENCHING PARALLEL TO THE ROADWAY UNLESS OTHERWISE NOTED.

| | | | |
|---------------------|--|------|------------------------------|
| | CITY OF DURHAM COMPUTERIZED SIGNAL SYSTEM COMMUNICATIONS CABLE AND CONDUIT ROUTING PLAN | | |
| | DIVISION 05 DURHAM COUNTY | | |
| PLAN DATE: DEC 2018 | REVIEWED BY: I. VAN OSDELL | | DocuSigned by: 12/17/2018 |
| PREPARED BY: KHA | REVIEWED BY: K. SMITH | | |
| REVISIONS | INIT. | DATE | SEAL |
| | | | |
| | | | |


Kimley»Horn
 NC License #F-0102
 421 Fayetteville St., Suite 600
 Raleigh, NC 27636
 Tel: (919) 677-2000
 Fax: (919) 677-2050



12/14/2018 K:\ARL\TPTD\ITS\01036410 - Durham Signal System\Plans\U-5968_ITS_psh_18.dgn

MATCH LINE, SEE SHEET CR-18


MATCH LINE, SEE SHEET CR-20



- NOTES:**
- ATTACH NEW COMMUNICATIONS CABLE TO FRONT SIDE OF POLE AT 40 INCHES BELOW POWER PRESENCE UNLESS OTHERWISE NOTED.
 - MAINTAIN A MINIMUM OF 6 FEET FROM THE EDGE OF PAVEMENT WHEN TRENCHING PARALLEL TO THE ROADWAY UNLESS OTHERWISE NOTED.


12/14/2018 K:\ARL_TPTD\ITS\01036410 - Durham Signal System\Plans\U-5968_ITS_psh_19.dgn

Kimley»Horn
 NC License #F-0102
 421 Fayetteville St., Suite 600
 Raleigh, NC 27636
 Tel: (919) 677-2000
 Fax: (919) 677-2050



| | |
|---|----------------------------|
| Plans Prepared For: CITY OF DURHAM COMPUTERIZED SIGNAL SYSTEM COMMUNICATIONS CABLE AND CONDUIT ROUTING PLAN | |
| DIVISION 05 DURHAM COUNTY | |
| PLAN DATE: DEC 2018 | REVIEWED BY: I. VAN OSDELL |
| PREPARED BY: KHA | REVIEWED BY: K. SMITH |
| REVISIONS | INIT. DATE |
| | |
| | |


| | |
|---|--|
| SEAL NORTH CAROLINA PROFESSIONAL ENGINEER KEVIN W. SMITH SEAL 030472 | DocuSigned by: Kevin W. Smith 12/17/2018 DATE |
|---|--|



CADD Filename:

MATCH LINE, SEE SHEET CR-19


MATCH LINE, SEE SHEET CR-21



- NOTES:**
1. ATTACH NEW COMMUNICATIONS CABLE TO FRONT SIDE OF POLE AT 40 INCHES BELOW POWER PRESENCE UNLESS OTHERWISE NOTED.
 2. MAINTAIN A MINIMUM OF 6 FEET FROM THE EDGE OF PAVEMENT WHEN TRENCHING PARALLEL TO THE ROADWAY UNLESS OTHERWISE NOTED.
 3. INSTALL CCTV ON EXISTING WOOD SIGNAL SPAN POLE, 12" BELOW TOP OF POLE. SEE ITS-21.

12/14/2018 K:\ARL_TPTD_ITS\0103640 - Durham Signal System\Plans\U-5968_ITS_psh_20.dgn

Kimley»Horn
 NC License #F-0102
 421 Fayetteville St., Suite 600
 Raleigh, NC 27636
 Tel: (919) 677-2000
 Fax: (919) 677-2050




| | |
|---|----------------------------|
| Plans Prepared For: CITY OF DURHAM COMPUTERIZED SIGNAL SYSTEM COMMUNICATIONS CABLE AND CONDUIT ROUTING PLAN | |
| DIVISION 05 DURHAM COUNTY | |
| PLAN DATE: DEC 2018 | REVIEWED BY: I. VAN OSDELL |
| PREPARED BY: KHA | REVIEWED BY: K. SMITH |
| REVISIONS | INIT. DATE |
| | |
| | |
| | |

SEAL
 NORTH CAROLINA PROFESSIONAL ENGINEER
 KEVIN W. SMITH
 SEAL 030472
 12/17/2018
 DATE
 CADD Filename:


MATCH LINE, SEE SHEET CR-20

MATCH LINE, SEE SHEET CR-22



- NOTES:
1. ATTACH NEW COMMUNICATIONS CABLE TO FRONT SIDE OF POLE AT 40 INCHES BELOW POWER PRESENCE UNLESS OTHERWISE NOTED.
 2. MAINTAIN A MINIMUM OF 6 FEET FROM THE EDGE OF PAVEMENT WHEN TRENCHING PARALLEL TO THE ROADWAY UNLESS OTHERWISE NOTED.

Kimley»Horn
 NC License #F-0102
 421 Fayetteville St., Suite 600
 Raleigh, NC 27636
 Tel: (919) 677-2000
 Fax: (919) 677-2050



| | |
|--|----------------------------|
| CITY OF DURHAM COMPUTERIZED SIGNAL SYSTEM COMMUNICATIONS CABLE AND CONDUIT ROUTING PLAN | |
| DIVISION 05 | DURHAM COUNTY |
| PLAN DATE: DEC 2018 | REVIEWED BY: I. VAN OSDELL |
| PREPARED BY: KHA | REVIEWED BY: K. SMITH |
| REVISIONS | INIT. DATE |
| | |
| | |
| | |

SEAL

NORTH CAROLINA
 PROFESSIONAL ENGINEER
 KEVIN W. SMITH
 SEAL
 030472

Documented by: KEVIN SMITH
 SIGNATURE
 DATE 12/17/2018
 CADD Filename: