



8:51:18 AM U:\Projects\Signal\Design\ITS and SCP Design\Fiber Splicing Detail\U-5818_scp8_fs.dgn User: rrmoney

LEGEND

COLOR CODE TIA/EIA 598-B	
(1) BLUE	(7) RED
(2) ORANGE	(8) BLACK
(3) GREEN	(9) YELLOW
(4) BROWN	(10) VIOLET
(5) SLATE	(11) ROSE
(6) WHITE	(12) AQUA
PROPOSED	EXPRESS
13-XXXX = CABINET/CONTROLLER EXISTING	BUFFER SPLICE
13-XXXX = CABINET/CONTROLLER	SM FIBER PATCH CORD WITH CONNECTORS

NOTES:

- UNUSED FIBERS AND/OR BUFFER TUBES LEFT COILED AND STORED IN SPLICE TRAY.
- CONTRACTOR TO FURNISH SELF HEALING RING TYPE TRANSCEIVERS.
- TRANSCEIVER CONFIGURATIONS ARE GENERIC. CONTRACTOR IS RESPONSIBLE FOR DETERMINING/ENSURING THE PROPER TERMINATIONS.
- NOTIFY THE NCDOT DIVISION 13 TRAFFIC ENGINEER ANNA HENDERSON, PE, AT 828-251-6171 FIVE (5) DAYS PRIOR TO BEGINNING WORK ON THE CLOSED LOOP SYSTEM. COMMUNICATIONS CABLE NOTIFY THE DIVISION TRAFFIC ENGINEER AFTER ALL WORK IS PERFORMED TO ENSURE THAT ALL FIBER CIRCUITS ARE FUNCTIONING PROPERLY. WORK IS NOT COMPLETE UNTIL THE CLOSED LOOP SYSTEM IS BACK UP AND OPERATIONAL AFTER FINAL PHASE OF CONSTRUCTION.
- CONTRACTOR TO RECORD EXISTING SPLICE ARRANGEMENT FOR COMPARISON TO THE SUPPLIED SPLICE DETAILS. IF DISCREPANCIES EXIST, CONTACT THE ENGINEER TO DETERMINE HOW TO PROCEED WITH RESPlicing. PROVIDE AS-BUILT PLANS TO THE ENGINEER IF FINAL SPLICE ARRANGEMENT DIFFERS FROM THE SUPPLIED SPLICE DETAILS.
- INCLUDE ON THE COVER OF SPLICE TRAY THE FOLLOWING INFORMATION (REFERENCE STANDARD SPECIFICATIONS SECTION 1731):

A.	SPLICE LOCATION
B.	DATE
C.	COMPANY NAME
D.	NAME OF INDIVIDUAL PERFORMING THE SPLICE

 PRIOR TO INSTALLING THE COVER ON THE SPLICE TRAY, TAKE A DIGITAL PHOTOGRAPH SHOWING THE SPLICE TRAY AND INFORMATION SHOWN ABOVE (ITEMS A-D) AND SUBMIT PHOTOGRAPH ALONG WITH OTRD TEST RESULTS

Stantec Consulting Services Inc.
801 Jones Franklin Road-Suite 300
Raleigh, NC 27606
Tel. (919) 851-6866
Fax. (919) 851-7024
www.stantec.com
License No. F-0672

Prepared for the Offices of:

750 N. Greenfield Pkwy, Garner, NC 27529

SCALE: N.T.S.

SR 1001 (Sugar Hill Road)
Fiber Optic Splice Details

Division 13	McDowell County	Marion
PLAN DATE: February 2019	REVIEWED BY: E D Harris	
PREPARED BY: G B Spell	REVIEWED BY: L Overn	
REVISIONS	INIT.	DATE

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SEAL

2/6/2019

CADD Filename:

FINAL DESIGN