


PROJECT REFERENCE NO. BR-0047	SHEET NO. EC-8
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.

NOTE:
PERIMETER EROSION CONTROL MEASURES SHALL BE
INSTALLED DURING CLEARING AND GRUBBING PHASE.

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 5

NOTE:
INSTALL FABRIC INSERT INLET PROTECTION DEVICE IN
LIEU OF ROCK INLET SEDIMENT TRAP TYPE 'C'
AS DIRECTED.



$PI\ Sta. 23+91.81$ $\Delta = 9^{\circ} 38' 59.9" (LT)$ $D = 3^{\circ} 47' 39.9"$ $L = 227.97'$ $T = 114.20'$ $R = 1,510.00'$ $e = 5.0\%$ $V = 50\ MPH$ $RUNOFF = 180'$	$PI\ Sta. 26+17.52$ $\Delta = 7^{\circ} 59' 57.1" (LT)$ $D = 5^{\circ} 20' 29.3"$ $L = 149.76'$ $T = 75.00'$ $R = 1,072.66'$ $e = MATCH\ EXIST.$ $V = MATCH\ EXIST.$ $RUNOFF = 120'$
---	--

\$\$\$\$SYTIME\$\$\$\$
 \$\$\$USERNAME\$\$\$