

**PAVEMENT SCHEDULE**



PROJECT REFERENCE NO.

SHEET NO.

2021CPT.05.14.10911.1, etc.

13

C1	1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.	S	SHOULDER GRADING ASB REQUIRED (EXCEPT AT RESIDENTIAL AREAS)
C2	1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD.	U	EXISTING PAVEMENT
C3	1¼" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 137.5 LBS. PER SQ. YD.	V1	1½" MILLING
C4	1" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 110 LBS. PER SQ. YD.	V2	0" - 1 ½" MILLING NEW ASPHALT TO BE PAVED BACK FLUSH



\* MAP 33 - CHAVIS RD. MILL 1.5" AS DIRECTED BY THE ENGINEER TO RESURFACE WITHIN THE RAIL ROAD RIGHT OF WAY