## FECONOLITE ASC/3-2070 OVERLAP PROGRAMMING DETAIL

(program controller as shown)

- 1. From Main Menu select 2. CONTROLLER
- 2. From CONTROLLER Submenu select | 2. VEHICLE OVERLAPS |

## OVERLAP A

Select TMG VEH OVLP [A] and 'PPLT FYA'

TMG VEH OVLP...[A] TYPE: .... PPLT FYA PROTECTED LEFT TURN.... PHASE 1 OPPOSING THROUGH..... PHASE 2 FLASHING ARROW OUTPUT....CH9 ISOLATE DELAY START OF: FYA..O.O CLEARANCE..O.O ACTION PLAN SF BIT DISABLE..... 0 Toggle Once

OVERLAP B

Select TMG VEH OVLP [B] and 'PPLT FYA'

TMG VEH OVLP...[B] TYPE: .... PPLT FYA PROTECTED LEFT TURN.... PHASE 3 OPPOSING THROUGH..... PHASE 4 FLASHING ARROW OUTPUT....CH10 ISOLATE DELAY START OF: FYA..O.O CLEARANCE..O.O ACTION PLAN SF BIT DISABLE..... 0 Toggle Once

OVERLAP C

Select TMG VEH OVLP [C] and 'PPLT FYA'

TMG VEH OVLP...[C] TYPE: ....PPLT FYA PROTECTED LEFT TURN.... PHASE 5 OPPOSING THROUGH..... PHASE 6 FLASHING ARROW OUTPUT....CH11 ISOLATE DELAY START OF: FYA..O.O CLEARANCE..O.O ACTION PLAN SF BIT DISABLE..... 0 Toggle Once

OVERLAP D

Select TMG VEH OVLP [D] and 'PPLT FYA'

TMG VEH OVLP...[D] TYPE: .... PPLT FYA PROTECTED LEFT TURN.... PHASE 7 OPPOSING THROUGH..... PHASE 8 FLASHING ARROW OUTPUT....CH12 ISOLATE DELAY START OF: FYA..O.O CLEARANCE..O.O ACTION PLAN SF BIT DISABLE..... 0

END PROGRAMMING

## FLASHER CIRCUIT MODIFICATION DETAIL

IN ORDER TO INSURE THAT SIGNALS FLASH CONCURRENTLY ON THE SAME APPROACH, MAKE THE FOLLOWING FLASHER CIRCUIT CHANGES:

- 1. ON REAR OF PDA REMOVE WIRE FROM TERM. T2-4 AND TERMINATE ON T2-2.
- 2. ON REAR OF PDA REMOVE WIRE FROM TERM. T2-5 AND TERMINATE ON T2-3.
- 3. REMOVE FLASHER UNIT 2.

THE CHANGES LISTED ABOVE TIES ALL PHASES AND OVERLAPS TO FLASHER UNIT 1.

THIS ELECTRICAL DETAIL IS FOR THE SIGNAL DESIGN: Ø6-1273 DESIGNED: January 2014 SEALED: 05/15/20 REVISED:

ELECTRICAL DETAIL SHEET 2 OF 2

750 N.Greenfield Pkwy,Garner,NC 27529

NC 130 (Love Mill Road) ELECTRICAL AND PROGRAMMING SR 1973 (Leslie Newsome Ave.)/ Entrance to Lowe's Columbus County Division 6 PLAN DATE: APRIL 2020 REVIEWED BY: PREPARED BY: M. Copple

Whiteville J. Rowe REVIEWED BY: REVISIONS INIT. DATE

Matthew Copple SIG. INVENTORY NO. 06-1273

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SEAL 27771

Engineering & Construction, Inc.

1 Glenwood Avenue Raleigh, NC 27603 Tel:919.789.9977 Fax:919.789.9591 License: C-2197