


Place Matting for Erosion Control on Slope as Work Allows.  
 -L- Sta. 12+45 to Sta. 16+18 LT/RT  
 -L- Sta. 17+80 to Sta. 18+50 LT/RT

NOTE: INSTALL TEMPORARY SLOPE DRAINS TO CONVEY RUNOFF FROM ROAD GRADE INTO PROPOSED DITCHES WITH A SPACING OF 1000 FT. OR AS DIRECTED.

INSTALL MATTING FOR EROSION CONTROL IN THE PROPOSED DITCH LINE.

NOTE: UTILIZE SPECIAL STILLING BASIN(S) WHERE APPLICABLE




CREST  
 -L- STA. 16+82.55  
 +0.9737% -0.9730%

ROBERT EARL WOOTEN, ET. AL.  
 DB 1122 PG 50  
 PLAT CABINET 2 SLIDE 129A

END STATE TIP PROJECT B-4931  
 -L- POT STA 21+51.00

BEGIN STATE TIP PROJECT B-4931  
 -L- POT STA 12+45.00




BEGIN BRIDGE  
 -L- STA 16+14.00

END BRIDGE  
 -L- STA 17+84.00

BEGIN APPR.SLAB  
 -L- STA 15+99.83

END APPR.SLAB  
 -L- STA 17+98.17



INSET A

FOR -L- PROFILE SEE SHEET 5  
 FOR STRUCTURE PLANS SEE SHEETS S-1 TO S-30

REVISIONS  
 11/8/2019 - REVISED FILL SLOPES FROM 3:1 TO 2:1 FROM STA. 14+00 TO 15+00

3/16/2020  
 M:\2018\251801945.19 B-4931\Roadside\PSH\B-4931\_REU\_EC\_05\_FINAL.dgn  
 Elizabeth Sheldon

8/17/99