PROJECT REFERENCE NO. Sig. 36.3 U-5942

ECONOLITE ASC/3-2070 LOGIC PROCESSOR PROGRAMMING DETAIL FOR LEFT TURN PROTECTION & SIDESTREET PHASING

(program controller as shown)

1. From Main Menu select | 1. CONFIGURATION

2. From CONFIGURATION Submenu select 8. LOGIC PROCESSOR

3. From the LOGIC PROCESSOR Submenu select 2. LOGIC STATEMENTS

ENTER A "2" IN THE LP# FIELD, PRESS 'ENTER', AND PROGRAM AS SHOWN.

LP#: 1 COPY FROM: 1 ACTIVE: M (T/F) IF VEH GREEN ON PH 3 IS ON THEN LP SET LOGIC FLAG 1 ON ELSE

PHASE 3 GREEN SETS LOGIC FLAG 1 ON (SIDESTREET BACKUP)

ENTER A "3" IN THE LP# FIELD, PRESS 'ENTER', AND PROGRAM AS SHOWN.

LP#: 2 COPY FROM: 2 ACTIVE: M (T/F) IF LP FLAG 1 IS ON THEN CTR OMIT PHASE 10 ON ELSE

OMIT PHASE 10 SO PHASE 3 MOVEMENTS

RUN ONCE PER CYCLE

ENTER A "4" IN THE LP# FIELD, PRESS 'ENTER', AND PROGRAM AS SHOWN.

LP#: 3 COPY FROM: 3 ACTIVE: M (T/F) IF VEH GREEN ON PH 2 IS ON THEN LP SET LOGID FLAG 1 OFF ELSE

LOGIC TURNS LOGIC FLAG 1 OFF TO ALLOW NORMAL OPERATION

4. From the LOGIC PROCESSOR Submenu select | 1. LOGIC STATEMENT CONTROL

ENABLE LOGIC PROCESSOR STATEMENTS 1-4 BY POSITIONING THE CURSOR OVER THE FIELDS SHOWN BELOW AND USING THE TOGGLE KEY TO ENABLE THEM .

LOGIC STATEMENT CONTROL 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6

END PROGRAMMING

THIS ELECTRICAL DETAIL IS FOR THE SIGNAL DESIGN: Ø1-Ø519 DESIGNED: MARCH 2018 SEALED: Ø8/21/2018 REVISED: N/A

ELECTRICAL AND PROGRAMMING Prepared for the Offices of:

Electrical Detail - Sheet 4 of 4

US 17 Bus. (Ehringhaus Street) Griffin Street/ Post Office Entrance

Division 1 Pasquotank County Elizabeth City PLAN DATE: March 2018 REVIEWED BY: AJ Davis PREPARED BY: DJ White REVIEWED BY: LM Moon

INIT. DATE Lisa M. Moon 9/20/2018 SIG. INVENTORY NO. 01-0519

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

8000 Regency Parkway, Suite 175 Cary, NC 27518 NC License No. C-2213 (919) 650-1038

REVISIONS