



PROJECT REFERENCE NO.	SHEET NO.
-5878	EC-83/CONST
REV. SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
FINAL GRADING EROSION CONTROL FOR CONSTRUCTION SHEET 17	

REVISIONS



130 x 28 x 3
2.0 inch Skimmer
with 2.0 inch
Orifice Diameter
19 ft weir
(See Tiered Skimmer
Basin Detail)
ID 17.11

Modified Silt Basin
Type 'B'
130 x 28 x 3
19 ft weir
(See Tiered Skimmer
Basin Detail)
ID 17.11

160 x 45 x 3
2.5 inch Skimmer
with 2.25 inch
Orifice Diameter
28 ft weir
ID 17.5

87 x 36 x 3
2.0 inch Skimmer
with 1.625 inch
Orifice Diameter
12 ft weir
ID 17.6

158 x 30 x 3
2.0 inch Skimmer
with 1.875 inch
Orifice Diameter
18 ft weir
ID 17.2

138 x 49 x 3
2.5 inch Skimmer
with 2.25 inch
Orifice Diameter
33 ft weir
ID 17.12

175 x 35 x 3
2.5 inch Skimmer
with 2.125 inch
Orifice Diameter
26 ft weir
ID 17.3

100 x 35 x 3
2.0 inch Skimmer
with 1.75 inch
Orifice Diameter
26 ft weir
ID 17.10

Place Matting for Erosion Control
on Slope as Work Allows.
Sta. 11+10 to Sta. 14+00 -NB-CD- LT
Sta. 16+50 to Sta. 20+00 -NB-CD- LT
Sta. 11+10 to Sta. 20+50 -NB-CD- RT
Sta. 10+87 to Sta. 14+70 -SB-CD- LT
Sta. 10+87 to Sta. 17+20 -SB-CD- RT
Sta. 16+50 to Sta. 17+00 -SR-9A- LT
Sta. 20+50 to Sta. 22+00 -Y14- LT
Sta. 30+75 to Sta. 32+50 -Y14- RT
Sta. 27+50 to Sta. 28+00 -Y14- RT
Sta. 30+55 to Sta. 33+50 -Y14- RT
Sta. 19+50 to Sta. 22+50 -Y14R- LT
Sta. 20+50 to Sta. 22+00 -Y14R- RT
Sta. 17+38 to Sta. 21+75 -Y14R- LT
Sta. 20+29 to Sta. 22+00 -Y14R- RT

NOTE: UTILIZE TEMPORARY SEDIMENT BASIN OR SPECIAL STILLING BASIN(S) AS STILLING BASIN WHERE APPLICABLE.
NOTE: UTILIZE FABRIC INSERT INLET PROTECTION DEVICES IN LIEU OF ROCK INLET SEDIMENT TRAPS, TYPE-C AS DIRECTED TO AVOID IMPOUNDMENT OF RUNOFF IN ROADWAY OPEN TO TRAFFIC.

