



January 9, 2020

North Carolina Department of Transportation  
Geotechnical Unit  
Mail Service Center 1592  
Raleigh, North Carolina 27699-1592

Attention: Mr. Craig Haden

email: [cehaden@ncdot.gov](mailto:cehaden@ncdot.gov)

Reference: **Preliminary Site Assessment Report**  
**NCDOT Project I-5878, WBS Element 53078.1.1**  
**Parcel 83-Throw Back Thursday**  
608 Spring Branch Road  
Dunn, Harnett County, North Carolina  
S&ME Project 4305-19-161

Dear Mr. Haden:

S&ME, Inc. (S&ME) is submitting this Preliminary Site Assessment (PSA) Report to the North Carolina Department of Transportation (NCDOT). This report presents the background/project information, field activities, findings, conclusions, and recommendations. These services were performed in general accordance with S&ME Proposal No. 43-1900576 REV-01 dated August 9, 2019, and Contract Number 7000018853 dated April 12, 2018 between NCDOT and S&ME, Inc., authorized by NCDOT in its September 5, 2019 Notice to Proceed Letter.

## ◆ Background/Project Information

Based on NCDOT's July 24, 2019, Request for Technical and Cost Proposal, the PSA was conducted within the NCDOT right-of-way (ROW) and/or easement as indicated on the preliminary plan sheets provided by NCDOT at the following property:

NCDOT Parcel No.	Property Owner	Site Address
83	Randy Emanuel Sr	(Throw Back Thursday) 608 Spring Branch (aka Pope Road), Dunn, NC



The property is developed with a commercial building that is currently occupied by a bar named Throw Back Thursday. The building is reported to have previously been occupied by a gasoline/convenience store. According to a 1993 aerial photograph of the site, what appears to be a pump island canopy is shown in front of the building. Information regarding the location of USTs were not provided or observed from the aerial photograph. The property is not listed with registered petroleum underground storage tanks (USTs) (active or closed). The property is not listed with North Carolina Department of Environmental Quality (NCDEQ) Incidents associated with petroleum releases from USTs or aboveground storage tanks.

The PSA included a geophysical survey, subsequent limited soil sampling (five soil borings up to 10 feet below ground surface (ft.-bgs)) and limited groundwater sampling (one groundwater sample), within accessible areas of the proposed ROW/easement in preparation for construction activities. **Figure 1** shows the vicinity and site location, and **Figure 2** shows the site and boring locations. Soil and groundwater sampling results are shown on **Figure 3**.

## ◆ Field Services

Prior to field activities, a site specific Health and Safety Plan was prepared as required by the Occupational Health and Safety Act (OSHA). Underground utilities were located and marked by the North Carolina One-Call Service. A private utility locator (East Coast Underground, LLC) was also used to locate and mark underground utilities.

## ◆ Geophysical Survey

On July 25, 2019, S&ME completed Time Domain Electromagnetic (TDEM) and Ground Penetrating Radar (GPR) surveys within accessible areas of the proposed ROW/easement at Parcel 83. Brief descriptions of these complementary geophysical techniques are presented in the following paragraphs.

### Time Domain Electromagnetics (TDEM)

TDEM measures the electrical conductivity of subsurface materials and discriminates between moderately conductive earth materials and very conductive metallic targets within the shallow subsurface. The conductivity is determined by transmitting a time-varying magnetic pulse into the subsurface and measuring the amplitude and phase shift of the secondary magnetic field. The secondary magnetic field is created when the conductive materials become an inductor as the primary magnetic field is passed through them. TDEM data are acquired continuously at a walking pace typically along a series of parallel or perpendicular lines. The system generates audible and visual indications when metallic targets are encountered. These measurements can also be supported with a global positioning system (GPS) which is output directly into the TDEM data file.

We used a Geonics Limited EM-61 MK2 TDEM system in general accordance with ASTM D6820 "Standard Guide for Use of the Time Domain Electromagnetic Method for Subsurface Investigation." Data was collected along lines spaced at approximately five feet using a Juniper® Systems Geode™ sub-meter GPS as positioning support. The approximate TDEM data collection paths are presented in **Figure 4**. Golden Software's Surfer® program was used to grid and plot the data (**Figures 5 and 6**). The TDEM data has been presented as Plots A and B in order to provide both opaque and semi-transparent views, respectively.



## Ground Penetrating Radar (GPR)

GPR transmits electromagnetic waves into the subsurface from an antenna at a specific frequency and measures the time for wave reflections to be received by interfaces between materials with differing material properties (e.g. soil/metal, etc.). The intensity of the reflected GPR wave is a function of the contrast in the material properties (i.e. dielectric permittivity) at the interface, the conductivity of the material that the wave is traveling through, and the frequency of the signal.

We used a Geophysical Survey Systems, Inc. (GSSI) SIR® 4000 GPR system equipped with a 350 MHz antenna in general accordance with ASTM D6432 "*Standard Guide for Using the Surface Ground Penetrating Radar Method for Subsurface Investigation*" to further characterize anomalies/features identified during the TDEM survey.

A total of seven GPR profiles (Lines 1 through 7) were collected for documentation (**Figure 7**). The data was post-processed using the GSSI Radan® 7 GPR software program for additional analysis.

## Geophysical Findings

Responses indicative of a potential UST were not identified in the geophysical data sets collected at the site. Two anomalous features unrelated to known surficial targets were identified in the geophysical data sets (Anomalies A and B; **Figures 6 and 7**). Anomaly A is characterized by high amplitude GPR responses located within the upper one foot below ground surface (bgs) and may be related to an isolated buried metallic object (**Figure 8**). Anomaly B was characterized by a low TDEM response that was unable to be identified in the GPR data sets, which suggests the potential metallic target is either relatively small or deeper than the maximum penetration depth of the GPR signal. The anomalies were marked in the field using white spray paint. Example GPR profiles are presented in **Figures 8 and 9**.

## ◆ Soil Sampling

On October 29, 2019, Troxler Geologic, Inc. (Troxler's) drill crew utilized a track mounted Geoprobe® rig to advance five soil borings (B-1 through B-5) and to collect soil samples within accessible areas of the proposed ROW/easement at Parcel 83. The approximate location of the soil borings are shown in **Figure 2**. A photographic log is included in **Appendix I**. Troxler's drill crew advanced the Geoprobe® borings up to a depth of approximately 10 ft.-bgs. During the advancement of the soil borings, groundwater was encountered at depths ranging from approximately six to 9.3 ft.-bgs. Soil samples were continuously collected in four-foot long disposable acetate-plastic sleeves that line the hollow stainless-steel sample probes. Soil recovered from the sleeves was classified on-site by S&ME personnel and screened with a Photoionization Detector (PID) at approximately two foot depth intervals to measure relative headspace concentrations of volatile organic compounds (VOCs).

VOC headspace readings were obtained from an aliquot of each soil sample that was placed in a re-sealable bag. Another portion of the sample was placed in a separate re-sealable bag and stored in an insulated container with ice for possible laboratory analyses. After waiting approximately 15 minutes to allow the sample to reach ambient temperature and headspace equilibrium, the PID probe was inserted into the bag to obtain a headspace reading. A summary of the PID readings and logs of the soil borings are included in **Appendix II**.



Petroleum odors and elevated PID readings were not noted in the collected soil samples. Therefore, a soil sample was selected from each boring at varying depth intervals. The soil samples were placed into laboratory supplied containers and transported to RED Lab, LLC (Red Lab) in an insulated cooler with ice for analysis. A total of five soil samples (one soil sample per boring) were analyzed by RED Lab for TPH-GRO and TPH-DRO using ultra-violet fluorescence (UVF) spectroscopy with product (fuel) identification.

## Soil Analytical Results

Based upon analytical results of soil samples analyzed by RED Lab using UVP spectroscopy, TPH-GRO and TPH-DRO were not reported at concentrations exceeding their respective North Carolina TPH Action Levels. TPH-DRO was reported in borings B-1, B-3 and B-4 at the six to eight foot depth interval, at concentrations ranging from one milligram per kilograms (mg/kg) to 1.3 mg/kg, which is slightly above the laboratory method reporting limits but well below its North Carolina TPH Action Level of 100 mg/kg. TPH-GRO and TPH-DRO were not reported at concentrations exceeding the laboratory method reporting limits at the remaining soil samples. A summary of the soil analytical results is presented in **Table 1** and shown on **Figure 3**. A copy of the laboratory analytical report provided by RED Lab is presented in **Appendix III**.

## ◆ Groundwater Sampling

During the advancement of the soil borings, groundwater was encountered at depths ranging from approximately six to 9.3 ft.-bgs. Therefore, the Geoprobe® was used to advance one of the soil borings into the groundwater table for the collection of a groundwater sample. Due to the lack of petroleum odors or elevated PID readings, boring B-2 was selected for collection of a groundwater sample, due to its reported location at the former pump island. A temporary monitor well (TW-1) was installed at boring B-2 to a depth of approximately 10.5 ft.-bgs using a five foot section of one-inch diameter, Schedule 40 PVC well riser attached to a ten foot section of 0.01-inch slotted screen that intersected the groundwater table. Groundwater within the temporary monitor well at boring B-2 was measured at six ft.-bgs. Groundwater was purged from the temporary well until relatively clear using disposable tubing attached to a peristaltic pump. The flow rate was reduced and laboratory supplied containers were filled directly from the tubing, labeled as TW-1 and placed in an insulated cooler with ice for transport to Con-Test Laboratories (Con-Test) for analysis of VOCs by EPA Method 8260 and polycyclic aromatic compounds (PAHs) by EPA Method 8270.

Upon completion of the soil and groundwater sampling, the well materials were removed and the soil borings backfilled with bentonite pellets and soil cuttings. Investigative derived wastes (IDW), such as soil cuttings generated during the soil boring advancement and decontamination water, were spread on the ground in accordance with the procedures specified by NCDEQ. Used gloves and tubing were bagged and disposed off-site.

## Groundwater Analytical Results

Based upon analytical results of the groundwater sample analyzed by Con-Test, several petroleum related target constituents were reported at concentrations above the laboratory method reporting limits but below their 15A NCAC 2L Groundwater Quality Standards (2L Standards). A summary of the groundwater analytical results is presented in **Table 2** and shown on **Figure 3**. A copy of the laboratory analytical report provided by Con-Test is presented in **Appendix III**.



## ◆ Conclusion and Recommendations

The geophysical survey identified two anomalies (Anomalies A and B) which may be related to isolated buried metallic objects. Responses indicative of a potential UST were not identified in the geophysical data sets collected at the site.

S&ME advanced five soil borings (B-1 through B-5) to a depth of up to approximately 10 ft.-bgs at the site. Petroleum odors and elevated PID readings were not noted in soil samples collected at the borings. Selected soil samples from the soil borings were analyzed for TPH-GRO and TPH-DRO using UVF spectroscopy.

TPH-GRO and TPH-DRO were not reported at concentrations exceeding their respective North Carolina TPH Action Levels. TPH-DRO was reported in borings B-1, B-3 and B-4 at the six to eight foot depth interval at concentrations slightly above the laboratory method reporting limits but well below its North Carolina TPH Action Level. TPH-GRO and TPH-DRO were not reported at concentrations exceeding the laboratory method reporting limits at the remaining soil samples.

During the soil boring advancement, groundwater was encountered at depths ranging from six to 9.3 ft.-bgs. One temporary well (TW-1) was installed at soil boring B-2 located at the former pump island. Groundwater at TW-1 was measured at six ft.-bgs and analyzed by Con-Test for VOCs by EPA Method 8260 and PAHs by EPA Method 8270. Several petroleum related target constituents were reported at concentrations above the laboratory reporting limits but below their respective 2L Standards.

Based on the findings of the geophysical survey and analytical results of soil and groundwater samples, it is likely that during construction, NCDOT may encounter marginally impacted soil (below TPH Action Levels) and groundwater marginally impacted with petroleum (below 2L Standards) at the site.

It should also be assumed that saturated petroleum impacted soil will be encountered if construction excavations extend deeper than six ft.-bgs on the site. If construction dewatering is required, petroleum impacted groundwater must be properly disposed or treated at a licensed facility. If petroleum stained or odorous soils are encountered during construction, these soils should be properly handled and disposed at a licensed facility.

S&ME recommends maintaining an awareness level for the presence of marginally impacted petroleum in the soil (below TPH Action Levels) and marginally impacted groundwater (below 2L Standards) at the site for the safety of workers and the public.

## ◆ Limitations

The results of this preliminary investigation are limited to the boring locations presented herein. The results of this Preliminary Site Assessment are not all inclusive and may not represent existing conditions across the entire property. These results only reflect the current conditions at the locations sampled on the date this Preliminary Site Assessment was performed. This report has been prepared in accordance with generally accepted environmental engineering and geophysical practice for specific application to this project. The conclusions and recommendations contained in this report are based upon applicable standards of our practice in this geographic area at the time this report was prepared. No other warranty, expressed or implied, is made.



**Preliminary Site Assessment Report  
NCDOT Project I-5878, WBS Element 53078.1.1  
Parcel 83-Throw Back Thursday  
Dunn, Harnett County, North Carolina  
S&ME Project No. 4305-19-161**

The geophysical methods used for this survey have inherent limitations. Site metallic features (e.g., surficial debris, reinforced concrete, utilities, etc.) and overhead transmission lines can produce a false electromagnetic response and may mask subsurface features. The depth of exploration of the GPR signal is highly site specific and is greatly limited by signal attenuation (absorption) of the subsurface materials. Signal attenuation is dependent upon the electrical conductivity of the subsurface materials. Signal attenuation is greatest in materials with relatively high electrical conductivities such as clay soils, and lowest in relatively low conductivity materials such as unsaturated sand. For this project location, the GPR data sets appear to have a maximum depth of penetration of about five ft.-bgs.

Regardless of the thoroughness of a geophysical study, there is always a possibility that actual conditions may not match the interpretations. The results should be considered accurate only to the degree implied by the methods used and the method's limitations and data coverage. Accordingly, the possibility exists that not all features at a project site will be located due to either subsurface soil conditions or the occurrence of features outside the lateral limits and below the depth of penetration of the methods used. As with most surface geophysical methods, resolution of the subsurface will also decrease with depth. As such, the size and/or contrast of features compared to the imaged subsurface media must be significant enough to produce the anticipated response. The location and/or determination (or the lack thereof) of potential buried features is based on our review of the provided information and of the geophysical survey. Under no circumstances does S&ME assume any responsibility for damages resulting from the presence of subsurface features that may exist but were not identified by our survey.


This Preliminary Site Assessment was performed solely for NCDOT regarding the above-referenced site and assessment area. This report is provided for the sole use of NCDOT. Use of this report by any other parties will be at such party's sole risk. S&ME disclaims liability for any such use or reliance by third parties. The observations presented in this report are indicative of conditions during the time of the assessment and of the specific areas referenced.



## ◆ Closing

S&ME appreciates the opportunity to provide these services to you. If you have any questions or comments regarding this report, please contact us at your convenience.

Sincerely,  
**S&ME, Inc.**


DocuSigned by:  
  
4C890EAE25F488...

Jamie T Honeycutt  
Environmental Professional  
[jhoneycutt@smeinc.com](mailto:jhoneycutt@smeinc.com)

DocuSigned by:  
  
861E52DDEF4F4C7...

Michael W. Pfeifer  
Senior Project Manager  
[mpfeifer@smeinc.com](mailto:mpfeifer@smeinc.com)



DocuSigned by:  
  
D4B9FB5F636F4BB...

1/27/2020

Thomas P. Raymond, P.E., P.M.P.  
Senior Consultant  
[traymond@smeinc.com](mailto:traymond@smeinc.com)

Attachments:

**Table 1:** Summary of Soil Sampling Results  
**Table 2:** Summary of Groundwater Sampling Results

**Figure 1:** Vicinity Map  
**Figure 2:** Site Map  
**Figure 3:** Soil and Groundwater Constituent Map  
**Figure 4:** TDEM Path Location Plan  
**Figure 5:** TDEM Data Plot A  
**Figure 6:** TDEM Data Plot B  
**Figure 7:** Geophysical Anomaly Location Plan  
**Figure 8:** Example GPR Data – Lines 2 and 3  
**Figure 9:** Example GPR Data – Lines 4 and 7

**Appendix I:** Photographs  
**Appendix II:** Boring Logs  
**Appendix III:** Laboratory Analytical Reports and Chain of Custody

## Tables





**TABLE 1**  
**SUMMARY OF SOIL SAMPLING RESULTS**  
**NCDOT Project I-5878**  
**Parcel 83 - (Throw Back Thursday)**  
**608 Spring Branch Road**  
**Dunn, Harnett County, North Carolina**  
**S&ME Project No. 4305-19-161**

Analytical Method→			Total Petroleum Hydrocarbons (TPH) Gasoline Range Organics (GRO) and Diesel Range Organics (DRO) by Ultraviolet Fluorescence (UVF) Spectrometry	
Sample ID	Date	Contaminant of Concern→	TPH-GRO	TPH-DRO
		Sample Depth (ft.-bgs)		
B-1	10/29/2019	6 to 8	<0.45	<b>1.1</b>
B-2	10/29/2019	2 to 4	<0.29	<0.29
B-3	10/29/2019	6 to 8	<0.5	<b>1</b>
B-4	10/29/2019	6 to 8	<0.51	<b>1.3</b>
B-5	10/29/2019	6 to 8	<0.52	<0.52
<b>North Carolina TPH Action Levels</b>			<b>50</b>	<b>100</b>

Notes:

1. UVF analysis performed by RED Lab, LLC
2. Concentrations are reported in milligrams per kilogram (mg/Kg).
3. ft.-bgs:- feet below ground surface.
4. Concentrations exceeding the laboratory's reporting limits are shown in **BOLD** fields.
5. Concentrations exceeding the North Carolina TPH Action Levels are shown in Shaded and **BOLD** fields.



**TABLE 2**  
**SUMMARY OF GROUNDWATER SAMPLING RESULTS**  
 NCDOT Project I-5878  
 Parcel 83 - (Throw Back Thursday)  
 608 Spring Branch Road  
 Dunn, Harnett County, North Carolina  
 S&ME Project No. 4305-19-161


Analytical Method→		Volatile Organic Compounds by EPA Method 8260														Polycyclic Aromatic Compounds (PAHs) by EPA Method 8270							
Sample ID	Contaminant of Concern→	Benzene	Ethylbenzene	Isopropylbenzene	Naphthalene	n-Butylbenzene	sec-Butylbenzene	Styrene	tert-Butyl Alcohol	n-Propylbenzene	p-Isopropyltoluene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Total Xylenes	Acenaphthene	Acenaphthylene	Fluoranthene	Fluorene	Naphthalene	Phenanthrene	Pyrene	2-Methylnaphthalene
	Date																						
B-2/TW-1	10/29/2019	0.66 J	4.9	43	3.9	3.5	15	0.28 J	0.24 J	1.8	0.92 J	0.25 J	4.4	2.2	1.9	0.30	0.095 J	0.027 J	0.38 J	3.2	0.42	0.025J	4.9
2L Standard (µg/L)		1	600	70	6	70	70	70	10	70	25	600	400	400	500	80	200	300	300	6	200	200	30
GCL (µg/L)		5,000	84,500	25,000	6,000	6,900	8,500	70,000	10,000	30,000	11,700	260,000	28,500	25,000	85,500	2,120	1,965	300	990	6,000	410	200	12,500

Notes:

1. Analytes that are not shown for the method were not detected.
2. Concentrations are reported in micrograms per liter (µg/L).
3. 2L Standard: North Carolina Groundwater Quality Standards: 15A NCAC 2L.0202
4. Concentrations exceeding the laboratory's reporting limits are shown in **BOLD** fields.
5. Concentrations exceeding the 2L Standards are shown in Shaded and **BOLD** fields.
6. GCL: Gross Contamination Level.
7. J: Estimated concentration detected below the reporting limit.

## Figures

Drawing Path: T:\Projects\2019\ENV\4305-19-161 NCDOT I-5878 PSAs\GIS\Parcel\_83\VICINITY.mxd plotted by abentz 11-22-2019



**REFERENCE:**

GIS BASE LAYERS WERE OBTAINED FROM THE USGS NATIONAL TOPO MAP VIEWER. THIS MAP IS FOR INFORMATIONAL PURPOSES ONLY. ALL FEATURE LOCATIONS DISPLAYED ARE APPROXIMATED. THEY ARE NOT BASED ON CIVIL SURVEY INFORMATION, UNLESS STATED OTHERWISE.

 Site Parcel



**VICINITY MAP**


NCDOT PROJECT I-5878  
PARCEL NO. 83 (THROW BACK THURSDAY)  
608 SPRING BRANCH RD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE: 1" = 2,000'
DATE: 11-22-19
PROJECT NUMBER 4305-19-161

FIGURE NO.


**1**





**LEGEND**

- Geoenvironmental Boring:
- Underground Storage Tank (UST):
- Map Source: NCDOT Project I-59868
- Image Source: NC ONEMAP, Dated 2016
- Known Soil Contamination:
- Possible Soil Contamination:
- Existing Contamination Known - Water:




	<b>SITE MAP</b>		SCALE: 1" = 50'	2
	NCDOT Project: I-5878		DATE: JAN. 2020	
	PARCEL 83 - THROW BACK THURSDAY		PROJECT NUMBER	
	608 Spring Branch Rd., Dunn, Harnett County, North Carolina		4305-19-161	



Notes:  
 mg/kg: Milligrams per Kilogram  
 µg/L: Micrograms per Liter  
 GRO: Total Petroleum Hydrocarbon Gasoline Range Organics  
 DRO: Total Petroleum Hydrocarbon Diesel Range Organics  
 TPH: Total Petroleum Hydrocarbon  
**BOLD\***: Indicates Exceedance of NC TPH Action Levels  
**BOLD#**: Indicates Exceedance of 2L Groundwater Samples  
 ft-bgs : Feet Below Ground Surface

Samples Collected 10-29-2019.

GRO/DRO Analyzed by Ultraviolet Fluorescence (UVF) by RED Lab, LLC.



**B-1**  
 (ft-bgs) Sample Depth 6-8  
 (mg/kg) GRO <0.45  
 DRO 1.1

**B-2**  
 (ft-bgs) Sample Depth 2-4  
 (mg/kg) GRO <0.29  
 DRO <0.29

**B-3**  
 (ft-bgs) Sample Depth 6-8  
 (mg/kg) GRO <0.5  
 DRO 1


**B-4**  
 (ft-bgs) Sample Depth 6-8  
 (mg/kg) GRO <0.51  
 DRO 1.3

**B-5**  
 (ft-bgs) Sample Depth 6-8  
 (mg/kg) GRO <0.52  
 DRO <0.52

TW-1	µg/L
EPA Method 8260	
Benzene	0.66
Ethylbenzene	4.9
Isopropylbenzene	43
Naphthalene	3.9
n-Butylbenzene	3.5
sec-butylbenzene	15
Styrene	0.28
tert-Butyl Alcohol	0.24
n-Propylbenzene	1.8
p-Isopropyltoluene	0.92
Toluene	0.25
1,2,4-Trimethylbenzene	4.4
1,3,5-Trimethylbenzene	2.2
Total Xylenes	1.9
EPA Method 8270	
Acenaphthene	0.30
Acenaphthylene	0.095
Fluoranthene	0.027
Fluorene	0.38
Naphthalene	3.2
Phenanthrene	0.42
Pyrene	0.025
2-Methylnaphthalene	4.9

**LEGEND**  
 Geoenvironmental Boring:   
 Underground Storage Tank (UST):   
 Map Source: NCDOT Project I-59868  
 Image Source: NC ONEMAP, Dated 2016

Known Soil Contamination:   
 Possible Soil Contamination:   
 Existing Contamination Known - Water:







**REFERENCE:**  
 GOOGLE EARTH PRO AERIAL PHOTOGRAPH  
 (DATED, MARCH 4, 2018)



Google Earth  
 © 2018 Google

**LEGEND**

..... Approximate TDEM Path

□ Approximate Requested Survey Area

**TDEM PATH LOCATION PLAN**

NCDOT PROJECT: I-5878  
 PARCEL #83 - (THROW BACK THURSDAY)  
 608 SPRING BRANCH ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:  
 AS SHOWN

DATE:  
 11/26/2019


PROJECT NUMBER  
 4305-19-161

FIGURE NO.

**4**



REFERENCE:  
GOOGLE EARTH PRO AERIAL PHOTOGRAPH  
(DATED, MARCH 4, 2018)



TDEM DATA PLOT A

NCDOT PROJECT: I-5878  
PARCEL #83 - (THROW BACK THURSDAY)  
608 SPRING BRANCH ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:  
AS SHOWN

DATE:  
11/26/2019

PROJECT NUMBER  
4305-19-161


FIGURE NO.

**5**





**REFERENCE:**  
GOOGLE EARTH PRO AERIAL PHOTOGRAPH  
(DATED, MARCH 4, 2018)



Google Earth  
© 2018 Google

**LEGEND**

Approximate Location of Geophysical Anomaly

**TDEM DATA PLOT B**

NCDOT PROJECT: I-5878  
PARCEL #83 - (THROW BACK THURSDAY)  
608 SPRING BRANCH ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:  
AS SHOWN

DATE:  
11/26/2019


PROJECT NUMBER  
4305-19-161

FIGURE NO.

**6**



**REFERENCE:**  
 GOOGLE EARTH PRO AERIAL PHOTOGRAPH  
 (DATED, MARCH 4, 2018)



Google Earth  
 © 2018 Google

**LEGEND**

- Approximate Location of Geophysical Anomaly
- Approximate Location of GPR Profile

**GEOPHYSICAL ANOMALY LOCATION PLAN**

NCDOT PROJECT: I-5878  
 PARCEL #83 - (THROW BACK THURSDAY)  
 608 SPRING BRANCH ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA



SCALE:  
 AS SHOWN

DATE:  
 11/26/2019


PROJECT NUMBER  
 4305-19-161

FIGURE NO.

**7**



Anomaly A



Note: Presented GPR profile depths are based on an assumed average dielectric and should be considered approximate



**EXAMPLE GPR DATA – LINES 2 AND 3**

NCDOT PROJECT: I-5878  
 PARCEL #83 - (THROW BACK THURSDAY)  
 608 SPRING BRANCH ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:  
 AS SHOWN




DATE:  
 11/26/2019

PROJECT NUMBER  
 4305-19-161

FIGURE NO.

**8**





Note: Presented GPR profile depths are based on an assumed average dielectric and should be considered approximate



**EXAMPLE GPR DATA – LINES 4 AND 7**

NCDOT PROJECT: I-5878  
 PARCEL #83 - (THROW BACK THURSDAY)  
 608 SPRING BRANCH ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:  
 AS SHOWN

DATE:  
 11/26/2019

PROJECT NUMBER  
 4305-19-161

FIGURE NO.

## **Appendix I – Photographs**



Preliminary Site Assessment Report  
 NCDOT Project I-5878, WBS Element 53078.1.1  
 Parcel 83-Throw Back Thursday  
 Dunn, Harnett County, North Carolina  
 S&ME Project No. 4305-19-161

<b>1</b>	<b>Location / Orientation</b>	Front view of site looking south at boring B-2/TW-1.	Date: 10/29/2019  Photographer: JTH
	<b>Remarks</b>	B-2/TW-1 is location of former pump island.	



<b>2</b>	<b>Location / Orientation</b>	View looking southeast across front of site.	Date: 10/29/2019  Photographer: JTH
	<b>Remarks</b>	Sampling of TW-1 at B-2. Note Parcel 84 in background.	



## **Appendix II – Boring Logs**













## **Appendix III – Laboratory Analytical Reports and Chain of Custody**



### Hydrocarbon Analysis Results

**Client:** S&ME  
**Address:** 3201 SPRING FOREST ROAD

**Samples taken** Tuesday, October 29, 2019  
**Samples extracted** Tuesday, October 29, 2019  
**Samples analysed** Friday, November 1, 2019






**Contact:** JAMIE HONEYCUTT

**Operator** MAX MOYER

**Project:** NCDOT I-5878 PARCEL 83

											F03640															
Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match													
										% light	% mid	% heavy														
s	B-1 (6-8')	18.2	<0.45	<0.45	1.1	1.1	0.75	<0.15	<0.018	0	84.9	15.1	Deg Fuel 93.9%,(FCM)													
s	B-2 (2-4')	11.8	<0.29	<0.29	<0.29	<0.29	<0.06	<0.09	<0.012	0	100	0	,(FCM)													
s	B-3 (6-8')	20.2	<0.5	<0.5	1	1	0.44	<0.16	<0.02	0	89	11	Deg Fuel 76.3%,(FCM)													
s	B-4 (6-8')	20.5	<0.51	<0.51	1.3	1.3	0.82	<0.16	<0.02	0	81.3	18.7	Deg Fuel 76.7%,(FCM)													
s	B-5 (6-8')	20.6	<0.52	<0.52	<0.52	<0.52	<0.1	<0.17	<0.021	0	0	0	PHC not detected,(BO)													
Initial Calibrator QC check											OK		Final FCM QC Check											OK		99.5 %

Results generated by a QED HC-1 analyser. Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values are not corrected for moisture or stone content  
Fingerprints provide a tentative hydrocarbon identification. The abbreviations are:- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for sample fingerprint match to library  
(SBS) or (LBS) = Site Specific or Library Background Subtraction applied to result : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate present



B143  
 NCDOT I-5878 Paved 83

Client Name: STME  
 Address: 3201 Spring Forest Rd  
 Raleigh, NC  
 Contact: Jamie T Honeysett  
 Project Ref.: NCDOT I-5878 Paved 83  
 Email: jhoneysett@stmeinc.com  
 Phone #: 910 577-7614  
 Collected by: Jamie T Honeysett

**REDLAB™**  
**RAPID ENVIRONMENTAL DIAGNOSTICS**  
**CHAIN OF CUSTODY AND ANALYTICAL**  
**REQUEST FORM**

RED Lab, LLC  
 5598 Marvin K Moss Lane  
 MARBIONC Bldg, Suite 2003  
 Wilmington, NC 28409  
 Each sample will be analyzed for  
 BTEX, GRO, DRO, TPH, PAH total  
 aromatics and BaP

Sample Collection Date/Time	TAT Requested		Initials	Sample ID	Total Wt.	Tare Wt.	Sample Wt.
	24 Hour	48 Hour					
10-29-19 1000			JTH	B-1 6-8'	59.0	44.7	14.3
↓			↓	B-2 2-4'	56.3	44.4	11.9
1140			↓	B-3 6-8'	57.8	44.9	12.9
↓			↓	B-4 6-8'	57.7	45.0	12.7
1130			↓	B-5 6-8'	57.2	44.6	12.6
↓							
1150							

Comments: Relinquished by Jamie T Honeysett Date/Time 10/31/19 1500  
 Relinquished by JMM 11/19 Date/Time 1150

**RED Lab USE ONLY**  
5



November 7, 2019

Jamie Honeycutt  
S&ME, Inc - Raleigh, NC  
3201 Spring Forest Rd.  
Raleigh, NC 27616

Project Location: Dunn, NC  
Client Job Number:  
Project Number: 4305-19-161  
Laboratory Work Order Number: 19K0021

Enclosed are results of analyses for samples received by the laboratory on October 31, 2019. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Kerry K. McGee". The signature is written in a cursive style with a large, prominent "K" and "M".

Kerry K. McGee  
Project Manager

## Table of Contents

Sample Summary	3
Hits Only Report	4
Case Narrative	5
Sample Results	6
19K0021-01	6
Sample Preparation Information	9
QC Data	10
Volatile Organic Compounds by GC/MS	10
B245122	10
Semivolatile Organic Compounds by GC/MS	15
B245268	15
Flag/Qualifier Summary	17
Certifications	18
Chain of Custody/Sample Receipt	21

---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

S&ME, Inc - Raleigh, NC  
3201 Spring Forest Rd.  
Raleigh, NC 27616  
ATTN: Jamie Honeycutt

REPORT DATE: 11/7/2019

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 4305-19-161

**ANALYTICAL SUMMARY**

---

WORK ORDER NUMBER: 19K0021

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Dunn, NC

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
TW-1	19K0021-01	Ground Water		SW-846 8260D SW-846 8270E	

**EXECUTIVE SUMMARY**

Client ID: **TW-1**

Lab ID: **19K0021-01**

Analyte	Results/Qual	DL	RL	Units	Method
1,2,4-Trimethylbenzene	4.4	0.18	1.0	µg/L	SW-846 8260D
1,3,5-Trimethylbenzene	2.2	0.14	1.0	µg/L	SW-846 8260D
Benzene	0.66 J	0.18	1.0	µg/L	SW-846 8260D
Ethylbenzene	4.9	0.13	1.0	µg/L	SW-846 8260D
Isopropylbenzene (Cumene)	43	0.17	1.0	µg/L	SW-846 8260D
m+p Xylene	1.5 J	0.30	2.0	µg/L	SW-846 8260D
Naphthalene	3.9	0.31	2.0	µg/L	SW-846 8260D
n-Butylbenzene	3.5	0.21	1.0	µg/L	SW-846 8260D
n-Propylbenzene	1.8	0.13	1.0	µg/L	SW-846 8260D
o-Xylene	0.40 J	0.17	1.0	µg/L	SW-846 8260D
p-Isopropyltoluene (p-Cymene)	0.92 J	0.20	1.0	µg/L	SW-846 8260D
sec-Butylbenzene	15	0.16	1.0	µg/L	SW-846 8260D
Styrene	0.28 J	0.11	1.0	µg/L	SW-846 8260D
tert-Butylbenzene	0.24 J	0.17	1.0	µg/L	SW-846 8260D
Toluene	0.25 J	0.14	1.0	µg/L	SW-846 8260D
2-Methylnaphthalene (SIM)	4.9	0.062	1.0	µg/L	SW-846 8270E
Acenaphthene (SIM)	0.30	0.033	0.30	µg/L	SW-846 8270E
Acenaphthylene (SIM)	0.095 J	0.035	0.20	µg/L	SW-846 8270E
Fluoranthene (SIM)	0.027 J	0.025	0.50	µg/L	SW-846 8270E
Fluorene (SIM)	0.38 J	0.034	1.0	µg/L	SW-846 8270E
Naphthalene (SIM)	3.2	0.26	1.0	µg/L	SW-846 8270E
Phenanthrene (SIM)	0.42	0.030	0.050	µg/L	SW-846 8270E
Pyrene (SIM)	0.025 J	0.023	1.0	µg/L	SW-846 8270E

Con-Test does not accept liability for the consequences of any actions taken solely on the basis of the information provided in the Executive Summary section of this report. Users must review this report in its entirety to determine data usability and assessment.

**CASE NARRATIVE SUMMARY**

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

For method 8270, only PAHs were requested and reported.

**SW-846 8260D**

**Qualifications:**

**V-20**

Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

**Analyte & Samples(s) Qualified:**

**Bromomethane**

B245122-BS1, B245122-BSD1, S042311-CCV1

**Chloromethane**

B245122-BS1, B245122-BSD1, S042311-CCV1

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington  
Technical Representative

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Dunn, NC

Sample Description:

Work Order: 19K0021

Date Received: 10/31/2019

Field Sample #: TW-1

Sampled: 10/29/2019 12:30

Sample ID: 19K0021-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	DL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	3.8	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Acrylonitrile	ND	5.0	0.52	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	0.14	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Benzene	0.66	1.0	0.18	µg/L	1	J	SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Bromobenzene	ND	1.0	0.15	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Bromochloromethane	ND	1.0	0.32	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Bromodichloromethane	ND	0.50	0.16	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Bromoform	ND	1.0	0.46	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Bromomethane	ND	2.0	0.78	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
2-Butanone (MEK)	ND	20	1.9	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
tert-Butyl Alcohol (TBA)	ND	20	4.2	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
n-Butylbenzene	3.5	1.0	0.21	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
sec-Butylbenzene	15	1.0	0.16	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
tert-Butylbenzene	0.24	1.0	0.17	µg/L	1	J	SW-846 8260D	11/5/19	11/6/19 10:45	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	0.16	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Carbon Disulfide	ND	5.0	4.4	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Carbon Tetrachloride	ND	1.0	0.11	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Chlorobenzene	ND	1.0	0.15	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Chlorodibromomethane	ND	0.50	0.21	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Chloroethane	ND	2.0	0.35	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Chloroform	ND	2.0	0.17	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Chloromethane	ND	2.0	0.45	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
2-Chlorotoluene	ND	1.0	0.12	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
4-Chlorotoluene	ND	1.0	0.14	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	0.53	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2-Dibromoethane (EDB)	ND	0.50	0.19	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Dibromomethane	ND	1.0	0.37	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2-Dichlorobenzene	ND	1.0	0.16	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,3-Dichlorobenzene	ND	1.0	0.12	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,4-Dichlorobenzene	ND	1.0	0.13	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	0.31	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	0.26	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1-Dichloroethane	ND	1.0	0.16	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2-Dichloroethane	ND	1.0	0.41	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1-Dichloroethylene	ND	1.0	0.32	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
cis-1,2-Dichloroethylene	ND	1.0	0.13	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
trans-1,2-Dichloroethylene	ND	1.0	0.31	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2-Dichloropropane	ND	1.0	0.20	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,3-Dichloropropane	ND	0.50	0.11	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
2,2-Dichloropropane	ND	1.0	0.20	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1-Dichloropropene	ND	2.0	0.16	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
cis-1,3-Dichloropropene	ND	0.50	0.13	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
trans-1,3-Dichloropropene	ND	0.50	0.23	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Diethyl Ether	ND	2.0	0.34	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Dunn, NC

Sample Description:

Work Order: 19K0021

Date Received: 10/31/2019

Field Sample #: TW-1

Sampled: 10/29/2019 12:30

Sample ID: 19K0021-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	DL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	0.17	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,4-Dioxane	ND	50	22	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Ethylbenzene	4.9	1.0	0.13	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Hexachlorobutadiene	ND	0.60	0.47	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
2-Hexanone (MBK)	ND	10	1.5	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Isopropylbenzene (Cumene)	43	1.0	0.17	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
p-Isopropyltoluene (p-Cymene)	0.92	1.0	0.20	µg/L	1	J	SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	0.25	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Methylene Chloride	ND	5.0	0.34	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	1.7	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Naphthalene	3.9	2.0	0.31	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
n-Propylbenzene	1.8	1.0	0.13	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Styrene	0.28	1.0	0.11	µg/L	1	J	SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	0.27	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	0.22	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Tetrachloroethylene	ND	1.0	0.18	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Tetrahydrofuran	ND	10	0.51	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Toluene	0.25	1.0	0.14	µg/L	1	J	SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2,3-Trichlorobenzene	ND	5.0	0.57	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2,4-Trichlorobenzene	ND	1.0	0.40	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,3,5-Trichlorobenzene	ND	1.0	0.30	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1,1-Trichloroethane	ND	1.0	0.20	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1,2-Trichloroethane	ND	1.0	0.16	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Trichloroethylene	ND	1.0	0.24	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	0.33	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2,3-Trichloropropane	ND	2.0	0.25	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	0.32	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,2,4-Trimethylbenzene	4.4	1.0	0.18	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
1,3,5-Trimethylbenzene	2.2	1.0	0.14	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
Vinyl Chloride	ND	2.0	0.45	µg/L	1		SW-846 8260D	11/5/19	11/6/19 10:45	EEH
m+p Xylene	1.5	2.0	0.30	µg/L	1	J	SW-846 8260D	11/5/19	11/6/19 10:45	EEH
o-Xylene	0.40	1.0	0.17	µg/L	1	J	SW-846 8260D	11/5/19	11/6/19 10:45	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	94.7	70-130	11/6/19 10:45
Toluene-d8	99.0	70-130	11/6/19 10:45
4-Bromofluorobenzene	102	70-130	11/6/19 10:45

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Dunn, NC

Sample Description:

Work Order: 19K0021

Date Received: 10/31/2019

Field Sample #: TW-1

Sampled: 10/29/2019 12:30

Sample ID: 19K0021-01

Sample Matrix: Ground Water

Semivolatile Organic Compounds by GC/MS

Analyte	Results	RL	DL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acenaphthene (SIM)	0.30	0.30	0.033	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Acenaphthylene (SIM)	0.095	0.20	0.035	µg/L	1	J	SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Anthracene (SIM)	ND	0.20	0.032	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Benzo(a)anthracene (SIM)	ND	0.050	0.016	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Benzo(a)pyrene (SIM)	ND	0.10	0.012	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Benzo(b)fluoranthene (SIM)	ND	0.050	0.015	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Benzo(g,h,i)perylene (SIM)	ND	0.50	0.018	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Benzo(k)fluoranthene (SIM)	ND	0.20	0.012	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Chrysene (SIM)	ND	0.20	0.015	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Dibenz(a,h)anthracene (SIM)	ND	0.10	0.017	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Fluoranthene (SIM)	0.027	0.50	0.025	µg/L	1	J	SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Fluorene (SIM)	0.38	1.0	0.034	µg/L	1	J	SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Indeno(1,2,3-cd)pyrene (SIM)	ND	0.10	0.018	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
2-Methylnaphthalene (SIM)	4.9	1.0	0.062	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Naphthalene (SIM)	3.2	1.0	0.26	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Phenanthrene (SIM)	0.42	0.050	0.030	µg/L	1		SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Pyrene (SIM)	0.025	1.0	0.023	µg/L	1	J	SW-846 8270E	11/5/19	11/6/19 18:18	CLA
Surrogates	% Recovery		Recovery Limits		Flag/Qual					
Nitrobenzene-d5	65.4		30-130				11/6/19 18:18			
2-Fluorobiphenyl	48.5		30-130				11/6/19 18:18			
p-Terphenyl-d14	63.0		30-130				11/6/19 18:18			



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

**Prep Method: SW-846 5030B-SW-846 8260D**

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
19K0021-01 [TW-1]	B245122	5	5.00	11/05/19

**Prep Method: SW-846 3510C-SW-846 8270E**

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
19K0021-01 [TW-1]	B245268	1000	1.00	11/05/19

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

## QUALITY CONTROL

## Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B245122 - SW-846 5030B

Blank (B245122-BLK1)

Prepared: 11/05/19 Analyzed: 11/06/19

Acetone	ND	50	µg/L							
Acrylonitrile	ND	5.0	µg/L							
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L							
Benzene	ND	1.0	µg/L							
Bromobenzene	ND	1.0	µg/L							
Bromochloromethane	ND	1.0	µg/L							
Bromodichloromethane	ND	0.50	µg/L							
Bromoform	ND	1.0	µg/L							
Bromomethane	ND	2.0	µg/L							
2-Butanone (MEK)	ND	20	µg/L							
tert-Butyl Alcohol (TBA)	ND	20	µg/L							
n-Butylbenzene	ND	1.0	µg/L							
sec-Butylbenzene	ND	1.0	µg/L							
tert-Butylbenzene	ND	1.0	µg/L							
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L							
Carbon Disulfide	ND	5.0	µg/L							
Carbon Tetrachloride	ND	1.0	µg/L							
Chlorobenzene	ND	1.0	µg/L							
Chlorodibromomethane	ND	0.50	µg/L							
Chloroethane	ND	2.0	µg/L							
Chloroform	ND	2.0	µg/L							
Chloromethane	ND	2.0	µg/L							
2-Chlorotoluene	ND	1.0	µg/L							
4-Chlorotoluene	ND	1.0	µg/L							
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L							
1,2-Dibromoethane (EDB)	ND	0.50	µg/L							
Dibromomethane	ND	1.0	µg/L							
1,2-Dichlorobenzene	ND	1.0	µg/L							
1,3-Dichlorobenzene	ND	1.0	µg/L							
1,4-Dichlorobenzene	ND	1.0	µg/L							
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L							
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L							
1,1-Dichloroethane	ND	1.0	µg/L							
1,2-Dichloroethane	ND	1.0	µg/L							
1,1-Dichloroethylene	ND	1.0	µg/L							
cis-1,2-Dichloroethylene	ND	1.0	µg/L							
trans-1,2-Dichloroethylene	ND	1.0	µg/L							
1,2-Dichloropropane	ND	1.0	µg/L							
1,3-Dichloropropane	ND	0.50	µg/L							
2,2-Dichloropropane	ND	1.0	µg/L							
1,1-Dichloropropene	ND	2.0	µg/L							
cis-1,3-Dichloropropene	ND	0.50	µg/L							
trans-1,3-Dichloropropene	ND	0.50	µg/L							
Diethyl Ether	ND	2.0	µg/L							
Diisopropyl Ether (DIPE)	ND	0.50	µg/L							
1,4-Dioxane	ND	50	µg/L							
Ethylbenzene	ND	1.0	µg/L							
Hexachlorobutadiene	ND	0.60	µg/L							
2-Hexanone (MBK)	ND	10	µg/L							
Isopropylbenzene (Cumene)	ND	1.0	µg/L							
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L							
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L							

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch B245122 - SW-846 5030B**

**Blank (B245122-BLK1)**

Prepared: 11/05/19 Analyzed: 11/06/19

Methylene Chloride	ND	5.0	µg/L							
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L							
Naphthalene	ND	2.0	µg/L							
n-Propylbenzene	ND	1.0	µg/L							
Styrene	ND	1.0	µg/L							
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L							
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L							
Tetrachloroethylene	ND	1.0	µg/L							
Tetrahydrofuran	ND	10	µg/L							
Toluene	ND	1.0	µg/L							
1,2,3-Trichlorobenzene	ND	5.0	µg/L							
1,2,4-Trichlorobenzene	ND	1.0	µg/L							
1,3,5-Trichlorobenzene	ND	1.0	µg/L							
1,1,1-Trichloroethane	ND	1.0	µg/L							
1,1,2-Trichloroethane	ND	1.0	µg/L							
Trichloroethylene	ND	1.0	µg/L							
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L							
1,2,3-Trichloropropane	ND	2.0	µg/L							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L							
1,2,4-Trimethylbenzene	ND	1.0	µg/L							
1,3,5-Trimethylbenzene	ND	1.0	µg/L							
Vinyl Chloride	ND	2.0	µg/L							
m+p Xylene	ND	2.0	µg/L							
o-Xylene	ND	1.0	µg/L							
Surrogate: 1,2-Dichloroethane-d4	23.6		µg/L	25.0		94.4	70-130			
Surrogate: Toluene-d8	24.4		µg/L	25.0		97.4	70-130			
Surrogate: 4-Bromofluorobenzene	24.4		µg/L	25.0		97.4	70-130			

**LCS (B245122-BS1)**

Prepared: 11/05/19 Analyzed: 11/06/19

Acetone	88.7	50	µg/L	100		88.7	70-160			†
Acrylonitrile	8.30	5.0	µg/L	10.0		83.0	70-130			
tert-Amyl Methyl Ether (TAME)	9.48	0.50	µg/L	10.0		94.8	70-130			
Benzene	10.7	1.0	µg/L	10.0		107	70-130			
Bromobenzene	10.4	1.0	µg/L	10.0		104	70-130			
Bromochloromethane	10.4	1.0	µg/L	10.0		104	70-130			
Bromodichloromethane	10.5	0.50	µg/L	10.0		105	70-130			
Bromoform	9.77	1.0	µg/L	10.0		97.7	70-130			
Bromomethane	9.88	2.0	µg/L	10.0		98.8	40-160		V-20	†
2-Butanone (MEK)	87.5	20	µg/L	100		87.5	40-160			†
tert-Butyl Alcohol (TBA)	80.3	20	µg/L	100		80.3	40-160			†
n-Butylbenzene	9.81	1.0	µg/L	10.0		98.1	70-130			
sec-Butylbenzene	11.1	1.0	µg/L	10.0		111	70-130			
tert-Butylbenzene	10.9	1.0	µg/L	10.0		109	70-130			
tert-Butyl Ethyl Ether (TBEE)	9.24	0.50	µg/L	10.0		92.4	70-130			
Carbon Disulfide	11.8	5.0	µg/L	10.0		118	70-130			
Carbon Tetrachloride	10.3	1.0	µg/L	10.0		103	70-130			
Chlorobenzene	11.4	1.0	µg/L	10.0		114	70-130			
Chlorodibromomethane	10.0	0.50	µg/L	10.0		100	70-130			
Chloroethane	11.6	2.0	µg/L	10.0		116	70-130			
Chloroform	10.4	2.0	µg/L	10.0		104	70-130			
Chloromethane	9.02	2.0	µg/L	10.0		90.2	40-160			
2-Chlorotoluene	10.6	1.0	µg/L	10.0		106	70-130		V-20	†

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B245122 - SW-846 5030B</b>										
<b>LCS (B245122-BS1)</b>										
					Prepared: 11/05/19 Analyzed: 11/06/19					
4-Chlorotoluene	10.5	1.0	µg/L	10.0		105	70-130			
1,2-Dibromo-3-chloropropane (DBCP)	9.08	5.0	µg/L	10.0		90.8	70-130			
1,2-Dibromoethane (EDB)	10.8	0.50	µg/L	10.0		108	70-130			
Dibromomethane	10.4	1.0	µg/L	10.0		104	70-130			
1,2-Dichlorobenzene	11.0	1.0	µg/L	10.0		110	70-130			
1,3-Dichlorobenzene	11.5	1.0	µg/L	10.0		115	70-130			
1,4-Dichlorobenzene	11.2	1.0	µg/L	10.0		112	70-130			
trans-1,4-Dichloro-2-butene	7.67	2.0	µg/L	10.0		76.7	70-130			
Dichlorodifluoromethane (Freon 12)	8.34	2.0	µg/L	10.0		83.4	40-160			†
1,1-Dichloroethane	10.7	1.0	µg/L	10.0		107	70-130			
1,2-Dichloroethane	9.98	1.0	µg/L	10.0		99.8	70-130			
1,1-Dichloroethylene	11.0	1.0	µg/L	10.0		110	70-130			
cis-1,2-Dichloroethylene	10.6	1.0	µg/L	10.0		106	70-130			
trans-1,2-Dichloroethylene	10.5	1.0	µg/L	10.0		105	70-130			
1,2-Dichloropropane	10.8	1.0	µg/L	10.0		108	70-130			
1,3-Dichloropropane	10.3	0.50	µg/L	10.0		103	70-130			
2,2-Dichloropropane	8.49	1.0	µg/L	10.0		84.9	40-130			†
1,1-Dichloropropene	10.5	2.0	µg/L	10.0		105	70-130			
cis-1,3-Dichloropropene	10.0	0.50	µg/L	10.0		100	70-130			
trans-1,3-Dichloropropene	9.41	0.50	µg/L	10.0		94.1	70-130			
Diethyl Ether	10.8	2.0	µg/L	10.0		108	70-130			
Diisopropyl Ether (DIPE)	10.1	0.50	µg/L	10.0		101	70-130			
1,4-Dioxane	86.6	50	µg/L	100		86.6	40-130			†
Ethylbenzene	11.0	1.0	µg/L	10.0		110	70-130			
Hexachlorobutadiene	9.83	0.60	µg/L	10.0		98.3	70-130			
2-Hexanone (MBK)	84.3	10	µg/L	100		84.3	70-160			†
Isopropylbenzene (Cumene)	11.1	1.0	µg/L	10.0		111	70-130			
p-Isopropyltoluene (p-Cymene)	10.7	1.0	µg/L	10.0		107	70-130			
Methyl tert-Butyl Ether (MTBE)	10.3	1.0	µg/L	10.0		103	70-130			
Methylene Chloride	11.0	5.0	µg/L	10.0		110	70-130			
4-Methyl-2-pentanone (MIBK)	86.6	10	µg/L	100		86.6	70-160			†
Naphthalene	7.64	2.0	µg/L	10.0		76.4	40-130			†
n-Propylbenzene	10.6	1.0	µg/L	10.0		106	70-130			
Styrene	10.9	1.0	µg/L	10.0		109	70-130			
1,1,1,2-Tetrachloroethane	11.3	1.0	µg/L	10.0		113	70-130			
1,1,2,2-Tetrachloroethane	10.8	0.50	µg/L	10.0		108	70-130			
Tetrachloroethylene	11.5	1.0	µg/L	10.0		115	70-130			
Tetrahydrofuran	9.60	10	µg/L	10.0		96.0	70-130			J
Toluene	10.9	1.0	µg/L	10.0		109	70-130			
1,2,3-Trichlorobenzene	8.06	5.0	µg/L	10.0		80.6	70-130			
1,2,4-Trichlorobenzene	8.70	1.0	µg/L	10.0		87.0	70-130			
1,3,5-Trichlorobenzene	9.18	1.0	µg/L	10.0		91.8	70-130			
1,1,1-Trichloroethane	10.4	1.0	µg/L	10.0		104	70-130			
1,1,2-Trichloroethane	11.0	1.0	µg/L	10.0		110	70-130			
Trichloroethylene	11.1	1.0	µg/L	10.0		111	70-130			
Trichlorofluoromethane (Freon 11)	9.61	2.0	µg/L	10.0		96.1	70-130			
1,2,3-Trichloropropane	10.3	2.0	µg/L	10.0		103	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.5	1.0	µg/L	10.0		115	70-130			
1,2,4-Trimethylbenzene	10.8	1.0	µg/L	10.0		108	70-130			
1,3,5-Trimethylbenzene	10.4	1.0	µg/L	10.0		104	70-130			
Vinyl Chloride	9.58	2.0	µg/L	10.0		95.8	40-160			†

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch B245122 - SW-846 5030B**

**LCS (B245122-BS1)**

Prepared: 11/05/19 Analyzed: 11/06/19

m+p Xylene	21.3	2.0	µg/L	20.0		106	70-130			
o-Xylene	11.1	1.0	µg/L	10.0		111	70-130			
Surrogate: 1,2-Dichloroethane-d4	23.4		µg/L	25.0		93.6	70-130			
Surrogate: Toluene-d8	25.0		µg/L	25.0		99.9	70-130			
Surrogate: 4-Bromofluorobenzene	24.6		µg/L	25.0		98.4	70-130			

**LCS Dup (B245122-BSD1)**

Prepared: 11/05/19 Analyzed: 11/06/19

Acetone	91.2	50	µg/L	100		91.2	70-160	2.72	25	†
Acrylonitrile	9.01	5.0	µg/L	10.0		90.1	70-130	8.20	25	
tert-Amyl Methyl Ether (TAME)	9.41	0.50	µg/L	10.0		94.1	70-130	0.741	25	
Benzene	10.4	1.0	µg/L	10.0		104	70-130	3.23	25	
Bromobenzene	10.0	1.0	µg/L	10.0		100	70-130	4.00	25	
Bromochloromethane	10.4	1.0	µg/L	10.0		104	70-130	0.865	25	
Bromodichloromethane	10.2	0.50	µg/L	10.0		102	70-130	3.68	25	
Bromoform	10.2	1.0	µg/L	10.0		102	70-130	3.91	25	
Bromomethane	9.76	2.0	µg/L	10.0		97.6	40-160	1.22	25	V-20 †
2-Butanone (MEK)	89.8	20	µg/L	100		89.8	40-160	2.63	25	†
tert-Butyl Alcohol (TBA)	83.6	20	µg/L	100		83.6	40-160	4.00	25	†
n-Butylbenzene	9.65	1.0	µg/L	10.0		96.5	70-130	1.64	25	
sec-Butylbenzene	11.0	1.0	µg/L	10.0		110	70-130	1.18	25	
tert-Butylbenzene	10.8	1.0	µg/L	10.0		108	70-130	1.11	25	
tert-Butyl Ethyl Ether (TBEE)	9.17	0.50	µg/L	10.0		91.7	70-130	0.760	25	
Carbon Disulfide	10.8	5.0	µg/L	10.0		108	70-130	8.59	25	
Carbon Tetrachloride	10.2	1.0	µg/L	10.0		102	70-130	1.46	25	
Chlorobenzene	11.5	1.0	µg/L	10.0		115	70-130	0.610	25	
Chlorodibromomethane	9.73	0.50	µg/L	10.0		97.3	70-130	2.84	25	
Chloroethane	10.8	2.0	µg/L	10.0		108	70-130	7.24	25	
Chloroform	10.1	2.0	µg/L	10.0		101	70-130	2.53	25	
Chloromethane	8.77	2.0	µg/L	10.0		87.7	40-160	2.81	25	V-20 †
2-Chlorotoluene	10.7	1.0	µg/L	10.0		107	70-130	0.845	25	
4-Chlorotoluene	10.4	1.0	µg/L	10.0		104	70-130	1.34	25	
1,2-Dibromo-3-chloropropane (DBCP)	8.90	5.0	µg/L	10.0		89.0	70-130	2.00	25	
1,2-Dibromoethane (EDB)	10.7	0.50	µg/L	10.0		107	70-130	1.58	25	
Dibromomethane	10.2	1.0	µg/L	10.0		102	70-130	2.33	25	
1,2-Dichlorobenzene	11.0	1.0	µg/L	10.0		110	70-130	0.181	25	
1,3-Dichlorobenzene	11.4	1.0	µg/L	10.0		114	70-130	0.872	25	
1,4-Dichlorobenzene	10.9	1.0	µg/L	10.0		109	70-130	3.07	25	
trans-1,4-Dichloro-2-butene	8.71	2.0	µg/L	10.0		87.1	70-130	12.7	25	
Dichlorodifluoromethane (Freon 12)	8.23	2.0	µg/L	10.0		82.3	40-160	1.33	25	†
1,1-Dichloroethane	10.2	1.0	µg/L	10.0		102	70-130	4.40	25	
1,2-Dichloroethane	9.91	1.0	µg/L	10.0		99.1	70-130	0.704	25	
1,1-Dichloroethylene	10.6	1.0	µg/L	10.0		106	70-130	3.90	25	
cis-1,2-Dichloroethylene	10.1	1.0	µg/L	10.0		101	70-130	5.01	25	
trans-1,2-Dichloroethylene	10.3	1.0	µg/L	10.0		103	70-130	2.50	25	
1,2-Dichloropropane	10.8	1.0	µg/L	10.0		108	70-130	0.649	25	
1,3-Dichloropropane	10.4	0.50	µg/L	10.0		104	70-130	0.870	25	
2,2-Dichloropropane	8.15	1.0	µg/L	10.0		81.5	40-130	4.09	25	†
1,1-Dichloropropene	10.4	2.0	µg/L	10.0		104	70-130	1.06	25	
cis-1,3-Dichloropropene	9.73	0.50	µg/L	10.0		97.3	70-130	3.14	25	
trans-1,3-Dichloropropene	9.66	0.50	µg/L	10.0		96.6	70-130	2.62	25	
Diethyl Ether	10.3	2.0	µg/L	10.0		103	70-130	4.65	25	
Diisopropyl Ether (DIPE)	9.94	0.50	µg/L	10.0		99.4	70-130	1.99	25	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B245122 - SW-846 5030B</b>										
<b>LCS Dup (B245122-BSD1)</b>										
					Prepared: 11/05/19 Analyzed: 11/06/19					
1,4-Dioxane	92.6	50	µg/L	100		92.6	40-130	6.72	50	† ‡
Ethylbenzene	10.7	1.0	µg/L	10.0		107	70-130	2.12	25	
Hexachlorobutadiene	10.1	0.60	µg/L	10.0		101	70-130	2.41	25	
2-Hexanone (MBK)	84.4	10	µg/L	100		84.4	70-160	0.0712	25	†
Isopropylbenzene (Cumene)	10.6	1.0	µg/L	10.0		106	70-130	3.96	25	
p-Isopropyltoluene (p-Cymene)	10.5	1.0	µg/L	10.0		105	70-130	2.36	25	
Methyl tert-Butyl Ether (MTBE)	10.2	1.0	µg/L	10.0		102	70-130	0.585	25	
Methylene Chloride	10.6	5.0	µg/L	10.0		106	70-130	3.60	25	
4-Methyl-2-pentanone (MIBK)	90.1	10	µg/L	100		90.1	70-160	4.02	25	†
Naphthalene	8.02	2.0	µg/L	10.0		80.2	40-130	4.85	25	†
n-Propylbenzene	10.3	1.0	µg/L	10.0		103	70-130	2.11	25	
Styrene	10.4	1.0	µg/L	10.0		104	70-130	4.90	25	
1,1,1,2-Tetrachloroethane	11.3	1.0	µg/L	10.0		113	70-130	0.265	25	
1,1,2,2-Tetrachloroethane	11.1	0.50	µg/L	10.0		111	70-130	3.01	25	
Tetrachloroethylene	11.5	1.0	µg/L	10.0		115	70-130	0.348	25	
Tetrahydrofuran	10.0	10	µg/L	10.0		100	70-130	4.28	25	
Toluene	10.5	1.0	µg/L	10.0		105	70-130	3.82	25	
1,2,3-Trichlorobenzene	7.86	5.0	µg/L	10.0		78.6	70-130	2.51	25	
1,2,4-Trichlorobenzene	8.34	1.0	µg/L	10.0		83.4	70-130	4.23	25	
1,3,5-Trichlorobenzene	8.42	1.0	µg/L	10.0		84.2	70-130	8.64	25	
1,1,1-Trichloroethane	9.84	1.0	µg/L	10.0		98.4	70-130	5.24	25	
1,1,2-Trichloroethane	11.0	1.0	µg/L	10.0		110	70-130	0.364	25	
Trichloroethylene	11.1	1.0	µg/L	10.0		111	70-130	0.180	25	
Trichlorofluoromethane (Freon 11)	9.30	2.0	µg/L	10.0		93.0	70-130	3.28	25	
1,2,3-Trichloropropane	10.0	2.0	µg/L	10.0		100	70-130	2.85	25	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.1	1.0	µg/L	10.0		111	70-130	4.07	25	
1,2,4-Trimethylbenzene	10.7	1.0	µg/L	10.0		107	70-130	0.650	25	
1,3,5-Trimethylbenzene	9.97	1.0	µg/L	10.0		99.7	70-130	3.93	25	
Vinyl Chloride	9.25	2.0	µg/L	10.0		92.5	40-160	3.51	25	†
m+p Xylene	21.3	2.0	µg/L	20.0		106	70-130	0.0470	25	
o-Xylene	11.1	1.0	µg/L	10.0		111	70-130	0.541	25	
Surrogate: 1,2-Dichloroethane-d4	22.9		µg/L	25.0		91.5	70-130			
Surrogate: Toluene-d8	25.2		µg/L	25.0		101	70-130			
Surrogate: 4-Bromofluorobenzene	24.6		µg/L	25.0		98.5	70-130			

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Semivolatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B245268 - SW-846 3510C</b>										
<b>Blank (B245268-BLK1)</b>										
Prepared & Analyzed: 11/06/19										
Acenaphthene (SIM)	ND	0.30	µg/L							
Acenaphthylene (SIM)	ND	0.20	µg/L							
Anthracene (SIM)	ND	0.20	µg/L							
Benzo(a)anthracene (SIM)	ND	0.050	µg/L							
Benzo(a)pyrene (SIM)	ND	0.10	µg/L							
Benzo(b)fluoranthene (SIM)	ND	0.050	µg/L							
Benzo(g,h,i)perylene (SIM)	ND	0.50	µg/L							
Benzo(k)fluoranthene (SIM)	ND	0.20	µg/L							
Chrysene (SIM)	ND	0.20	µg/L							
Dibenz(a,h)anthracene (SIM)	ND	0.10	µg/L							
Fluoranthene (SIM)	ND	0.50	µg/L							
Fluorene (SIM)	ND	1.0	µg/L							
Indeno(1,2,3-cd)pyrene (SIM)	ND	0.10	µg/L							
2-Methylnaphthalene (SIM)	ND	1.0	µg/L							
Naphthalene (SIM)	ND	1.0	µg/L							
Phenanthrene (SIM)	ND	0.050	µg/L							
Pyrene (SIM)	ND	1.0	µg/L							
Surrogate: Nitrobenzene-d5	73.7		µg/L	100		73.7	30-130			
Surrogate: 2-Fluorobiphenyl	51.1		µg/L	100		51.1	30-130			
Surrogate: p-Terphenyl-d14	65.3		µg/L	100		65.3	30-130			
<b>LCS (B245268-BS1)</b>										
Prepared & Analyzed: 11/06/19										
Acenaphthene (SIM)	35.2	6.0	µg/L	50.0		70.4	40-140			
Acenaphthylene (SIM)	35.7	4.0	µg/L	50.0		71.4	40-140			
Anthracene (SIM)	38.2	4.0	µg/L	50.0		76.3	40-140			
Benzo(a)anthracene (SIM)	37.0	1.0	µg/L	50.0		74.1	40-140			
Benzo(a)pyrene (SIM)	37.4	2.0	µg/L	50.0		74.8	40-140			
Benzo(b)fluoranthene (SIM)	39.6	1.0	µg/L	50.0		79.2	40-140			
Benzo(g,h,i)perylene (SIM)	40.1	10	µg/L	50.0		80.2	40-140			
Benzo(k)fluoranthene (SIM)	39.8	4.0	µg/L	50.0		79.6	40-140			
Chrysene (SIM)	35.8	4.0	µg/L	50.0		71.7	40-140			
Dibenz(a,h)anthracene (SIM)	42.6	2.0	µg/L	50.0		85.2	40-140			
Fluoranthene (SIM)	37.3	10	µg/L	50.0		74.7	40-140			
Fluorene (SIM)	36.3	20	µg/L	50.0		72.6	40-140			
Indeno(1,2,3-cd)pyrene (SIM)	42.8	2.0	µg/L	50.0		85.6	40-140			
2-Methylnaphthalene (SIM)	34.3	20	µg/L	50.0		68.7	40-140			
Naphthalene (SIM)	32.7	20	µg/L	50.0		65.4	40-140			
Phenanthrene (SIM)	35.9	1.0	µg/L	50.0		71.8	40-140			
Pyrene (SIM)	36.4	20	µg/L	50.0		72.7	40-140			
Surrogate: Nitrobenzene-d5	74.9		µg/L	100		74.9	30-130			
Surrogate: 2-Fluorobiphenyl	56.8		µg/L	100		56.8	30-130			
Surrogate: p-Terphenyl-d14	59.6		µg/L	100		59.6	30-130			

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Semivolatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B245268 - SW-846 3510C</b>										
<b>LCS Dup (B245268-BSD1)</b>										
Prepared & Analyzed: 11/06/19										
Acenaphthene (SIM)	36.1	6.0	µg/L	50.0		72.2	40-140	2.47	20	
Acenaphthylene (SIM)	36.5	4.0	µg/L	50.0		73.0	40-140	2.22	20	
Anthracene (SIM)	39.5	4.0	µg/L	50.0		79.0	40-140	3.40	20	
Benzo(a)anthracene (SIM)	38.1	1.0	µg/L	50.0		76.2	40-140	2.82	20	
Benzo(a)pyrene (SIM)	38.7	2.0	µg/L	50.0		77.4	40-140	3.47	20	
Benzo(b)fluoranthene (SIM)	41.0	1.0	µg/L	50.0		82.0	40-140	3.43	20	
Benzo(g,h,i)perylene (SIM)	41.6	10	µg/L	50.0		83.3	40-140	3.82	20	
Benzo(k)fluoranthene (SIM)	41.8	4.0	µg/L	50.0		83.6	40-140	4.80	20	
Chrysene (SIM)	37.1	4.0	µg/L	50.0		74.1	40-140	3.35	20	
Dibenz(a,h)anthracene (SIM)	44.3	2.0	µg/L	50.0		88.5	40-140	3.78	20	
Fluoranthene (SIM)	38.4	10	µg/L	50.0		76.8	40-140	2.80	20	
Fluorene (SIM)	37.1	20	µg/L	50.0		74.2	40-140	2.23	20	
Indeno(1,2,3-cd)pyrene (SIM)	44.5	2.0	µg/L	50.0		88.9	40-140	3.76	20	‡
2-Methylnaphthalene (SIM)	35.8	20	µg/L	50.0		71.7	40-140	4.27	20	
Naphthalene (SIM)	33.0	20	µg/L	50.0		66.0	40-140	1.04	20	
Phenanthrene (SIM)	37.1	1.0	µg/L	50.0		74.2	40-140	3.18	20	
Pyrene (SIM)	37.4	20	µg/L	50.0		74.7	40-140	2.71	20	
Surrogate: Nitrobenzene-d5	77.8		µg/L	100		77.8	30-130			
Surrogate: 2-Fluorobiphenyl	59.4		µg/L	100		59.4	30-130			
Surrogate: p-Terphenyl-d14	60.7		µg/L	100		60.7	30-130			



**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
  - † Wide recovery limits established for difficult compound.
  - ‡ Wide RPD limits established for difficult compound.
  - # Data exceeded client recommended or regulatory level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.  
No results have been blank subtracted unless specified in the case narrative section.
- J Detected but below the Reporting Limit (lowest calibration standard); therefore, result is an estimated concentration (CLP J-Flag).
  - V-20 Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

**CERTIFICATIONS**

**Certified Analyses included in this Report**

Analyte	Certifications
<i>SW-846 8260D in Water</i>	
Acetone	NC
Acrylonitrile	NC
tert-Amyl Methyl Ether (TAME)	NC
Benzene	NC
Bromobenzene	NC
Bromochloromethane	NC
Bromodichloromethane	NC
Bromoform	NC
Bromomethane	NC
2-Butanone (MEK)	NC
tert-Butyl Alcohol (TBA)	NC
n-Butylbenzene	NC
sec-Butylbenzene	NC
tert-Butylbenzene	NC
tert-Butyl Ethyl Ether (TBEE)	NC
Carbon Disulfide	NC
Carbon Tetrachloride	NC
Chlorobenzene	NC
Chlorodibromomethane	NC
Chloroethane	NC
Chloroform	NC
Chloromethane	NC
2-Chlorotoluene	NC
4-Chlorotoluene	NC
1,2-Dibromo-3-chloropropane (DBCP)	NC
1,2-Dibromoethane (EDB)	NC
Dibromomethane	NC
1,2-Dichlorobenzene	NC
1,3-Dichlorobenzene	NC
1,4-Dichlorobenzene	NC
trans-1,4-Dichloro-2-butene	NC
Dichlorodifluoromethane (Freon 12)	NC
1,1-Dichloroethane	NC
1,2-Dichloroethane	NC
1,1-Dichloroethylene	NC
cis-1,2-Dichloroethylene	NC
trans-1,2-Dichloroethylene	NC
1,2-Dichloropropane	NC
1,3-Dichloropropane	NC
2,2-Dichloropropane	NC
1,1-Dichloropropene	NC
cis-1,3-Dichloropropene	NC
trans-1,3-Dichloropropene	NC
Diethyl Ether	NC
Diisopropyl Ether (DIPE)	NC
1,4-Dioxane	NC
Ethylbenzene	NC

**CERTIFICATIONS**

**Certified Analyses included in this Report**

Analyte	Certifications
<i>SW-846 8260D in Water</i>	
Hexachlorobutadiene	NC
2-Hexanone (MBK)	NC
Isopropylbenzene (Cumene)	NC
p-Isopropyltoluene (p-Cymene)	NC
Methyl tert-Butyl Ether (MTBE)	NC
Methylene Chloride	NC
4-Methyl-2-pentanone (MIBK)	NC
Naphthalene	NC
n-Propylbenzene	NC
Styrene	NC
1,1,1,2-Tetrachloroethane	NC
1,1,2,2-Tetrachloroethane	NC
Tetrachloroethylene	NC
Tetrahydrofuran	NC
Toluene	NC
1,2,3-Trichlorobenzene	NC
1,2,4-Trichlorobenzene	NC
1,3,5-Trichlorobenzene	NC
1,1,1-Trichloroethane	NC
1,1,2-Trichloroethane	NC
Trichloroethylene	NC
Trichlorofluoromethane (Freon 11)	NC
1,2,3-Trichloropropane	NC
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NC
1,2,4-Trimethylbenzene	NC
1,3,5-Trimethylbenzene	NC
Vinyl Chloride	NC
m+p Xylene	NC
o-Xylene	NC

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2017	100033	03/1/2020
MA	Massachusetts DEP	M-MA100	06/30/2020
CT	Connecticut Department of Public Health	PH-0567	09/30/2021
NY	New York State Department of Health	10899 NELAP	04/1/2020
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2020
RI	Rhode Island Department of Health	LAO00112	12/30/2019
NC	North Carolina Div. of Water Quality	652	12/31/2019
NJ	New Jersey DEP	MA007 NELAP	06/30/2020
FL	Florida Department of Health	E871027 NELAP	06/30/2020
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2020
ME	State of Maine	2011028	06/9/2021
VA	Commonwealth of Virginia	460217	12/14/2019
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2020
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2020
NC-DW	North Carolina Department of Health	25703	07/31/2020
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2020






**IMPORTANT!**

The wildfires are causing hazardous conditions in California. [Learn More](#)



411359783302



Delivered  
Friday 11/01/2019 at 9:02 am



**DELIVERED**

Signed for by: R.PETRIAS

[GET STATUS UPDATES](#)

[OBTAIN PROOF OF DELIVERY](#)

**FROM**  
Autryville, NC US

**TO**  
East Longmeadow, MA US

**Shipment Facts**

**TRACKING NUMBER**  
411359783302

**SERVICE**  
FedEx Priority Overnight

**WEIGHT**  
53.4 lbs / 24.22 kgs

**DELIVERED TO**  
Shipping/Receiving

**TOTAL PIECES**  
1

**TOTAL SHIPMENT WEIGHT**  
53.4 lbs / 24.22 kgs

**RETURN REASON**

**TERMS**  
Third Party

**PACKAGING**  
Your Packaging

**SPECIAL HANDLING SECTION**  
Deliver Weekday

**STANDARD TRANSIT**  
 11/01/2019 by 10:30 am

**SHIP DATE**  
 Thu 10/31/2019

**ACTUAL DELIVERY**  
Fri 11/01/2019 9:02 am

**Travel History**

Local Scan Time

Friday, 11/01/2019

9:02 am	East Longmeadow, MA	Delivered
7:45 am	WINDSOR LOCKS, CT	On FedEx vehicle for delivery
6:27 am	EAST GRANBY, CT	At destination sort facility

I Have Not Confirmed Sample Container Numbers With Lab Staff Before Relinquishing Over Samples \_\_\_\_\_



**con-test**<sup>®</sup>  
ANALYTICAL LABORATORY

Doc# 277 Rev 5 2017

**Login Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False Statement will be brought to the attention of the Client - State True or False**

Client S+ME

Received By ASP Date 11/1/19 Time 9:02

How were the samples received? In Cooler T No Cooler \_\_\_\_\_ On Ice T No Ice \_\_\_\_\_  
 Direct from Sampling \_\_\_\_\_ Ambient \_\_\_\_\_ Melted Ice \_\_\_\_\_

Were samples within Temperature? 2-6°C T By Gun # 2 Actual Temp - U.I  
 By Blank # \_\_\_\_\_ Actual Temp - \_\_\_\_\_

Was Custody Seal Intact? NA Were Samples Tampered with? NA  
 Was COC Relinquished? T Does Chain Agree With Samples? T

Are there broken/leaking/loose caps on any samples? F

Is COC in ink/ Legible? T Were samples received within holding time? T  
 Did COC include all pertinent Information? Client T Analysis T Sampler Name T  
 Project T ID's T Collection Dates/Times T

Are Sample labels filled out and legible? T  
 Are there Lab to Filters? F Who was notified? \_\_\_\_\_  
 Are there Rushes? F Who was notified? \_\_\_\_\_  
 Are there Short Holds? F Who was notified? \_\_\_\_\_

Is there enough Volume? T  
 Is there Headspace where applicable? F MS/MSD? F  
 Proper Media/Containers Used? T Is splitting samples required? F  
 Were trip blanks received? F On COC? F  
 Do all samples have the proper pH? NA Acid \_\_\_\_\_ Base \_\_\_\_\_

Vials	#	Containers:	#	#	#
Unp-		1 Liter Amb.	2	1 Liter Plastic	16 oz Amb.
HCL-	3	500 mL Amb.		500 mL Plastic	8oz Amb/Clear
Meoh-		250 mL Amb.		250 mL Plastic	4oz Amb/Clear
Bisulfate-		Flashpoint		Col./Bacteria	2oz Amb/Clear
DI-		Other Glass		Other Plastic	Encore
Thiosulfate-		SOC Kit		Plastic Bag	Frozen:
Sulfuric-		Perchlorate		Ziplock	

**Unused Media**

Vials	#	Containers:	#	#	#
Unp-		1 Liter Amb.		1 Liter Plastic	16 oz Amb.
HCL-		500 mL Amb.		500 mL Plastic	8oz Amb/Clear
Meoh-		250 mL Amb.		250 mL Plastic	4oz Amb/Clear
Bisulfate-		Col./Bacteria		Flashpoint	2oz Amb/Clear
DI-		Other Plastic		Other Glass	Encore
Thiosulfate-		SOC Kit		Plastic Bag	Frozen:
Sulfuric-		Perchlorate		Ziplock	

Comments: