



December 14, 2018

North Carolina Department of Transportation
Geotechnical Unit
Mail Service Center 1592
Raleigh, North Carolina 27699-1592

Attention: Mr. Craig Haden

email: cehaden@ncdot.gov

Reference: **Preliminary Site Assessment Report**
NCDOT Project I-5986B, WBS Element 47532.1.3
Parcel 21-Paul Williams Trucking
2981 Bud Hawkins Road
Dunn, Harnett County, North Carolina
S&ME Project 4305-18-175

Dear Mr. Haden:

S&ME, Inc. (S&ME) is submitting this Preliminary Site Assessment (PSA) Report to the North Carolina Department of Transportation (NCDOT). This report presents the background/project information, field activities, findings, conclusions, and recommendations. These services were performed in general accordance with S&ME Proposal No. 43-1800583 REV-02 dated August 16, 2018, and Contract Number 7000018853 dated April 12, 2018 between NCDOT and S&ME, Inc., authorized by NCDOT in its August 20, 2018 Notice to Proceed Letter.

◆ Background/Project Information

Based on NCDOT's July 30, 2018, Request for Technical and Cost Proposal, the PSA was conducted within the NCDOT right-of-way (ROW) and/or easement as indicated on the preliminary plan sheets provided by NCDOT at the following property:

NCDOT Parcel No.	Property Owner	Site Address
21	Paul and Tammy Williams	(Paul Williams Trucking) 2981 Bud Hawkins Road, Dunn, NC

The PSA included a geophysical survey, subsequent limited soil sampling (four soil borings up to 10 feet below ground surface (ft.-bgs.) and limited groundwater sampling (one groundwater sample), within accessible areas of the proposed ROW/easement in preparation for construction activities. **Figure 1** shows the vicinity and site location, and **Figure 2** shows the site and boring locations. Soil and groundwater sampling results are shown on **Figure 3**.



◆ Field Services

Prior to field activities, a site specific Health and Safety Plan was prepared as required by the Occupational Health and Safety Act (OSHA). Underground utilities were located and marked by the North Carolina One-Call Service. A private utility locator (Troxler Geologic, Inc.) was also used to locate and mark underground utilities.

◆ Geophysical Survey

On September 11, 2018, S&ME personnel performed a geophysical survey within accessible areas of the proposed ROW/easement at Parcel 21. S&ME used a combination of the Time Domain Electromagnetic (TDEM) and Ground Penetrating Radar (GPR) methods to explore for buried subsurface features at the site such as underground storage tanks (USTs) and other possible buried obstructions. Brief descriptions of the proposed complementary geophysical techniques are presented in the following paragraphs.

Time Domain Electromagnetics (TDEM)

TDEM measures the electrical conductivity of subsurface materials and discriminates between moderately conductive earth materials and very conductive metallic targets within the shallow subsurface. The conductivity is determined by transmitting a time-varying magnetic pulse into the subsurface and measuring the amplitude and phase shift of the secondary magnetic field. The secondary magnetic field is created when the conductive materials become an inductor as the primary magnetic field is passed through them. TDEM data are acquired continuously at a walking pace typically along a series of parallel or perpendicular lines. The system generates audible and visual indications when metallic targets are encountered. These measurements can also be supported with a global positioning system (GPS) which is output directly into the TDEM data file.

We used a Geonics Limited EM-61 MK2 TDEM system in general accordance with ASTM D6820-02 (2007) "Standard Guide for Use of the Time Domain Electromagnetic Method for Subsurface Investigation." Data was collected along lines spaced at approximately five feet using a Juniper® Systems Geode™ sub-meter GPS as positioning support. The presence of vehicles, ditches, and other surficial obstructions within the requested survey area however prevented TDEM data collection in several locations. The approximate TDEM data collection paths are presented in **Figure 4**. Golden Software's Surfer® program was used to grid and plot the data (**Figures 5 and 6**). The TDEM data has been presented as Plots A and B in order to provide both opaque and transparent views, respectively.

Ground Penetrating Radar (GPR)

GPR transmits electromagnetic waves into the subsurface from an antenna at a specific frequency and measures the time for wave reflections to be received by interfaces between materials with differing material properties (e.g. soil/metal, etc.). The intensity of the reflected GPR wave is a function of the contrast in the material properties (i.e. dielectric permittivity) at the interface, the conductivity of the material that the wave is traveling through, and the frequency of the signal.

We used a Geophysical Survey Systems, Inc. (GSSI) SIR® 3000 GPR system equipped with a 400 MHz antenna in general accordance with ASTM D6432-11 "Standard Guide for Using the Surface Ground Penetrating Radar Method for Subsurface Investigation" to further characterize anomalies/features identified during the TDEM survey.



A total of three (3) GPR profiles (Lines 1 through 3) were collected for documentation (**Figure 7**). The data was post-processed using the GSSI Radan® 7 GPR software program for additional analysis.

Geophysical Findings

Responses indicative of a potential UST were not identified in the geophysical data sets collected at the site. However, one anomalous feature (Anomaly A) was identified in both the TDEM and GPR data sets (**Figures 5 through 7**). Anomaly A is characterized by relatively higher TDEM values (greater than about 100 mV) and a high amplitude GPR response at about three feet below ground surface (bgs). Anomaly A is likely related to a buried isolated metallic target. The identified anomaly was also marked in the field using white spray paint. Example GPR profiles are presented in **Figure 8**.

◆ Soil Sampling

On October 2, 2018, S&ME's drill crew utilized a track mounted Geoprobe® rig to advance four soil borings (B-1 through B-4) and to collect soil samples within accessible areas of the proposed ROW/easement at Parcel 21. The approximate location of the soil borings are shown in **Figure 2**. A photographic log is included in **Appendix I**. S&ME's drill crew advanced the Geoprobe® borings to a depth of approximately 10 ft.-bgs. During the advancement of the soil borings, groundwater was encountered at a depth of approximately six ft.-bgs. Soil samples were continuously collected in four-foot long disposable acetate-plastic sleeves that line the hollow stainless-steel sample probes. Soil recovered from the sleeves was classified on-site by S&ME personnel and screened with a Photoionization Detector (PID) at approximately two foot depth intervals to measure relative headspace concentrations of volatile organic compounds (VOCs).

VOC headspace readings were obtained from an aliquot of each soil sample that was placed in a re-sealable bag. Another portion of the sample was placed in a separate re-sealable bag and stored in an insulated container with ice for possible laboratory analyses. After waiting approximately 15 minutes to allow the sample to reach ambient temperature and headspace equilibrium, the PID probe was inserted into the bag to obtain a headspace reading. A summary of the PID readings and logs of the soil borings are included in **Appendix II**.

No petroleum odors, staining or elevated PID readings were noted within the collected soil samples. Therefore, two soil samples (two to four foot depth interval and four to six foot depth interval) were selected from each boring and provided to RED Lab, LLC (Red Lab) for on-site analysis. A total of eight soil samples (two per boring) were analyzed by RED Lab for Total Petroleum Hydrocarbons (TPH)-Gasoline Range Organics (GRO) and Diesel Range Organics (DRO) using ultra-violet fluorescence (UVF) spectroscopy with product (fuel) identification.

Soil Analytical Results

Based upon analytical results of soil samples analyzed by RED Lab using UVP spectroscopy, TPH-GRO and TPH-DRO were not reported at concentrations exceeding the laboratory method reporting limits. A summary of the soil analytical results is presented in **Table 1** and shown on **Figure 3**. A copy of the laboratory analytical report provided by RED Lab is presented in **Appendix III**.



◆ Groundwater Sampling

During the advancement of the soil borings, groundwater was encountered within approximately 10 ft.-bgs. Therefore, the Geoprobe® was used to advance one of the soil borings into the groundwater table for the collection of a groundwater sample. Due to the lack of evidence of a release, soil boring B-2 was selected at random for the collection of a groundwater sample. A temporary monitor well (TW-1) was installed at soil boring B-2 to a depth of approximately eight ft.-bgs using a five foot section of one-inch diameter, Schedule 40 PVC well riser attached to a five foot section of 0.01-inch slotted screen that intersected the groundwater table. Groundwater within the temporary monitor well at soil boring B-2 was measured at 4.9 ft.-bgs. Groundwater from the temporary well was purged until relatively clear using disposable tubing attached to a peristaltic pump. The flow rate was reduced and laboratory supplied containers were filled directly from the tubing, labeled as TW-1 Parcel 21, and placed in an insulated cooler with ice for transport to Con-Test Laboratories for analysis of VOCs by EPA Method 8260 and polycyclic aromatic compounds (PAHs) by EPA Method 8270.

Upon completion of the soil and groundwater sampling, the well materials were removed and the soil borings backfilled with bentonite pellets and soil cuttings. Investigative derived wastes (IDW), such as soil cuttings generated during the soil boring advancement and decontamination water, were spread on the ground in accordance with the procedures specified by North Carolina Department of Environmental Quality (NCDEQ). Used gloves and tubing were bagged and disposed off-site.

Groundwater Analytical Results

Based upon analytical results of groundwater samples analyzed by Con-Test Laboratories, no target constituents were reported at concentrations exceeding the laboratory method reporting limits. A summary of the groundwater analytical results is presented in **Table 2** and shown on **Figure 3**. A copy of the laboratory analytical report provided by Con-Test Laboratories is presented in **Appendix III**.

◆ Conclusion and Recommendations

The geophysical survey identified one anomaly (Anomaly A) which is likely related to a buried isolated metallic target. Responses indicative of a potential UST were not identified in the geophysical data sets collected at the site.

S&ME advanced four soil borings (B-1 through B-4) to a depth of approximately 10 ft.-bgs at the site. No petroleum odors, staining or elevated PID readings were noted within soil samples collected from the soil borings. Selected soil samples from the soil borings were analyzed onsite for TPH-GRO and TPH-DRO using UVF spectroscopy. TPH-GRO and TPH-DRO were not reported in the soil samples at concentrations exceeding the laboratory method reporting limits. During the soil boring advancement, groundwater was encountered at a depth of approximately six ft.-bgs. One temporary well (TW-1) was installed at soil boring B-2. Groundwater at TW-1 was measured at 4.9 ft.-bgs and analyzed by Con-Test Laboratories for VOCs by EPA Method 8260 and PAHs by EPA Method 8270. No target constituents were reported in the groundwater sample at concentrations exceeding the laboratory method reporting limits.

Based on the findings of the geophysical survey and analytical results of soil and groundwater samples, no recommendations are provided.



◆ **Limitations**

The results of this preliminary investigation are limited to the boring locations presented herein. The results of this Preliminary Site Assessment are not all inclusive and may not represent existing conditions across the entire property. These results only reflect the current conditions at the locations sampled on the date this Preliminary Site Assessment was performed. This report has been prepared in accordance with generally accepted environmental engineering and geophysical practice for specific application to this project. The conclusions and recommendations contained in this report are based upon applicable standards of our practice in this geographic area at the time this report was prepared. No other warranty, expressed or implied, is made.

The geophysical methods used for this survey have inherent limitations. Site metallic features (e.g., buildings, reinforced concrete, vehicles, etc.) and overhead transmission lines can produce a false electromagnetic response and may mask subsurface features. The depth of exploration of the GPR signal is highly site specific, and is greatly limited by signal attenuation (absorption) of the subsurface materials. Signal attenuation is dependent upon the electrical conductivity of the subsurface materials. Signal attenuation is greatest in materials with relatively high electrical conductivities such as clay soils, and lowest in relatively low conductivity materials such as unsaturated sand. For this project location, the GPR data sets appear to have a maximum depth of penetration of approximately about five feet below ground surface.

Regardless of the thoroughness of a geophysical study, there is always a possibility that actual conditions may not match the interpretations. The results should be considered accurate only to the degree implied by the methods used and the method's limitations and data coverage. Accordingly, the possibility exists that not all features at a project site will be located due to either subsurface soil conditions or the occurrence of features outside the lateral limits and below the depth of penetration of the methods used. As with most surface geophysical methods, resolution of the subsurface will also decrease with depth. As such, the size and/or contrast of features compared to the imaged subsurface media must be significant enough to produce the anticipated response. The location and/or determination (or the lack thereof) of potential buried features is based on our review of the provided information and of the geophysical survey. Under no circumstances does S&ME assume any responsibility for damages resulting from the presence of subsurface features that may exist but were not identified by our survey.



Preliminary Site Assessment Report
NCDOT Project I-5986B, WBS Element 47532.1.3
Parcel 21-Paul Williams Trucking
Dunn, Harnett County, North Carolina
S&ME Project No. 4305-18-175

This Preliminary Site Assessment was performed solely for NCDOT regarding the above-referenced site and assessment area. This report is provided for the sole use of NCDOT. Use of this report by any other parties will be at such party's sole risk. S&ME disclaims liability for any such use or reliance by third parties. The observations presented in this report are indicative of conditions during the time of the assessment and of the specific areas referenced.

◆ Closing

S&ME appreciates the opportunity to provide these services to you. If you have any questions or comments regarding this report, please contact us at your convenience.

Sincerely,

S&ME, Inc.

Jamie T Honeycutt
Environmental Professional
jhoneycutt@smeinc.com


DocuSigned by:
Jamie Honeycutt
4C890EAEC25F488...

Michael W. Pfeifer
Senior Project Manager
mpfeifer@smeinc.com

DocuSigned by:
Michael Pfeifer
861E52DDEFAF4C7...

Thomas P. Raymond, P.E., P.M.P.
Senior Consultant
traymond@smeinc.com

DocuSigned by:
Tom Raymond
D4B9FB5F636F4BB...



Attachments:

1/22/2019

Table 1: Summary of Soil Sampling Results

Table 2: Summary of Groundwater Sampling Results

Figure 1: Vicinity Map

Figure 2: Site Map

Figure 3: Soil and Groundwater Constituent Map

Figure 4: TDEM Path Location Plan

Figure 5: TDEM Data Plot A

Figure 6: TDEM Data Plot B

Figure 7: Geophysical Anomaly Location Plan

Figure 8: Example GPR Data – Lines 2 and 3

Appendix I: Photographs

Appendix II: Boring Logs

Appendix III: Laboratory Analytical Reports and Chain of Custody

Tables



TABLE 1
SUMMARY OF SOIL SAMPLING RESULTS
NCDOT Project I-5986B
Parcel 21 - (Paul Williams Trucking)
2981 Bud Hawkins Road
Dunn, Harnett County, North Carolina
S&ME Project No. 4305-18-175

Analytical Method→			Total Petroleum Hydrocarbons (TPH) Gasoline Range Organics (GRO) and Diesel Range Organics (DRO) by Ultraviolet Fluorescence (UVF) Spectrometry	
Sample ID	Date	Contaminant of Concern→	TPH-GRO	TPH-DRO
		Sample Depth (ft.-bgs)		
Parcel 21 B-1	10/2/2018	2 to 4	<0.58	<0.58
		4 to 6	<0.63	<0.63
Parcel 21 B-2	10/2/2018	2 to 4	<0.47	<0.47
		4 to 6	<0.56	<0.56
Parcel 21 B-3	10/2/2018	2 to 4	<0.43	<0.43
		4 to 6	<0.24	<0.24
Parcel 21 B-4	10/2/2018	2 to 4	<0.31	<0.31
		4 to 6	<0.19	<0.19
North Carolina TPH Action Levels			50	100

Notes:

1. UVF analysis performed by RED Lab, LLC
2. Concentrations are reported in milligrams per kilogram (mg/Kg).
3. ft.-bgs:- feet below ground surface.
4. Concentrations exceeding the laboratory's reporting limits are shown in **BOLD** fields.
5. Concentrations exceeding the North Carolina TPH Action Levels are shown in Shaded and **BOLD** fields.



TABLE 2
SUMMARY OF GROUNDWATER SAMPLING RESULTS
NCDOT Project I-5986B
Parcel 21 - (Paul Williams Trucking)
2981 Bud Hawkins Road
Dunn, Harnett County, North Carolina
S&ME Project No. 4305-18-175


Analytical Method→		Volatile Organic Compounds by EPA Method 8260	Polycyclic Aromatic Compounds (PAHs) by EPA Method 8270
Sample ID	Contaminant of Concern→	Constituent Specific	Constituent Specific
	Date		
TW-1 Parcel 21	10/2/2018	Below laboratory method reporting limits	Below laboratory method reporting limits
2L Standard (µg/L)		Not Applicable	Not Applicable

Notes:


1. Analytes that are not shown for the method were not detected.
2. Concentrations are reported in micrograms per liter (µg/L).
3. 2L Standard: North Carolina Groundwater Quality Standards: 15A NCAC 2L.0202
4. Concentrations exceeding the laboratory's reporting limits are shown in **BOLD** fields.
5. Concentrations exceeding the 2L Standards are shown in Shaded and **BOLD** fields.


Figures

Drawing Path: C:\Users\shastele\Desktop\NCDOT\Parcel21\VICINITY.mxd plotted by abentz 10-26-2018




REFERENCE:
 GIS BASE LAYERS WERE OBTAINED FROM THE USGS NATIONAL TOPO MAP VIEWER. THIS MAP IS FOR INFORMATIONAL PURPOSES ONLY. ALL FEATURE LOCATIONS DISPLAYED ARE APPROXIMATED. THEY ARE NOT BASED ON CIVIL SURVEY INFORMATION, UNLESS STATED OTHERWISE.

	VICINITY MAP		SCALE: 1" = 2,000'	1
	NCDOT I-5986B PARCEL 21 (PAUL WILLIAMS TRUCKING) 2981 BUD HAWKINS ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA		DATE: 10-26-18	
			PROJECT NUMBER 4305-18-175	





LEGEND

- Geoenvironmental Boring:
- Underground Storage Tank (UST):
- TW-1: Temporary Monitor Well Location
- Map Source: NCDOT Project I-5986B
- Image Source: NC ONEMAP, Dated 2016
- Known Soil Contamination:
- Possible Soil Contamination:



	SITE MAP		SCALE: 1" = 100'	2
	NCDOT PROJECT: I-5986B PARCEL 21 - (PAUL WILLIAMS TRUCKING) 2981 Bud Hawkins Rd., Dunn, Harnett County, NC		DATE: DEC. 2018	
			PROJECT NUMBER 4305-18-175	



B-3		
(ft-bgs)	(mg/kg)	
Sample Depth	GRO	DRO
2-4	< 0.43	< 0.43
4-6	< 0.24	< 0.24

B-1		
(ft-bgs)	(mg/kg)	
Sample Depth	GRO	DRO
2-4	< 0.58	< 0.58
4-6	< 0.63	< 0.63

B-4		
(ft-bgs)	(mg/kg)	
Sample Depth	GRO	DRO
2-4	< 0.31	< 0.31
4-6	< 0.19	< 0.19

B-2		
(ft-bgs)	(mg/kg)	
Sample Depth	GRO	DRO
2-4	< 0.47	< 0.47
4-6	< 0.56	< 0.56


TW-1		µg/L
Method 8260		BDL
Method 8270 (PAH)		BDL

mg/kg: Milligrams per Kilogram
 µg/L: Micrograms per Liter
 GRO: Total Petroleum Hydrocarbon Gasoline Range Organics
 DRO: Total Petroleum Hydrocarbon Diesel Range Organics
 *Indicates Exceedence of NC TPH Action Levels
 #Indicated Exceedence of 2L Groundwater Samples
 ft-bgs: Feet Below Ground Surface
 BDL: Below Detection Limits
 PAH: Polycyclic Aromatic Compounds

Samples Collected 10-2-2018.

GRO/DRO Analyzed by Ultraviolet Fluorescence (UVF) by RED Lab, LLC.

- Sample Location
- ROW Proposed Right-of-Way
- Edge of Pavement
- Centerline
- Proposed Permanent Utility Easement
- Proposed Construction Easement
- Tax Parcels



REFERENCE:
 GIS BASE LAYERS WERE OBTAINED FROM THE 2017 NCONMAP AERIAL ORTHOIMAGERY LAYER AND HARNETT COUNTY ROAD SHAPEFILE. THIS MAP IS FOR INFORMATIONAL PURPOSES ONLY. ALL FEATURE LOCATIONS DISPLAYED ARE APPROXIMATED. THEY ARE NOT BASED ON CIVIL SURVEY INFORMATION, UNLESS STATED OTHERWISE.

Drawing Path: C:\Users\steele\Desktop\NDOT\Parcel21\CONSTITUENT.mxd plotted by abentz 10-26-2018

SOIL AND GROUNDWATER CONSTITUENT MAP

NCDOT 1-5986B
 PARCEL 21 (PAUL WILLIAMS TRUCKING)
 2981 BUD HAWKINS ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:
 1" = 100'

DATE:
 10-26-18

PROJECT NUMBER
 4305-18-175

FIGURE NO.
3



REFERENCE:
 (GOOGLE EARTH PRO) AERIAL PHOTOGRAPH
 (DATED, MARCH, 04 2018)



Google Earth
 © 2018 Google

LEGEND

- ■ ■ ■ ■ Approximate TDEM Path
- Approximate Requested Survey Area

TDEM PATH LOCATION PLAN

NCDOT PROJECT: I-59866
 PARCEL 21 - (PAUL WILLIAMS TRUCKING)
 2981 BUD HAWKINS ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:
 AS SHOWN

DATE:
 10/29/2018

PROJECT NUMBER
 4305-18-175

FIGURE NO.

4



REFERENCE:
(GOOGLE EARTH PRO) AERIAL PHOTOGRAPH
(DATED, MARCH, 04 2018)



TDEM DATA PLOT A

NC DOT PROJECT: I-59866
PARCEL 21 - (PAUL WILLIAMS TRUCKING)
2981 BUD HAWKINS ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:
AS SHOWN

DATE:
10/29/2018


PROJECT NUMBER
4305-18-175

FIGURE NO.

5



REFERENCE:
 (GOOGLE EARTH PRO) AERIAL PHOTOGRAPH
 (DATED, MARCH, 04 2018)



LEGEND

- Approximate Location of TDEM Anomaly
- Approximate Location of Possible Utilities
- Approximate Location of Vehicle
- Approximate Location of Fence

TDEM DATA PLOT B

NC DOT PROJECT: I-59866
 PARCEL 21 - (PAUL WILLIAMS TRUCKING)
 2981 BUD HAWKINS ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:
 AS SHOWN

DATE:
 10/29/2018


PROJECT NUMBER
 4305-18-175

FIGURE NO.

6



REFERENCE:
 (GOOGLE EARTH PRO) AERIAL PHOTOGRAPH
 (DATED, MARCH, 04 2018)



Google Earth
 © 2018 Google

LEGEND



- Approximate Location of TDEM Anomaly
- Approximate Location of Fence
- Approximate Location of Possible Utilities
- Approximate Location of GPR Profile
- Approximate Location of Vehicle

GEOPHYSICAL ANOMALY LOCATION PLAN


NCDOT PROJECT: I-59866
 PARCEL 21 - (PAUL WILLIAMS TRUCKING)
 2981 BUD HAWKINS ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:
 AS SHOWN
 DATE:
 10/29/2018
 PROJECT NUMBER
 4305-18-175
 FIGURE NO.

7



Anomaly A



Note: Presented GPR profile depths are based on an assumed average dielectric and should be considered approximate



EXAMPLE GPR DATA – LINES 2 AND 3

NCDOT PROJECT: I-59866
 PARCEL 21 – (PAUL WILLIAMS TRUCKING)
 2981 BUD HAWKINS ROAD, DUNN, HARNETT COUNTY, NORTH CAROLINA

SCALE:
 AS SHOWN

DATE:
 10/29/2018

PROJECT NUMBER
 4305-18-175

FIGURE NO.

Appendix I – Photographs



Preliminary Site Assessment Report
NCDOT Project I-5986B, WBS Element 47532.1.3
Parcel 21-Paul Williams Trucking
Dunn, Harnett County, North Carolina
S&ME Project No. 4305-18-175

1	Location / Orientation	View of site looking east	Date: 10/2/2018 Photographer: JTH
	Remarks	None	



2	Location / Orientation	View of site looking north.	Date: 10/2/2018 Photographer: JTH
	Remarks	None	





Preliminary Site Assessment Report
NCDOT Project I-5986B, WBS Element 47532.1.3
Parcel 21-Paul Williams Trucking
Dunn, Harnett County, North Carolina
S&ME Project No. 4305-18-175

3	Location / Orientation	View of TW-1 at soil boring B-2.	Date: 10/2/2018 Photographer: JTH
	Remarks	None	



Appendix II – Boring Logs

PROJECT:		NCDOT I-5986B Parcel 21-2981 Bud Hawkins Rd, Dunn, NC S&ME Project No. 4305-18-175		BORING LOG: B-3							
DATE DRILLED:	Tuesday, October 02, 2018	BORING DEPTH (FT):		10							
DRILL RIG:	Geoprobe 54DT	WATER LEVEL:		6							
DRILLER:	Troxler Geologic, Inc.	CAVE-IN DEPTH:		Not Applicable							
HAMMER TYPE:	Not Applicable	LOGGED BY:		J. Honeycutt							
SAMPLING METHOD:	Macro-Core Sampler	NORTHING:									
DRILLING METHOD:	Macro-Core Sampler (3-in. OD)	EASTING:									
DEPTH (feet)	GRAPHIC LOG	MATERIAL DESCRIPTION		WATER LEVEL	SAMPLE	PID READING (PPM)	LABORATORY ANALYSES	Sample Time / 1st 6in	2nd 6in	3rd 6in	N VALUE
	Topsoil, Black,										
	Silty Sand, Tan, Fine,					1.3	No				
5						2.2	Yes				
						7.7	Yes				
				▼							
	Sand, Orange, Medium, Wet,										
10		Boring Terminated at 10 Ft-BGS									
15											
20											
25											
30											

Appendix III – Laboratory Analytical Reports and Chain of Custody



Hydrocarbon Analysis Results

Client: S&ME Address:	Samples taken Samples extracted Samples analysed	Tuesday, October 02, 2018 Tuesday, October 02, 2018 Tuesday, October 02, 2018
--	---	---

Contact: JAMIE HONEYCUTT	Operator	MAX MOYER
---------------------------------	-----------------	-----------

Project: PARCEL 21 - PROJ 4305-18-175

U00904

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	% Ratios			HC Fingerprint Match
										C5 - C10	C10 - C18	C18	
s	PARCEL 21 B-1 (2'-4')	23.2	<0.58	<0.58	<0.58	<0.58	<0.12	<0.19	<0.023	0	0	0	PHC not detected
s	PARCEL 21 B-1 (4'-6')	25.2	<0.63	<0.63	<0.63	<0.63	<0.13	<0.2	<0.025	0	0	0	PHC not detected
s	PARCEL 21 B-2 (2'-4')	19.0	<0.47	<0.47	<0.47	<0.47	<0.09	<0.15	<0.019	0	0	0	PHC not detected
s	PARCEL 21 B-2 (4'-6')	22.2	<0.56	<0.56	<0.56	<0.56	<0.11	<0.18	<0.022	0	0	0	PHC not detected
s	PARCEL 21 B-3 (2'-4')	17.3	<0.43	<0.43	<0.43	<0.43	<0.09	<0.14	<0.017	0	0	0	PHC not detected
s	PARCEL 21 B-3 (4'-6')	9.8	<0.24	<0.24	<0.24	<0.24	<0.05	<0.08	<0.01	0	0	0	(FCM)
s	PARCEL 21 B-4 (2'-4')	12.3	<0.31	<0.31	<0.31	<0.31	<0.06	<0.1	<0.012	0	0	0	(FCM)
s	PARCEL 21 B-4 (4'-6')	7.5	<0.19	<0.19	<0.19	<0.19	<0.04	<0.06	<0.007	0	0	0	(FCM)

Initial Calibrator QC check OK

Final FCM QC Check OK









104 %

Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values uncorrected for moisture or stone content. Fingerprints provide a tentative hydrocarbon identification.

Abbreviations :- FCM = Results calculated using Fundamental Calibration Mode : % = confidence of hydrocarbon identification : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate detected

B = Blank Drift : (SBS)/(LBS) = Site Specific or Library Background Subtraction applied to result : (BO) = Background Organics detected : (OCR) = Outside cal range : (M) = Modified Result.

% Ratios estimated aromatic carbon number proportions : HC = Hydrocarbon : PHC = Petroleum HC : FP = Fingerprint only. **Data generated by HC-1 Analyser**



October 12, 2018

Michael Pfeifer
S&ME, Inc - Raleigh, NC
3201 Spring Forest Rd.
Raleigh, NC 27616

Project Location: NCDOT I5986B- Parcel 21
Client Job Number:
Project Number: 4305-18-175
Laboratory Work Order Number: 18J0298

Enclosed are results of analyses for samples received by the laboratory on October 4, 2018. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Kerry K. McGee". The signature is written in a cursive style with a large, prominent "K" and "M".

Kerry K. McGee
Project Manager

Table of Contents

Sample Summary	3
Hits Only Report	4
Case Narrative	5
Sample Results	6
18J0298-01	6
Sample Preparation Information	9
QC Data	10
Volatile Organic Compounds by GC/MS	10
B214298	10
Semivolatile Organic Compounds by GC/MS	15
B214244	15
Flag/Qualifier Summary	17
Certifications	18
Chain of Custody/Sample Receipt	21

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

S&ME, Inc - Raleigh, NC
3201 Spring Forest Rd.
Raleigh, NC 27616
ATTN: Michael Pfeifer

REPORT DATE: 10/12/2018

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 4305-18-175

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 18J0298

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: NCDOT I5986B- Parcel 21

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
TW-1 Parcel 21	18J0298-01	Ground Water		SW-846 8260B SW-846 8270D	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EXECUTIVE SUMMARY

Client ID: **TW-1 Parcel 21**

Lab ID: **18J0298-01**

No Results Detected

Con-Test does not accept liability for the consequences of any actions taken solely on the basis of the information provided in the Executive Summary section of this report. Users must review this report in its entirety to determine data usability and assessment.

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

For method 8270, only PAHs were requested and reported.

SW-846 8260B

Qualifications:

L-04

Laboratory fortified blank/laboratory control sample recovery and duplicate recovery are outside of control limits. Reported value for this compound is likely to be biased on the low side.

Analyte & Samples(s) Qualified:

Vinyl Acetate

B214298-BLK1, B214298-BS1, B214298-BSD1

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington
Project Manager

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: NCDOT I5986B- Parcel 21

Sample Description:

Work Order: 18J0298

Date Received: 10/4/2018

Field Sample #: TW-1 Parcel 21

Sampled: 10/2/2018 17:00

Sample ID: 18J0298-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	DL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	9.7	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Acrylonitrile	ND	5.0	0.58	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	0.11	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Benzene	ND	1.0	0.12	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Bromobenzene	ND	1.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Bromochloromethane	ND	1.0	0.22	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Bromodichloromethane	ND	0.50	0.30	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Bromoform	ND	2.0	0.21	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Bromomethane	ND	2.0	0.94	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
2-Butanone (MEK)	ND	20	2.4	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
tert-Butyl Alcohol (TBA)	ND	20	2.2	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
n-Butylbenzene	ND	1.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
sec-Butylbenzene	ND	1.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
tert-Butylbenzene	ND	1.0	0.12	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	0.095	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Carbon Disulfide	ND	4.0	1.0	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Carbon Tetrachloride	ND	5.0	0.25	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Chlorobenzene	ND	1.0	0.16	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Chlorodibromomethane	ND	0.50	0.10	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Chloroethane	ND	2.0	0.28	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Chloroform	ND	2.0	0.22	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Chloromethane	ND	2.0	0.55	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
2-Chlorotoluene	ND	1.0	0.12	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
4-Chlorotoluene	ND	1.0	0.14	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	0.37	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2-Dibromoethane (EDB)	ND	0.50	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Dibromomethane	ND	1.0	0.16	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2-Dichlorobenzene	ND	1.0	0.17	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,3-Dichlorobenzene	ND	1.0	0.17	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,4-Dichlorobenzene	ND	1.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	0.31	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	0.28	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1-Dichloroethane	ND	1.0	0.16	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2-Dichloroethane	ND	1.0	0.19	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1-Dichloroethylene	ND	1.0	0.21	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
cis-1,2-Dichloroethylene	ND	1.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
trans-1,2-Dichloroethylene	ND	1.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2-Dichloropropane	ND	1.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,3-Dichloropropane	ND	0.50	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
2,2-Dichloropropane	ND	1.0	0.21	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1-Dichloropropene	ND	2.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
cis-1,3-Dichloropropene	ND	0.50	0.12	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
trans-1,3-Dichloropropene	ND	0.50	0.11	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Diethyl Ether	ND	2.0	0.22	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: NCDOT I5986B- Parcel 21

Sample Description:

Work Order: 18J0298

Date Received: 10/4/2018

Field Sample #: TW-1 Parcel 21

Sampled: 10/2/2018 17:00

Sample ID: 18J0298-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	DL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	0.18	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,4-Dioxane	ND	50	26	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Ethylbenzene	ND	1.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Hexachlorobutadiene	ND	0.60	0.59	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
2-Hexanone (MBK)	ND	10	1.5	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Isopropylbenzene (Cumene)	ND	1.0	0.12	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	0.090	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Methylene Chloride	ND	5.0	3.2	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	1.5	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Naphthalene	ND	2.0	0.12	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
n-Propylbenzene	ND	1.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Styrene	ND	1.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	0.12	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	0.16	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Tetrachloroethylene	ND	1.0	0.27	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Tetrahydrofuran	ND	10	1.1	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Toluene	ND	1.0	0.17	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2,3-Trichlorobenzene	ND	5.0	0.14	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2,4-Trichlorobenzene	ND	1.0	0.19	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,3,5-Trichlorobenzene	ND	1.0	0.17	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1,1-Trichloroethane	ND	1.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1,2-Trichloroethane	ND	1.0	0.24	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Trichloroethylene	ND	1.0	0.20	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	0.15	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2,3-Trichloropropane	ND	2.0	0.22	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	0.20	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,2,4-Trimethylbenzene	ND	1.0	0.18	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
1,3,5-Trimethylbenzene	ND	1.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
Vinyl Chloride	ND	2.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
m+p Xylene	ND	2.0	0.26	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH
o-Xylene	ND	1.0	0.13	µg/L	1		SW-846 8260B	10/9/18	10/10/18 3:59	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	80.4	70-130	10/10/18 3:59
Toluene-d8	100	70-130	10/10/18 3:59
4-Bromofluorobenzene	98.0	70-130	10/10/18 3:59

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: NCDOT I5986B- Parcel 21

Sample Description:

Work Order: 18J0298

Date Received: 10/4/2018

Field Sample #: TW-1 Parcel 21

Sampled: 10/2/2018 17:00

Sample ID: 18J0298-01

Sample Matrix: Ground Water

Semivolatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acenaphthene (SIM)	ND	0.30	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Acenaphthylene (SIM)	ND	0.20	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Anthracene (SIM)	ND	0.20	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Benzo(a)anthracene (SIM)	ND	0.050	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Benzo(a)pyrene (SIM)	ND	0.10	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Benzo(b)fluoranthene (SIM)	ND	0.050	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Benzo(g,h,i)perylene (SIM)	ND	0.50	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Benzo(k)fluoranthene (SIM)	ND	0.20	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Chrysene (SIM)	ND	0.20	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Dibenz(a,h)anthracene (SIM)	ND	0.10	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Fluoranthene (SIM)	ND	0.50	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Fluorene (SIM)	ND	1.0	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Indeno(1,2,3-cd)pyrene (SIM)	ND	0.10	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
2-Methylnaphthalene (SIM)	ND	1.0	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Naphthalene (SIM)	ND	1.0	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Phenanthrene (SIM)	ND	0.050	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Pyrene (SIM)	ND	1.0	µg/L	1		SW-846 8270D	10/6/18	10/9/18 18:44	IMR
Surrogates		% Recovery	Recovery Limits		Flag/Qual				
Nitrobenzene-d5		65.2	30-130					10/9/18 18:44	
2-Fluorobiphenyl		68.0	30-130					10/9/18 18:44	
p-Terphenyl-d14		61.6	30-130					10/9/18 18:44	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: SW-846 5030B-SW-846 8260B

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
18J0298-01 [TW-1 Parcel 21]	B214298	5	5.00	10/09/18

Prep Method: SW-846 3510C-SW-846 8270D

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
18J0298-01 [TW-1 Parcel 21]	B214244	1000	1.00	10/06/18

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B214298 - SW-846 5030B

Blank (B214298-BLK1)

Prepared: 10/09/18 Analyzed: 10/10/18

Acetone	ND	50	µg/L							
Acrylonitrile	ND	5.0	µg/L							
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L							
Benzene	ND	1.0	µg/L							
Bromobenzene	ND	1.0	µg/L							
Bromochloromethane	ND	1.0	µg/L							
Bromodichloromethane	ND	0.50	µg/L							
Bromoform	ND	1.0	µg/L							
Bromomethane	ND	2.0	µg/L							
2-Butanone (MEK)	ND	20	µg/L							
tert-Butyl Alcohol (TBA)	ND	20	µg/L							
n-Butylbenzene	ND	1.0	µg/L							
sec-Butylbenzene	ND	1.0	µg/L							
tert-Butylbenzene	ND	1.0	µg/L							
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L							
Carbon Disulfide	ND	4.0	µg/L							
Carbon Tetrachloride	ND	5.0	µg/L							
Chlorobenzene	ND	1.0	µg/L							
Chlorodibromomethane	ND	0.50	µg/L							
Chloroethane	ND	2.0	µg/L							
Chloroform	ND	2.0	µg/L							
Chloromethane	ND	2.0	µg/L							
2-Chlorotoluene	ND	1.0	µg/L							
4-Chlorotoluene	ND	1.0	µg/L							
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L							
1,2-Dibromoethane (EDB)	ND	0.50	µg/L							
Dibromomethane	ND	1.0	µg/L							
1,2-Dichlorobenzene	ND	1.0	µg/L							
1,3-Dichlorobenzene	ND	1.0	µg/L							
1,4-Dichlorobenzene	ND	1.0	µg/L							
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L							
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L							
1,1-Dichloroethane	ND	1.0	µg/L							
1,2-Dichloroethane	ND	1.0	µg/L							
1,1-Dichloroethylene	ND	1.0	µg/L							
cis-1,2-Dichloroethylene	ND	1.0	µg/L							
trans-1,2-Dichloroethylene	ND	1.0	µg/L							
1,2-Dichloropropane	ND	1.0	µg/L							
1,3-Dichloropropane	ND	0.50	µg/L							
2,2-Dichloropropane	ND	1.0	µg/L							
1,1-Dichloropropene	ND	2.0	µg/L							
cis-1,3-Dichloropropene	ND	0.50	µg/L							
trans-1,3-Dichloropropene	ND	0.50	µg/L							
Diethyl Ether	ND	2.0	µg/L							
Diisopropyl Ether (DIPE)	ND	0.50	µg/L							
1,4-Dioxane	ND	50	µg/L							
Ethylbenzene	ND	1.0	µg/L							
Hexachlorobutadiene	ND	0.60	µg/L							
2-Hexanone (MBK)	ND	10	µg/L							
Isopropylbenzene (Cumene)	ND	1.0	µg/L							
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L							
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B214298 - SW-846 5030B

Blank (B214298-BLK1)

Prepared: 10/09/18 Analyzed: 10/10/18

Methylene Chloride	ND	5.0	µg/L							
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L							
Naphthalene	ND	2.0	µg/L							
n-Propylbenzene	ND	1.0	µg/L							
Styrene	ND	1.0	µg/L							
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L							
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L							
Tetrachloroethylene	ND	0.50	µg/L							
Tetrahydrofuran	ND	10	µg/L							
Toluene	ND	1.0	µg/L							
1,2,3-Trichlorobenzene	ND	5.0	µg/L							
1,2,4-Trichlorobenzene	ND	1.0	µg/L							
1,3,5-Trichlorobenzene	ND	1.0	µg/L							
1,1,1-Trichloroethane	ND	1.0	µg/L							
1,1,2-Trichloroethane	ND	1.0	µg/L							
Trichloroethylene	ND	1.0	µg/L							
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L							
1,2,3-Trichloropropane	ND	2.0	µg/L							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L							
1,2,4-Trimethylbenzene	ND	1.0	µg/L							
1,3,5-Trimethylbenzene	ND	1.0	µg/L							
Vinyl Acetate	ND	20	µg/L							L-04
Vinyl Chloride	ND	2.0	µg/L							
m+p Xylene	ND	2.0	µg/L							
o-Xylene	ND	1.0	µg/L							
Surrogate: 1,2-Dichloroethane-d4	19.7		µg/L	25.0		78.9	70-130			
Surrogate: Toluene-d8	24.6		µg/L	25.0		98.6	70-130			
Surrogate: 4-Bromofluorobenzene	24.4		µg/L	25.0		97.8	70-130			

LCS (B214298-BS1)

Prepared: 10/09/18 Analyzed: 10/10/18

Acetone	80.9	50	µg/L	100		80.9	70-160			†
Acrylonitrile	9.78	5.0	µg/L	10.0		97.8	70-130			
tert-Amyl Methyl Ether (TAME)	9.61	0.50	µg/L	10.0		96.1	70-130			
Benzene	9.41	1.0	µg/L	10.0		94.1	70-130			
Bromobenzene	10.3	1.0	µg/L	10.0		103	70-130			
Bromochloromethane	10.7	1.0	µg/L	10.0		107	70-130			
Bromodichloromethane	9.52	0.50	µg/L	10.0		95.2	70-130			
Bromoform	10.7	1.0	µg/L	10.0		107	70-130			
Bromomethane	8.50	2.0	µg/L	10.0		85.0	40-160			†
2-Butanone (MEK)	85.4	20	µg/L	100		85.4	40-160			†
tert-Butyl Alcohol (TBA)	87.4	20	µg/L	100		87.4	40-160			†
n-Butylbenzene	10.8	1.0	µg/L	10.0		108	70-130			
sec-Butylbenzene	11.3	1.0	µg/L	10.0		113	70-130			
tert-Butylbenzene	11.2	1.0	µg/L	10.0		112	70-130			
tert-Butyl Ethyl Ether (TBEE)	9.61	0.50	µg/L	10.0		96.1	70-130			
Carbon Disulfide	10.4	4.0	µg/L	10.0		104	70-130			
Carbon Tetrachloride	8.26	5.0	µg/L	10.0		82.6	70-130			
Chlorobenzene	10.5	1.0	µg/L	10.0		105	70-130			
Chlorodibromomethane	10.1	0.50	µg/L	10.0		101	70-130			
Chloroethane	8.88	2.0	µg/L	10.0		88.8	70-130			
Chloroform	8.89	2.0	µg/L	10.0		88.9	70-130			
Chloromethane	9.04	2.0	µg/L	10.0		90.4	40-160			†

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B214298 - SW-846 5030B										
LCS (B214298-BS1)										
					Prepared: 10/09/18 Analyzed: 10/10/18					
2-Chlorotoluene	10.6	1.0	µg/L	10.0		106	70-130			
4-Chlorotoluene	10.3	1.0	µg/L	10.0		103	70-130			
1,2-Dibromo-3-chloropropane (DBCP)	9.39	5.0	µg/L	10.0		93.9	70-130			
1,2-Dibromoethane (EDB)	9.90	0.50	µg/L	10.0		99.0	70-130			
Dibromomethane	9.76	1.0	µg/L	10.0		97.6	70-130			
1,2-Dichlorobenzene	10.7	1.0	µg/L	10.0		107	70-130			
1,3-Dichlorobenzene	11.0	1.0	µg/L	10.0		110	70-130			
1,4-Dichlorobenzene	10.5	1.0	µg/L	10.0		105	70-130			
trans-1,4-Dichloro-2-butene	9.07	2.0	µg/L	10.0		90.7	70-130			
Dichlorodifluoromethane (Freon 12)	7.05	2.0	µg/L	10.0		70.5	40-160			†
1,1-Dichloroethane	10.1	1.0	µg/L	10.0		101	70-130			
1,2-Dichloroethane	8.59	1.0	µg/L	10.0		85.9	70-130			
1,1-Dichloroethylene	8.84	1.0	µg/L	10.0		88.4	70-130			
cis-1,2-Dichloroethylene	9.21	1.0	µg/L	10.0		92.1	70-130			
trans-1,2-Dichloroethylene	9.92	1.0	µg/L	10.0		99.2	70-130			
1,2-Dichloropropane	11.1	1.0	µg/L	10.0		111	70-130			
1,3-Dichloropropane	9.53	0.50	µg/L	10.0		95.3	70-130			
2,2-Dichloropropane	8.50	1.0	µg/L	10.0		85.0	40-130			†
1,1-Dichloropropene	9.18	2.0	µg/L	10.0		91.8	70-130			
cis-1,3-Dichloropropene	10.2	0.50	µg/L	10.0		102	70-130			
trans-1,3-Dichloropropene	10.2	0.50	µg/L	10.0		102	70-130			
Diethyl Ether	9.82	2.0	µg/L	10.0		98.2	70-130			
Diisopropyl Ether (DIPE)	9.57	0.50	µg/L	10.0		95.7	70-130			
1,4-Dioxane	93.6	50	µg/L	100		93.6	40-130			†
Ethylbenzene	10.8	1.0	µg/L	10.0		108	70-130			
Hexachlorobutadiene	12.4	0.60	µg/L	10.0		124	70-130			
2-Hexanone (MBK)	92.2	10	µg/L	100		92.2	70-160			†
Isopropylbenzene (Cumene)	11.4	1.0	µg/L	10.0		114	70-130			
p-Isopropyltoluene (p-Cymene)	11.2	1.0	µg/L	10.0		112	70-130			
Methyl tert-Butyl Ether (MTBE)	9.43	1.0	µg/L	10.0		94.3	70-130			
Methylene Chloride	8.74	5.0	µg/L	10.0		87.4	70-130			
4-Methyl-2-pentanone (MIBK)	94.2	10	µg/L	100		94.2	70-160			†
Naphthalene	10.4	2.0	µg/L	10.0		104	40-130			†
n-Propylbenzene	10.3	1.0	µg/L	10.0		103	70-130			
Styrene	10.8	1.0	µg/L	10.0		108	70-130			
1,1,1,2-Tetrachloroethane	11.2	1.0	µg/L	10.0		112	70-130			
1,1,2,2-Tetrachloroethane	10.6	0.50	µg/L	10.0		106	70-130			
Tetrachloroethylene	10.6	0.50	µg/L	10.0		106	70-130			
Tetrahydrofuran	9.11	10	µg/L	10.0		91.1	70-130			J
Toluene	10.4	1.0	µg/L	10.0		104	70-130			
1,2,3-Trichlorobenzene	10.6	5.0	µg/L	10.0		106	70-130			
1,2,4-Trichlorobenzene	10.8	1.0	µg/L	10.0		108	70-130			
1,3,5-Trichlorobenzene	11.1	1.0	µg/L	10.0		111	70-130			
1,1,1-Trichloroethane	8.88	1.0	µg/L	10.0		88.8	70-130			
1,1,2-Trichloroethane	10.5	1.0	µg/L	10.0		105	70-130			
Trichloroethylene	10.3	1.0	µg/L	10.0		103	70-130			
Trichlorofluoromethane (Freon 11)	7.72	2.0	µg/L	10.0		77.2	70-130			
1,2,3-Trichloropropane	9.81	2.0	µg/L	10.0		98.1	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.58	1.0	µg/L	10.0		95.8	70-130			
1,2,4-Trimethylbenzene	10.5	1.0	µg/L	10.0		105	70-130			
1,3,5-Trimethylbenzene	10.5	1.0	µg/L	10.0		105	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B214298 - SW-846 5030B

LCS (B214298-BS1)

Prepared: 10/09/18 Analyzed: 10/10/18

Vinyl Acetate	60.7	20	µg/L	100		60.7	* 70-130			L-04
Vinyl Chloride	8.89	2.0	µg/L	10.0		88.9	40-160			†
m+p Xylene	21.0	2.0	µg/L	20.0		105	70-130			
o-Xylene	10.6	1.0	µg/L	10.0		106	70-130			
Surrogate: 1,2-Dichloroethane-d4	19.7		µg/L	25.0		78.6	70-130			
Surrogate: Toluene-d8	24.9		µg/L	25.0		99.5	70-130			
Surrogate: 4-Bromofluorobenzene	24.4		µg/L	25.0		97.6	70-130			

LCS Dup (B214298-BSD1)

Prepared: 10/09/18 Analyzed: 10/10/18

Acetone	103	50	µg/L	100		103	70-160	23.8	25	†
Acrylonitrile	9.74	5.0	µg/L	10.0		97.4	70-130	0.410	25	
tert-Amyl Methyl Ether (TAME)	9.63	0.50	µg/L	10.0		96.3	70-130	0.208	25	
Benzene	9.53	1.0	µg/L	10.0		95.3	70-130	1.27	25	
Bromobenzene	10.2	1.0	µg/L	10.0		102	70-130	0.973	25	
Bromochloromethane	10.7	1.0	µg/L	10.0		107	70-130	0.373	25	
Bromodichloromethane	9.34	0.50	µg/L	10.0		93.4	70-130	1.91	25	
Bromoform	10.8	1.0	µg/L	10.0		108	70-130	0.747	25	
Bromomethane	9.41	2.0	µg/L	10.0		94.1	40-160	10.2	25	†
2-Butanone (MEK)	94.8	20	µg/L	100		94.8	40-160	10.4	25	†
tert-Butyl Alcohol (TBA)	89.8	20	µg/L	100		89.8	40-160	2.72	25	†
n-Butylbenzene	10.9	1.0	µg/L	10.0		109	70-130	0.277	25	
sec-Butylbenzene	11.0	1.0	µg/L	10.0		110	70-130	2.15	25	
tert-Butylbenzene	11.1	1.0	µg/L	10.0		111	70-130	1.26	25	
tert-Butyl Ethyl Ether (TBEE)	9.46	0.50	µg/L	10.0		94.6	70-130	1.57	25	
Carbon Disulfide	9.77	4.0	µg/L	10.0		97.7	70-130	6.53	25	
Carbon Tetrachloride	8.35	5.0	µg/L	10.0		83.5	70-130	1.08	25	
Chlorobenzene	10.4	1.0	µg/L	10.0		104	70-130	0.575	25	
Chlorodibromomethane	10.1	0.50	µg/L	10.0		101	70-130	0.00	25	
Chloroethane	8.46	2.0	µg/L	10.0		84.6	70-130	4.84	25	
Chloroform	8.98	2.0	µg/L	10.0		89.8	70-130	1.01	25	
Chloromethane	9.05	2.0	µg/L	10.0		90.5	40-160	0.111	25	†
2-Chlorotoluene	9.97	1.0	µg/L	10.0		99.7	70-130	5.65	25	
4-Chlorotoluene	9.89	1.0	µg/L	10.0		98.9	70-130	3.96	25	
1,2-Dibromo-3-chloropropane (DBCP)	9.73	5.0	µg/L	10.0		97.3	70-130	3.56	25	
1,2-Dibromoethane (EDB)	10.2	0.50	µg/L	10.0		102	70-130	2.49	25	
Dibromomethane	10.0	1.0	µg/L	10.0		100	70-130	2.53	25	
1,2-Dichlorobenzene	10.6	1.0	µg/L	10.0		106	70-130	1.41	25	
1,3-Dichlorobenzene	10.9	1.0	µg/L	10.0		109	70-130	0.914	25	
1,4-Dichlorobenzene	10.1	1.0	µg/L	10.0		101	70-130	4.07	25	
trans-1,4-Dichloro-2-butene	9.25	2.0	µg/L	10.0		92.5	70-130	1.97	25	
Dichlorodifluoromethane (Freon 12)	6.84	2.0	µg/L	10.0		68.4	40-160	3.02	25	†
1,1-Dichloroethane	9.65	1.0	µg/L	10.0		96.5	70-130	4.26	25	
1,2-Dichloroethane	8.46	1.0	µg/L	10.0		84.6	70-130	1.52	25	
1,1-Dichloroethylene	8.82	1.0	µg/L	10.0		88.2	70-130	0.227	25	
cis-1,2-Dichloroethylene	8.90	1.0	µg/L	10.0		89.0	70-130	3.42	25	
trans-1,2-Dichloroethylene	9.80	1.0	µg/L	10.0		98.0	70-130	1.22	25	
1,2-Dichloropropane	11.2	1.0	µg/L	10.0		112	70-130	0.809	25	
1,3-Dichloropropane	9.64	0.50	µg/L	10.0		96.4	70-130	1.15	25	
2,2-Dichloropropane	8.04	1.0	µg/L	10.0		80.4	40-130	5.56	25	†
1,1-Dichloropropene	8.96	2.0	µg/L	10.0		89.6	70-130	2.43	25	
cis-1,3-Dichloropropene	10.2	0.50	µg/L	10.0		102	70-130	0.589	25	
trans-1,3-Dichloropropene	9.82	0.50	µg/L	10.0		98.2	70-130	3.70	25	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B214298 - SW-846 5030B										
LCS Dup (B214298-BSD1)										
					Prepared: 10/09/18 Analyzed: 10/10/18					
Diethyl Ether	9.94	2.0	µg/L	10.0		99.4	70-130	1.21	25	
Diisopropyl Ether (DIPE)	9.44	0.50	µg/L	10.0		94.4	70-130	1.37	25	
1,4-Dioxane	99.5	50	µg/L	100		99.5	40-130	6.08	50	† ‡
Ethylbenzene	10.6	1.0	µg/L	10.0		106	70-130	2.24	25	
Hexachlorobutadiene	12.2	0.60	µg/L	10.0		122	70-130	2.19	25	
2-Hexanone (MBK)	95.5	10	µg/L	100		95.5	70-160	3.57	25	†
Isopropylbenzene (Cumene)	11.2	1.0	µg/L	10.0		112	70-130	1.94	25	
p-Isopropyltoluene (p-Cymene)	11.1	1.0	µg/L	10.0		111	70-130	0.810	25	
Methyl tert-Butyl Ether (MTBE)	9.61	1.0	µg/L	10.0		96.1	70-130	1.89	25	
Methylene Chloride	9.05	5.0	µg/L	10.0		90.5	70-130	3.49	25	
4-Methyl-2-pentanone (MIBK)	96.0	10	µg/L	100		96.0	70-160	1.93	25	†
Naphthalene	10.4	2.0	µg/L	10.0		104	40-130	0.193	25	†
n-Propylbenzene	10.1	1.0	µg/L	10.0		101	70-130	1.86	25	
Styrene	11.0	1.0	µg/L	10.0		110	70-130	2.02	25	
1,1,1,2-Tetrachloroethane	10.9	1.0	µg/L	10.0		109	70-130	3.08	25	
1,1,2,2-Tetrachloroethane	10.6	0.50	µg/L	10.0		106	70-130	0.472	25	
Tetrachloroethylene	11.1	0.50	µg/L	10.0		111	70-130	4.25	25	
Tetrahydrofuran	9.51	10	µg/L	10.0		95.1	70-130	4.30	25	J
Toluene	10.2	1.0	µg/L	10.0		102	70-130	1.46	25	
1,2,3-Trichlorobenzene	10.7	5.0	µg/L	10.0		107	70-130	0.564	25	
1,2,4-Trichlorobenzene	10.7	1.0	µg/L	10.0		107	70-130	1.03	25	
1,3,5-Trichlorobenzene	10.9	1.0	µg/L	10.0		109	70-130	1.36	25	
1,1,1-Trichloroethane	8.69	1.0	µg/L	10.0		86.9	70-130	2.16	25	
1,1,2-Trichloroethane	10.3	1.0	µg/L	10.0		103	70-130	2.12	25	
Trichloroethylene	10.1	1.0	µg/L	10.0		101	70-130	1.87	25	
Trichlorofluoromethane (Freon 11)	7.53	2.0	µg/L	10.0		75.3	70-130	2.49	25	
1,2,3-Trichloropropane	9.66	2.0	µg/L	10.0		96.6	70-130	1.54	25	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.42	1.0	µg/L	10.0		94.2	70-130	1.68	25	
1,2,4-Trimethylbenzene	10.4	1.0	µg/L	10.0		104	70-130	1.82	25	
1,3,5-Trimethylbenzene	10.2	1.0	µg/L	10.0		102	70-130	2.70	25	
Vinyl Acetate	58.2	20	µg/L	100		58.2 *	70-130	4.14	25	L-04
Vinyl Chloride	8.65	2.0	µg/L	10.0		86.5	40-160	2.74	25	†
m+p Xylene	20.6	2.0	µg/L	20.0		103	70-130	1.68	25	
o-Xylene	10.4	1.0	µg/L	10.0		104	70-130	1.61	25	
Surrogate: 1,2-Dichloroethane-d4	19.7		µg/L	25.0		78.8	70-130			
Surrogate: Toluene-d8	25.1		µg/L	25.0		100	70-130			
Surrogate: 4-Bromofluorobenzene	24.5		µg/L	25.0		98.0	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Semivolatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B214244 - SW-846 3510C

Blank (B214244-BLK1)

Prepared: 10/06/18 Analyzed: 10/08/18

Acenaphthene (SIM)	ND	0.30	µg/L							
Acenaphthylene (SIM)	ND	0.20	µg/L							
Anthracene (SIM)	ND	0.20	µg/L							
Benzo(a)anthracene (SIM)	ND	0.050	µg/L							
Benzo(a)pyrene (SIM)	ND	0.10	µg/L							
Benzo(b)fluoranthene (SIM)	ND	0.050	µg/L							
Benzo(g,h,i)perylene (SIM)	ND	0.50	µg/L							
Benzo(k)fluoranthene (SIM)	ND	0.20	µg/L							
Chrysene (SIM)	ND	0.20	µg/L							
Dibenz(a,h)anthracene (SIM)	ND	0.10	µg/L							
Fluoranthene (SIM)	ND	0.50	µg/L							
Fluorene (SIM)	ND	1.0	µg/L							
Indeno(1,2,3-cd)pyrene (SIM)	ND	0.10	µg/L							
2-Methylnaphthalene (SIM)	ND	1.0	µg/L							
Naphthalene (SIM)	ND	1.0	µg/L							
Phenanthrene (SIM)	ND	0.050	µg/L							
Pyrene (SIM)	ND	1.0	µg/L							
Surrogate: Nitrobenzene-d5	74.2		µg/L	100		74.2	30-130			
Surrogate: 2-Fluorobiphenyl	78.7		µg/L	100		78.7	30-130			
Surrogate: p-Terphenyl-d14	80.5		µg/L	100		80.5	30-130			

LCS (B214244-BS1)

Prepared: 10/06/18 Analyzed: 10/08/18

Acenaphthene (SIM)	39.6	7.5	µg/L	50.0		79.1	40-140			
Acenaphthylene (SIM)	41.0	5.0	µg/L	50.0		82.0	40-140			
Anthracene (SIM)	42.4	5.0	µg/L	50.0		84.9	40-140			
Benzo(a)anthracene (SIM)	40.9	1.2	µg/L	50.0		81.8	40-140			
Benzo(a)pyrene (SIM)	43.4	2.5	µg/L	50.0		86.9	40-140			
Benzo(b)fluoranthene (SIM)	44.4	1.2	µg/L	50.0		88.7	40-140			
Benzo(g,h,i)perylene (SIM)	41.4	12	µg/L	50.0		82.8	40-140			
Benzo(k)fluoranthene (SIM)	42.2	5.0	µg/L	50.0		84.3	40-140			
Chrysene (SIM)	40.3	5.0	µg/L	50.0		80.6	40-140			
Dibenz(a,h)anthracene (SIM)	42.4	2.5	µg/L	50.0		84.9	40-140			
Fluoranthene (SIM)	41.9	12	µg/L	50.0		83.8	40-140			
Fluorene (SIM)	41.0	25	µg/L	50.0		82.1	40-140			
Indeno(1,2,3-cd)pyrene (SIM)	43.0	2.5	µg/L	50.0		86.0	40-140			
2-Methylnaphthalene (SIM)	39.7	25	µg/L	50.0		79.4	40-140			
Naphthalene (SIM)	36.6	25	µg/L	50.0		73.3	40-140			
Phenanthrene (SIM)	40.2	1.2	µg/L	50.0		80.5	40-140			
Pyrene (SIM)	38.7	25	µg/L	50.0		77.4	40-140			
Surrogate: Nitrobenzene-d5	54.6		µg/L	100		54.6	30-130			
Surrogate: 2-Fluorobiphenyl	71.5		µg/L	100		71.5	30-130			
Surrogate: p-Terphenyl-d14	57.2		µg/L	100		57.2	30-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Semivolatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B214244 - SW-846 3510C										
LCS Dup (B214244-BSD1)										
					Prepared: 10/06/18 Analyzed: 10/08/18					
Acenaphthene (SIM)	40.4	7.5	µg/L	50.0		80.8	40-140	2.13	20	
Acenaphthylene (SIM)	41.8	5.0	µg/L	50.0		83.5	40-140	1.81	20	
Anthracene (SIM)	44.0	5.0	µg/L	50.0		88.1	40-140	3.70	20	
Benzo(a)anthracene (SIM)	44.4	1.2	µg/L	50.0		88.8	40-140	8.09	20	
Benzo(a)pyrene (SIM)	45.6	2.5	µg/L	50.0		91.2	40-140	4.88	20	
Benzo(b)fluoranthene (SIM)	46.8	1.2	µg/L	50.0		93.6	40-140	5.43	20	
Benzo(g,h,i)perylene (SIM)	43.6	12	µg/L	50.0		87.3	40-140	5.29	20	
Benzo(k)fluoranthene (SIM)	44.6	5.0	µg/L	50.0		89.2	40-140	5.59	20	
Chrysene (SIM)	42.6	5.0	µg/L	50.0		85.3	40-140	5.73	20	
Dibenz(a,h)anthracene (SIM)	44.9	2.5	µg/L	50.0		89.8	40-140	5.61	20	
Fluoranthene (SIM)	43.3	12	µg/L	50.0		86.6	40-140	3.34	20	
Fluorene (SIM)	41.8	25	µg/L	50.0		83.6	40-140	1.81	20	
Indeno(1,2,3-cd)pyrene (SIM)	45.4	2.5	µg/L	50.0		90.8	40-140	5.37	20	‡
2-Methylnaphthalene (SIM)	40.2	25	µg/L	50.0		80.4	40-140	1.38	20	
Naphthalene (SIM)	37.1	25	µg/L	50.0		74.2	40-140	1.29	20	
Phenanthrene (SIM)	41.8	1.2	µg/L	50.0		83.6	40-140	3.84	20	
Pyrene (SIM)	40.8	25	µg/L	50.0		81.5	40-140	5.10	20	
Surrogate: Nitrobenzene-d5	54.9		µg/L	100		54.9	30-130			
Surrogate: 2-Fluorobiphenyl	71.1		µg/L	100		71.1	30-130			
Surrogate: p-Terphenyl-d14	57.9		µg/L	100		57.9	30-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
 - † Wide recovery limits established for difficult compound.
 - ‡ Wide RPD limits established for difficult compound.
 - # Data exceeded client recommended or regulatory level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
No results have been blank subtracted unless specified in the case narrative section.
- J Detected but below the Reporting Limit (lowest calibration standard); therefore, result is an estimated concentration (CLP J-Flag).
 - L-04 Laboratory fortified blank/laboratory control sample recovery and duplicate recovery are outside of control limits. Reported value for this compound is likely to be biased on the low side.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>SW-846 8260B in Water</i>	
Acetone	NC
Acrylonitrile	NC
tert-Amyl Methyl Ether (TAME)	NC
Benzene	NC
Bromobenzene	NC
Bromochloromethane	NC
Bromodichloromethane	NC
Bromoform	NC
Bromomethane	NC
2-Butanone (MEK)	NC
tert-Butyl Alcohol (TBA)	NC
n-Butylbenzene	NC
sec-Butylbenzene	NC
tert-Butylbenzene	NC
tert-Butyl Ethyl Ether (TBEE)	NC
Carbon Disulfide	NC
Carbon Tetrachloride	NC
Chlorobenzene	NC
Chlorodibromomethane	NC
Chloroethane	NC
Chloroform	NC
Chloromethane	NC
2-Chlorotoluene	NC
4-Chlorotoluene	NC
1,2-Dibromo-3-chloropropane (DBCP)	NC
1,2-Dibromoethane (EDB)	NC
Dibromomethane	NC
1,2-Dichlorobenzene	NC
1,3-Dichlorobenzene	NC
1,4-Dichlorobenzene	NC
trans-1,4-Dichloro-2-butene	NC
Dichlorodifluoromethane (Freon 12)	NC
1,1-Dichloroethane	NC
1,2-Dichloroethane	NC
1,1-Dichloroethylene	NC
cis-1,2-Dichloroethylene	NC
trans-1,2-Dichloroethylene	NC
1,2-Dichloropropane	NC
1,3-Dichloropropane	NC
2,2-Dichloropropane	NC
1,1-Dichloropropene	NC
cis-1,3-Dichloropropene	NC
trans-1,3-Dichloropropene	NC
Diethyl Ether	NC
Diisopropyl Ether (DIPE)	NC
1,4-Dioxane	NC
Ethylbenzene	NC

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>SW-846 8260B in Water</i>	
Hexachlorobutadiene	NC
2-Hexanone (MBK)	NC
Isopropylbenzene (Cumene)	NC
p-Isopropyltoluene (p-Cymene)	NC
Methyl tert-Butyl Ether (MTBE)	NC
Methylene Chloride	NC
4-Methyl-2-pentanone (MIBK)	NC
Naphthalene	NC
n-Propylbenzene	NC
Styrene	NC
1,1,1,2-Tetrachloroethane	NC
1,1,2,2-Tetrachloroethane	NC
Tetrachloroethylene	NC
Tetrahydrofuran	NC
Toluene	NC
1,2,3-Trichlorobenzene	NC
1,2,4-Trichlorobenzene	NC
1,3,5-Trichlorobenzene	NC
1,1,1-Trichloroethane	NC
1,1,2-Trichloroethane	NC
Trichloroethylene	NC
Trichlorofluoromethane (Freon 11)	NC
1,2,3-Trichloropropane	NC
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NC
1,2,4-Trimethylbenzene	NC
1,3,5-Trimethylbenzene	NC
Vinyl Chloride	NC
m+p Xylene	NC
o-Xylene	NC

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:


Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2005	100033	03/1/2020
MA	Massachusetts DEP	M-MA100	06/30/2019
CT	Connecticut Department of Public Health	PH-0567	09/30/2019
NY	New York State Department of Health	10899 NELAP	04/1/2019
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2019
RI	Rhode Island Department of Health	LAO00112	12/30/2018
NC	North Carolina Div. of Water Quality	652	12/31/2018
NJ	New Jersey DEP	MA007 NELAP	06/30/2019
FL	Florida Department of Health	E871027 NELAP	06/30/2019
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2019
ME	State of Maine	2011028	06/9/2019
VA	Commonwealth of Virginia	460217	12/14/2018
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2019
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2019
NC-DW	North Carolina Department of Health	25703	07/31/2019



Sign In

TRACK ANOTHER SHIPMENT

783089843299



Delivered
Friday 10/05/2018 at 8:58 am



DELIVERED

Signed for by: P.BLAKE

GET STATUS UPDATES

OBTAIN PROOF OF DELIVERY

FROM

RALEIGH, NC US

TO

EAST LONGMEADOW, MA US

Travel History

Shipment Facts

10/05/2018 - Friday

8:58 am

Delivered

EAST LONGMEADOW, MA

Expand History

10/04/2018 - Thursday

1:52 pm

Shipment information sent to FedEx

OUR COMPANY

About FedEx

Our Portfolio

Investor Relations

Careers

FedEx Blog

Corporate Responsibility

Newsroom

Contact Us

MORE FROM FEDEX

FedEx Compatible

Developer Resource Center

FedEx Cross Border

LANGUAGE

Change Country

English

Ask FedEx

FOLLOW FEDEX

I Have Not Confirmed Sample Container Numbers With Lab Staff Before Relinquishing Over Samples _____



con-test
ANALYTICAL LABORATORY

Doc# 277 - Rev 5 2017

Login Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False Statement will be brought to the attention of the Client - State True or False

Client S+ME

Received By RAP Date 10/5/18 Time 858

How were the samples received? In Cooler T No Cooler _____ On Ice T No Ice _____
 Direct from Sampling _____ Ambient _____ Melted Ice _____

Were samples within Temperature? 2-6°C T By Gun # 557 Actual Temp - 3.9
 By Blank # _____ Actual Temp - _____

Was Custody Seal Intact? NA Were Samples Tampered with? NA
 Was COC Relinquished? T Does Chain Agree With Samples? T

Are there broken/leaking/loose caps on any samples? F

Is COC in ink/ Legible? T Were samples received within holding time? T
 Did COC include all pertinent Information? Client T Analysis T Sampler Name T
 Project T ID's T Collection Dates/Times T

Are Sample labels filled out and legible? T
 Are there Lab to Filters? F Who was notified? _____
 Are there Rushes? F Who was notified? _____
 Are there Short Holds? F Who was notified? _____

Is there enough Volume? T
 Is there Headspace where applicable? F MS/MSD? F
 Proper Media/Containers Used? T Is splitting samples required? F
 Were trip blanks received? F On COC? F
 Do all samples have the proper pH? N/A Acid _____ Base _____

Vials	#	Containers:	#	#	#
Unp-		1 Liter Amb.	<u>2</u>	1 Liter Plastic	16 oz Amb.
HCL-	<u>3</u>	500 mL Amb.		500 mL Plastic	8oz Amb/Clear
Meoh-		250 mL Amb.		250 mL Plastic	4oz Amb/Clear
Bisulfate-		Col./Bacteria		Flashpoint	2oz Amb/Clear
DI-		Other Plastic		Other Glass	Encore
Thiosulfate-		SOC Kit		Plastic Bag	Frozen:
Sulfuric-		Perchlorate		Ziplock	

Unused Media

Vials	#	Containers:	#	#	#
Unp-		1 Liter Amb.		1 Liter Plastic	16 oz Amb.
HCL-		500 mL Amb.		500 mL Plastic	8oz Amb/Clear
Meoh-		250 mL Amb.		250 mL Plastic	4oz Amb/Clear
Bisulfate-		Col./Bacteria		Flashpoint	2oz Amb/Clear
DI-		Other Plastic		Other Glass	Encore
Thiosulfate-		SOC Kit		Plastic Bag	Frozen:
Sulfuric-		Perchlorate		Ziplock	

Comments: