

23-AUG-2021 11:55 R:\Structures\FINAL PLANS\Bridge 44\401\_027\_I5746C\_SMU\_ B4\_S1-15\_590044.dgn agcole

AS-BUILT REPAIR QUANTITY TABLE								
BENT 4 CAP	QUANTITIES							
	ESTI	ΜΑΤΕ	ACTUAL					
SHOTCRETE REPAIRS	AREA SQ.FT.	VOLUME CU.FT.	AREA SQ.FT.	VOLUME CU.FT.				
САР	14.0	7.0						
COLUMN	1.8	0.9						
CONCRETE REPAIRS	AREA SQ.FT.	VOLUME CU.FT.	AREA SQ.FT.	VOLUME CU.FT.				
САР	1.2	0.6						
EPOXY RESIN INJE	LIN.FT.		LIN.FT.					
САР	0.0							
COLUMN	0.0							
EPOXY COATIN	AREA SQ.FT		AREA SQ.FT					
САР	0.0							

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MINIMUM OF 1" BEHIND REBAR AND MINIMUM 2" CLEARANCE TO SAWCUT. FOR REPAIR DETAILS, SEE "TYPICAL CAP AND COLUMN REPAIR DETAILS" SHEET.

NOTES

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATION AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

CONCRETE REPAIRS MAY BE SUBSTITUTED IN LIEU OF SHOTCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR CAP REPAIRS, SEE `` TYPICAL CAP AND COLUMN REPAIR DETAILS" SHEETS.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIRS, SEE SPECIAL PROVISIONS.

CLEAN AND REMOVE DEBRIS FROM THE TOP OF THE CAP AND APPLY EPOXY PROTECTIVE COATING. EPOXY COATING SHALL BE APPLIED TO THE TOP SURFACE OF THE CAP. THE CONTRACTOR SHALL NOT COAT THE AREA OF THE CAP BENEATH THE MASONRY PLATES. FOR EPOXY COATING, SEE SPECIAL PROVISIONS.

CONCRETE REPAIR AREA

DC

EPOXY RESIN INJECTION (ERI)

	PROJECT NO.	I-5	746C			
		MECKLENBURG				
	BRIDGE NO	5900	44			
DocuSigned by:						

O2EE938FAB674C5	DEPARTMENT OF TRANSPORTATION RALEIGH						
SEAL 35647 MCINEER 8/23/2021							
	REVISIONS SHEET NO.						
OCUMENT NOT CONSIDERED	NO.	BY:	DATE:	NO.	BY:	DATE:	S1-15
FINAL UNLESS ALL	1			3			TOTAL SHEETS
SIGNATURES COMPLETED	2			4			274