

+

+

23-AUG-2021 12:04 R:\Structures\FINAL PLANS\Bridge 332\410_115_I5746C_SMU_B7H_S10-58_590332.dgn aacole

<u> </u>	OTTON	<u>/ OF</u>	CAF	D										
					WALL									
9.9 SF SF SHOTCRETE TCRETE REPAIR AIR														
PPROX. ROUND INE		3						2						. — — 1
	<u>ELE</u>	/ATIC	<u>)N</u>		AS-B	UIL	Т	REP	AI	R QU	ANTI	ΤΥ	TAB	LE

BENT 7

AS-BUILT REPA	IR QL	JANTI	ΤΥ ΤΑ	BLE				
BENT 7	QUANTITIES							
	ESTI	ΜΑΤΕ		UAL				
SHOTCRETE REPAIRS	AREA SQ.FT.	VOLUME CU.FT.		VOL CU.				
САР	73.6	36.8						
COLUMNS & STRUTS	1.6	0.8						
CONCRETE REPAIRS	AREA SQ.FT.	VOLUME CU.FT.		VOL CU.				
САР	0.0	0.0						
EPOXY RESIN INJECT	ION	LIN.FT		LIN				
САР		0.0						
COLUMNS & STRUTS		0.0						
EPOXY COATING	SQ.FT.		SQ.					
TOP OF BENT CAP & STRUTS	0							

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MIN. OF 1"BEHIND REBAR AND 2" MIN. CLEAR TO SAWCUT. FOR REPAIR DETAILS, SEE "TYPICAL CAP AND COLUMN REPAIR DETAILS" SHEET.

