

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

CONCRETE REPAIRS MAY BE SUBSTITUTED IN LIEU OF SHOTCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIR, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIR, SEE SPECIAL PROVISIONS.

FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.

CLEAN AND REMOVE DEBRIS FROM THE TOP OF THE CAP AND APPLY EPOXY PROTECTIVE COATING. EPOXY COATING SHALL BE APPLIED TO THE TOP SURFACE OF THE CAP. THE CONTRACTOR SHALL NOT COAT THE AREA OF THE CAP BENEATH THE MASONRY PLATES. FOR EPOXY COATING, SEE SPECIAL PROVISIONS.

SHOTCRETE REPAIR AREA

CONCRETE REPAIR AREA

✓ ← EPOXY RESIN INJECTION (ERI)


SPAN J SPAN H

AS-BUILT REPAIR QUANTITY TABLE QUANTITIES BENT 8 ACTUAL ESTIMATE VOLUME VOLUME SHOTCRETE REPAIRS SQ.FT. CU.FT. SQ.FT. CU.FT. CAP 5.0 2.5 COLUMNS & STRUTS 65.1 32.6 VOLUME VOLUME CONCRETE REPAIRS SQ.FT. CU.FT. SQ.FT. CU.FT. CAP 6.6 3.3 EPOXY RESIN INJECTION LIN.FT LIN.FT CAP 1.0 COLUMNS & STRUTS 0.0 EPOXY COATING SQ.FT. SQ.FT. TOP OF BENT CAP & STRUTS 414

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MIN. OF 1"BEHIND REBAR AND 2" MIN. CLEAR TO SAWCUT. FOR REPAIR DETAILS, SEE "TYPICAL CAP AND COLUMN REPAIR DETAILS" SHEET.

TOP OF CAP

BENT 8



PROJECT NO. I-5746C MECKLENBURG COUNTY BRIDGE NO. 590332

SHEET 2 OF 4

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

> BENT 8 SPAN H FACE

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SEAL 35647

8/23/2021

REVISIONS SHEET NO S10-60 DATE: DATE: BY: TOTAL SHEETS 274

23-AUG-2021 12:04
R:\Structures\FINAL PLANS\Bridge 332\410_119_I5746C_SMU_B8H_S10-60_590332.dgn

R.L.PUTEK

H. A. LOCKLEAR

DRAWN BY :

CHECKED BY :

_ DATE : <u>06/2021</u>

DATE : 06/2021