




PROJECT REFERENCE NO.	SHEET NO.
U-4405A	EC-17/CONST. 4A
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER



NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.


ADDITIONAL EROSION CONTROL DEVICES MAY NEED TO BE INSTALLED AS DIRECTED.

INSTALL FABRIC INSERT INLET PROTECTION DEVICE IN LIEU OF ROCK INLET SEDIMENT TRAP TYPE 'C' AS DIRECTED TO AVOID PONDING OF RUNOFF IN ROADWAY OPEN TO PUBLIC TRAFFIC

-Y50-
 PI Sta 13+13.27
 $\Delta = 43' 14" 06.3" (RT)$
 $D = 9' 57" 52.1"$
 $L = 433.89'$
 $T = 227.86'$
 $R = 575.00'$

-LI-
 PI Sta 101+73.28
 $\Delta = 20' 51' 47.4" (RT)$
 $D = 2' 47' 41.7"$
 $L = 746.47'$
 $T = 377.41'$
 $R = 2,050.00'$

8/17/99
 REVISIONS
 7/6/2021 U-4405-REV.UC_psh_04A_Final.dgn



MATCHLINE SEE SHEET 4B
 -LI- STA 99+00

NOTE: SEE SHEET 52 FOR -LI- PROFILE