

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.

CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 17

**HNTB** HNTB NORTH CAROLINA, P.C. 343 E. Six Forks Road, Suite 200 Raleigh, North Carolina 27609 NC License No: C-1554


PROJECT REFERENCE NO.	SHEET NO.
R-5021	EC-17/CONST.17
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

NOTE: UTILIZE COIR FIBER MATTING ADJACENT TO WETLANDS / JURISDICTIONAL AREAS, AND AS DIRECTED

NOTE: INSTALL FABRIC INSERT INLET PROTECTION DEVICE IN LIEU OF ROCK INLET SEDIMENT TRAP TYPE 'C' AS DIRECTED.

MATCH LINE -L- STA 227+00.00 SEE SHEET 16

MATCH LINE -L- STA 241+00.00 SEE SHEET 18









100 x 22 x 2  
6 ft. weir  
(See Infiltration Basin Detail)  
ID 17.02B

140 x 38 x 2  
18 ft. weir  
(See Infiltration Basin Detail)  
ID 17.01B

INSTALL TSD TO PROPOSED DITCH DEPTH AND DIMENSIONS.

INSTALL PROP. PIPES AND JB W/SLAB LID DURING CLEARING & GRUBBING

INSTALL PROP. PIPES AND JB W/WH DURING CLEARING & GRUBBING



FROM -L- STA. 237+00 TO STA. 238+93 RT  
FROM -Y6- STA. 10+75 TO STA. 11+25 LT  
FROM -L- STA. 228+25 TO STA. 232+30 RT  
FROM -Y5A- STA. 11+00 TO STA. 12+25 RT  
FROM -Y5B- STA. 10+00 TO STA. 11+00 LT

FROM -L- STA. 227+50 TO STA. 228+25 RT  
FROM -L- STA. 233+25 TO STA. 235+50 RT