


PLOT DRIVER: NCDOT... PENTABLE: NCDOT STRUCTURES DEFAULT PEN.tbl
USER: PPETERSO DATE: 10/14/2021 TIME: 3:57:52 PM
FILE: ... \GENERA



SEE SHEET 6 OF 11 FOR CONTINUATION

SEE SHEET 8 OF 11 FOR CONTINUATION

FOUNDATION LAYOUT

DIMENSIONS LOCATING PILES ARE SHOWN TO PILE CENTERLINE AT BOTTOM OF THE CAP OR FOOTING, MEASURED FROM THE TANGENT TO -Y15FLYAC- AT EACH WORK POINT.

☉ FOOTING IN THE TRANSVERSE DIRECTION IS COINCIDENT WITH THE BENT CONTROL LINE, AND RADIAL TO -Y15FLYAC-, AT ALL BENTS.

OBSERVE PILE ORIENTATION AND LOCATION OF OMITTED PILES IN EACH FOOTING.

NOTE
SEE NOTES ON SHEET 5 OF 11.


PROJECT NO. U-2579AB
FORSYTH COUNTY
STATION: 60+66.06 -Y15FLYAC-
SHEET 7 OF 11

- LEGEND**
- ⊥ HP14X73 VERTICAL PILE
 - ⊥---⊥ HP14X73 BRACE PILE (BATTER 3H:12V)
 - ⊕ HP14X73 TENSION PILE



Dominic A. Colletti 10/15/2021

DES BY: J. CABABE	DATE: 10/19	DWG BY: D. CARTER	DATE: 11/19
DES CHK: S. CHAUDHARI	DATE: 10/19	CHK BY: M. WERNER	DATE: 12/19



DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH

GENERAL DRAWING
BRIDGE ON -Y15FLYAC- IN INTERCHANGE CONNECTING WINSTON-SALEM NORTHERN BELTWAY AND I-40 BYPASS BETWEEN SR 4315 AND SR 2679

REVISIONS						SHEET NO. S04-007
NO.	BY:	DATE:	NO.	BY:	DATE:	
1	--	--	3	--	--	TOTAL SHEETS 144
2	--	--	4	--	--	