COMPUTED BY: REK
 DATE: 05/31/18

 CHECKED BY: SSL
 DATE: 05/31/18

(1-16-18)

PROJECT REFERENCE NO. SHEET NO. U-5888 3G-I

STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS

SUMMARY OF SUBSURFACE DRAINAGE

LINE	Station	Station	Location LT/RT/CL	Drain Type* UD/BD/SD	LF		
	CONTIN	SD	200				
				TOTAL LF:	200		
*UD = Under	= Underdrain						
*BD = Blind [D = Blind Drain						
*SD = Subsu	rface Drain						

SUMMARY OF AGGREGATE SUBGRADE/STABILIZATION

LINE	Station	Station	Aggregate Type* ASU/AST	Aggregate Thickness INCHES	Shallow Undercut CY	Class IV Subgrade Stabilization TONS	Geotextile for Soil Stabilization SY	Stabilizer Aggregate TONS	Class IV Aggregate Stabilization TONS
-L2-	19+25	20+25	ASU	24	54	116	88		
-Y5-	11+25	12+75	ASU	24	288	564	427		
CONTINGENCY					100	100	200		T
			TOTAL	CY/TONS/SY:	442	780**	715**	0	0
		<u> </u>							

^{*}ASU = Aggregate Subgrade
*AST = Aggregate Stabilization

\rroj\ubaka_rdy_psh_W3U-1.dgn FR:JHefner

^{**}Total tons of "Class IV Subgrade Stabilization" and total square yards of "Geotextile for Soil Stabilization" are only the estimated quantities for ASU/AST and may only represent a portion of the subgrade stabilization and geotextile quantities shown in the Item Sheets of the Proposal.