

APPROVED: *Betsy L. Watson*


DATE: 8/14/2019



DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED




401 QUANTITY REQ'D 2



24 X 30  
R2-1

ONE "U" POST PER SIGN


406 QUANTITY REQ'D 4



36 X 36  
W2-6

ONE "U" POST PER SIGN


411 QUANTITY REQ'D 10



36 X 36  
W11-2

FLUORESCENT YELLOW/GREEN  
ONE "U" POST PER SIGN


402 QUANTITY REQ'D 2



24 X 30  
R2-1

ONE "U" POST PER SIGN


407 QUANTITY REQ'D 3



18 X 18  
OM4-1

ONE "U" POST PER SIGN


412 QUANTITY REQ'D 8



24 X 12  
W16-7PL

FLUORESCENT YELLOW/GREEN  
MOUNT BELOW SIGN 411  
IN 8 INSTALLATIONS


403 QUANTITY REQ'D 1



30 X 30  
W14-1

MOUNT BELOW SIGN 401  
IN 1 INSTALLATION

408 QUANTITY REQ'D 4



36 X 36 X 36  
R1-2

ONE "U" POST PER SIGN

413 QUANTITY REQ'D 2



24 X 12  
W16-9P

FLUORESCENT YELLOW/GREEN  
MOUNT BELOW SIGN 411  
IN 2 INSTALLATIONS


404 QUANTITY REQ'D 1



36 X 12  
R6-1R

ONE "U" POST PER SIGN


409 QUANTITY REQ'D 1



36 X 12  
R6-1R

MOUNT ABOVE SIGN 410  
IN 1 INSTALLATION


414 QUANTITY REQ'D 4



30 X 24  
R6-4

ONE "U" POST PER SIGN


405 QUANTITY REQ'D 7



36 X 36  
R1-1

ONE "U" POST PER SIGN


410 QUANTITY REQ'D 1



36 X 36  
R1-1

TWO "U" POSTS PER SIGN

415 QUANTITY REQ'D 4



18 X 18  
OM1-3

ONE "U" POST PER SIGN

\$\$\$\$\$SYSTEMTIME\$\$\$\$\$  
\$\$\$\$\$DGN\$\$\$\$\$  
\$\$\$\$\$USERNAME\$\$\$\$\$

TYPE 'E' SIGNS