


6/2/2021



**PAVEMENT SCHEDULE (FINAL)**

ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION				
(A1)	7" CONCRETE	(C4)	3" S9.5C	(D3)	VAR DEPTH I19.0C	(E4)	5" B25.0C	(K1)	CHEMICAL STABILIZATION: 7" SOIL-CEMENT BASE OR 8" LIME-TREATED SOIL	(R1)	2'-6" CONCRETE CURB & GUTTER	(R5)	8"x12" CONCRETE CURB	(U)	EXIST. PAVEMENT				
(C1)	1.5" S9.5B	(C5)	VAR DEPTH S9.5C	(E1)	3" B25.0C	(E5)	VAR DEPTH B25.0C	(K2)	8" CLASS IV SUBGRADE STABILIZATION	(R2)	SHOULDER BERM GUTTER	(R6)	CONCRETE EXPRESSWAY GUTTER	(Z)	MILLED RUMBLE STRIP				
(C2)	3" S9.5B	(D1)	2.5" I19.0C	(E2)	4" B25.0C	(J1)	6" ABC	(N1)	GEOTEXTILE FOR SOIL STABILIZATION	(R3)	5" CONC. ISLAND	(S)	4" CONC. SIDEWALK	(V1)	(V2)	(V3)	(V4)	PAVEMENT MILLING	
(C3)	VAR DEPTH S9.5B	(D2)	4" I19.0C	(E3)	4.5" B25.0C	(J2)	8" ABC	(N2)	GEOTEXTILE FOR PAVEMENT STABILIZATION	(P)	PRIME COAT	(R4)	2' MODIFIED VALLEY GUTTER	(T)	EARTH	(W1)	(W2)	(W3)	VARIABLE DEPTH PAVEMENT WEDGING

PROJECT REFERENCE NO. R-2233BB	SHEET NO. 2A-4
ROADWAY DESIGN ENGINEER 	PAVEMENT DESIGN ENGINEER 
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>	
 2510 WYCLIFF ROAD RALEIGH, NC 27607 PHONE: 919.881.9739 NC O&A No. F-08029	
NC DEPARTMENT OF TRANSPORTATION PAVEMENT MANAGEMENT UNIT 1593 MAIL SERVICE CENTER RALEIGH, NC 27699-1593	




**PROPOSED RETAINING WALL**  
-Y2- 27+67+/- TO -Y2- 31+45+/- - EASTBOUND  
-Y2- 28+41+/- TO -Y2- 30+91+/- - WESTBOUND  
NOTE: SIDEWALK ON WESTBOUND SIDE ONLY.  
SEE BRIDGE PLANS FOR WALL LOCATION & DETAILS







**WESTBOUND LANES**  
-Y3- 14+75.00 TO -Y3- 25+40.52 BRIDGE  
-Y3- 27+69.52 BRIDGE TO -Y3- 37+25.00

**EASTBOUND LANES**  
-Y3- 14+75.00 TO -Y3- 25+40.52 BRIDGE  
-Y3- 27+69.52 BRIDGE TO -Y3- 32+05.00  
(SEE DETAIL FOR OMTV THIS SHEET)



**WESTBOUND LANES**  
-Y3- 13+10.00 TO -Y3- 14+75.00  
-Y3- 37+25.00 TO -Y3- 41+50.00

**EASTBOUND LANES**  
-Y3- 13+10.00 TO -Y3- 14+75.00  
-Y3- 33+96.00 TO -Y3- 39+88.56  
-Y3- 40+67.67 TO -Y3- 41+50.00



USE INCONJUNCTION WITH TS No. 7  
-Y3- 21+52.58 TO -Y3- 31+35.00 (CONCRETE BARRIER)  
-Y3- 22+00.00 TO -Y3- 25+40.52 BRIDGE (BIKE SAFE HANDRAIL-RIGHT)  
-Y3- 27+69.52 BRIDGE TO -Y3- 31+35.00 (BIKE SAFE HANDRAIL-RIGHT)  
-Y3- 24+50.00 TO -Y3- 25+10.00 WIDTH VARIES FROM 10' TO 8'  
-Y3- 27+84.00 TO -Y3- 28+50.00 WIDTH VARIES FROM 8' TO 10'  
SIDEWALK WIDTH IS 8' ON THE PROPOSED BRIDGE.  
SEE CROSS SECTIONS & BRIDGE PLANS.

9/26/2021 11:36:14 AM  
ITS:FCOJNR233BB.RDY.TYP.2A-4.DGN