

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 4

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.

IMPERVIOUS DIKE MAY BE SUBSTITUTED WITH TURBIDITY CURTAIN
UPON THE RECOMMENDATION AND COMBINED APPROVAL OF
THE DIVISION ENVIRONMENTAL OFFICER
AND NCDWR AND ACOE REPRESENTATIVES.


INSTALL FABRIC INSERT INLET PROTECTION
DEVICE IN LIEU OF ROCK INLET SEDIMENT
TRAP TYPE 'C' AS DIRECTED TO AVOID
PONDING OF RUNOFF IN ROADWAY OPEN TO
PUBLIC TRAFFIC

PROJECT REFERENCE NO. U-5896	SHEET NO. EC-04/CONST.04
RW SHEET NO.	
<p>M M MOTT MACDONALD</p> <p>PO Box 700 Fuquay-Varina, NC 27526 www.mottmac.com/americas</p>	
<p>vhb VHB Engineering NC, P.C. (C-3705) 940 Main Campus Drive, Suite 500 Raleigh, NC 27606</p>	

52 x 25 x 3
1.5 inch Skimmer
with 1.0 inch
Orifice Diameter
10 ft. weir
ID 4.1

1
SOUTHWEST RENEWAL FOUNDATION
OF HIGH POINT, INC
DB 7389 PG 436
PB 34 PG 16

2
EMPIRE BUILDING, LLC
DB 4855 PG 1246
PB 40 PG 85



BEGIN WIDENING LT
-L- Sta. 7+70.00


BEGIN OVERLAY LT
-L- Sta. 6+40.00

BEGIN TIP U-5896
-L- Sta. 6+40.00

-L- POT Sta. 1+74.81

BEGIN OVERLAY & WIDENING RT
-L- Sta. 6+40.00

BERM - BASE DITCH
SEE DETAIL 2
EST. 135 TONS RIP RAP
EST. 216 SY GEOTEXTILE
EST. 240 CY DDE



ENVIRONMENTALLY SENSITIVE AREA
SEE PROJECT SPECIAL PROVISIONS

MATCHLINE -L- STA 10+50.00
SEE SHEET NO. 5

8/17/99
8:37:45 AM
R:\Environmental\Design\PSHU-5896.REU_psh04_CG.dgn