




8/17/99

PROJECT REFERENCE NO. U-5798A	SHEET NO. 2D-1
RW SHEET NO.	
HYDRAULICS ENGINEER	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



- NOTES:**
- 1) CHANNEL BLOCK SHALL BE INSTALLED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS.
 - 2) BLOCK SHOULD BE INSTALLED AT THE INTERFACE BETWEEN EXISTING CHANNEL AND PROPOSED CHANNEL.
 - 3) BOTTOM OF BLOCK SHOULD BE A MINIMUM OF 1' BELOW THE INVERT OF THE EXISTING CHANNEL.
 - 4) BLOCK SHOULD EXTEND A MINIMUM OF 5' BEYOND THE LIMITS OF THE EXISTING STREAM CHANNEL.
 - 5) INSTALL EROSION CONTROL MATTING AND SEED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS IMMEDIATELY AFTER GRADING.
 - 6) COMPACT BACKFILL TO EXTENT POSSIBLE OR AT THE DIRECTION OF THE ENGINEER.

CHANNEL BLOCK
NOT TO SCALE

20-DEC-2021 09:50 R:\Drawings\PSH\100_025_Channel_Block_Detail_2D-1.dgn