5/14/99

EXISTING SEWER MANHOLE INFORMATION

MH 2057
INV:54.73
TOP:64.27

PROPOSED SEWER MANHOLE INFORMATION

MH 4
INV:58.22
TOP:63.56

PHASING SECTION 4
(-L-, STA. 41+52 TO 14TH STREET)

PHASING SECTION 5A
(-L-, 14TH STREET TO STA. 66+00)

NAD 83/NSRS 2007

-Y3-
PI Sta 8+91.59
D = 1° 05' 12.6" (LT)
D = 1° 16' 23.7"
L = 85.36'
T = 42.68'
R = 4,500.00'
SE = EXISTING
RO = EXISTING

INSET "P"
(3X ENLARGEMENT)

INSET "R"
(3X ENLARGEMENT)

INSET "Q"
(3X ENLARGEMENT)

INSET "S"
(3X ENLARGEMENT)

NOTE:
THE ESTIMATED QUANTITY OF DUCTILE IRON WATER PIPE FITTINGS ON THIS PLAN SHEET IS 2,920 POUNDS. THE ACTUAL QUANTITY AND TYPE OF FITTINGS WILL VARY BASED ON FIELD CONDITIONS.

NOTE: CONTRACTOR HAS THE OPTION TO PLUG, FILL, AND ABANDON SECTIONS OF EXISTING STORMWATER PIPE TO BE REMOVED WHERE REMOVAL IS HINDERED BY CONFLICTS WITH UTILITIES OR OTHER CIRCUMSTANCES. AREAS TO BE DETERMINED BY THE FIELD ENGINEER.

SEE SHEET 15 FOR -L- PROFILE

PREPARED IN THE OFFICE OF:

THE WOOTEN COMPANY
130 North Boylan Avenue Raleigh NC 27603-1423
919.828.0531 fax 919.834.3589
License Number: F-0115

VERTICAL SCALE 5' 0 5' 10'
HORIZONTAL SCALE 15' 0 15' 30'

WATER LINE AND SEWER LINE CONSTRUCTION SHOWN ON THIS SHEET

PROJECT REFERENCE NO.	SHEET NO.
U-5606	UC-9

DESIGNED BY: JRG
DRAWN BY: TK & CB
CHECKED BY: DGM
APPROVED BY: DGM
REVISED:

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

UTILITIES ENGINEERING SEC.
PHONE: (919) 707-6690
FAX: (919) 250-4151

NORTH CAROLINA PROFESSIONAL SEAL ENGINEER 29997 DAVID G. MALINAUSKAS 07/08/2022

Document Not Considered Final Unless All Signatures Completed

UTILITY CONSTRUCTION PLANS ONLY

UTILITY CONSTRUCTION

SS\SYSTIME\ENGDGN\
SS\SYSTIME\ENGDGN\