



SPAN C

AS-BUILT REPAIR QUANTITY TABLE		
DECK SURFACE REPAIRS - SPAN C		
	ESTIMATE	ACTUAL
CLASS II SURFACE PREPARATION	8.3 SQ. YDS.	
LATEX MODIFIED CONCRETE-EARLY STRENGTH	159.7 CU. YDS.	
PLACING AND FINISHING LMC-ES OVERLAY	2555.6 SQ. YDS.	
SCARIFYING BRIDGE DECK	2555.6 SQ. YDS.	
HYDRO-DEMOLITION OF BRIDGE DECK	2555.6 SQ. YDS.	
GROOVING BRIDGE FLOORS	21500.0 SQ. FT.	

NOTES

REPAIR LOCATIONS AND ESTIMATED QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

PAYMENT FOR CLASS II SURFACE PREPARATION IS BASED ON THE SQUARE YARDS OF ADDITIONAL DEMOLITION REQUIRED FOLLOWING HYDRO-DEMOLITION OF THE BRIDGE DECK. SEE SPECIAL PROVISIONS.

FOR LMC-ES OVERLAY, SEE SPECIAL PROVISIONS.

CLASS II SURFACE PREPARATION

PROJECT NO. I-5831A
MADISON COUNTY
 BRIDGE NO. 560547

SHEET 3 OF 5



STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 RALEIGH

DECK SURFACE REPAIR
 SPAN C

DRAWN BY : E. CABPELL DATE : 02/2022
 CHECKED BY : H.A. LOCKLEAR DATE : 02/2022

DOCUMENT NOT CONSIDERED
 FINAL UNLESS ALL
 SIGNATURES COMPLETED

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	
1			3			S3-06
2			4			TOTAL SHEETS 24