

+



| AS-BUILT REPAIR QUANTITY TABLE | | | | | | | | |
|--------------------------------|------------------------------|------------------|----------------|------------------|--|--|--|--|
| BENT 4 | QUANTITIES | | | | | | | |
| | ESTI | MATE | ACTUAL | | | | | |
| SHOTCRETE REPAIRS | AREA SQ.FT. | VOLUME CU.FT. | AREA SQ.FT. | VOLUME CU.FT. | | | | |
| САР | 0.0 | 0.0 | | | | | | |
| COLUMN | 15.0 | 7.5 | | | | | | |
| | | | | | | | | |
| CONCRETE REPAIRS | AREA VOLUME SQ.FT. CU.FT. | | AREA SQ.FT. | VOLUME CU.FT. | | | | |
| САР | 0.0 | 0.0 | | | | | | |
| COLUMN | 0.0 | 0.0 | | | | | | |
| | | | | | | | | |
| EPOXY RESIN INJECTION | | LIN.FT. | LIN.FT. | | | | | |
| САР | 0.0 | | | | | | | |
| COLUMN | 0.0 | | | | | | | |
| | | | | | | | | |

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MINIMUM OF 1" BEHIND REBAR AND MINIMUM 2" CLEARANCE TO SAWCUT. SEE "TYPICAL CAP AND COLUMN REPAIR DETAILS" SHEET.

NOTES

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE GIVEN BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER SHALL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATION AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

CONCRETE REPAIRS MAYBE SUBSTITUTED IN LIEU OF SHOTCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.

FOR CAP AND COLUMN REPAIRS, SEE "TYPICAL CAP AND COLUMN REPAIR DETAILS" AND "PRESTRESSED CONCRETE PILE REPAIR DETAILS" SHEETS.

| 7 | 7 | | |
|---|-----|---|-----------|
| Ľ | / / | / | \square |
| | | | |

SHOTCRETE REPAIR AREA

 $\bigotimes \bigotimes$

CONCRETE REPAIR AREA

 \sim ERI - EPOXY RESIN INJECTION

(1)

RTH CARO

QUEESSION,

SEAL 26445

A CINEE

DocuSigned by P. Korey Newton PILE NUMBER

PROJECT NO. 15BPR.56 BEAUFORT COUNTY BRIDGE NO. 060027

> STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH

SUBSTRUCTURE

BENT 4 REPAIR

| 4FFE39D1431B407 | | | | | | | |
|-------------------------|-----------|-----|-------|-----|-----------|-------|-----------------|
| 01/28/2022 | REVISIONS | | | | SHEET NO. | | |
| DOCUMENT NOT CONSIDERED | NO. | BY: | DATE: | NO. | BY: | DATE: | S2-9 |
| FINAL UNLESS ALL | 1 | | | 3 | | | TOTAL SHEETS |
| SIGNATURES COMPLETED | 2 | | | 4 | | | 9 |