



**DOCUMENT NOT CONSIDERED FINAL
 UNLESS ALL SIGNATURES COMPLETED**


Version: 3.1 Posted: 6/2/2017

NUMBER	SIGN TYPE	SIGN SIZE (in.)				ROADWAY STATION	NUMBER OF SUPPORTS	BEAM SECTION	SUPPORT TYPE BA or S	OMNI COUPLER	ATTACHMENT METHOD	MOUNTING METHOD	HORIZONTAL CLEARANCE* (ft.)	SUPPORT SPACING	LENGTH (ft)			LEFT SUPPORT (ft)			CENTER SUPPORT (ft)			RIGHT SUPPORT (ft)			SUPPORT WEIGHTS		FOOTINGS				FIELD VERIFIED SEE NOTE 2 (mm/dd/yy)
		w	x	x	h										SNS HT "H"	MTG HT "C"	EMBED- MENT	S	L	LENGTH	S	L	LENGTH	S	L	LENGTH	B/A (lbs.)	SIMPLE (lbs.)	DIAMETER (ft.)	DEPTH (ft.)	REINFORCED (c.y.)	PLAIN (c.y.)	
101A	B	132	x	30		See SIGN-5	3	W6x16	BA	N/A	1-R N/A	N/A	30.00	6.92	6.00	7.00	4.0	3.30	16.30	20.30	4.30	17.30	21.30	5.50	18.50	22.50	1166.60	0	1.5	4.5	0.88	0.00	_____
101B	A	234	x	72																													
102A	B	132	x	30		See SIGN-6	3	W6x16	BA	N/A	1-R N/A	N/A	30.00	6.92	6.00	7.00	4.0	3.40	16.40	20.40	4.10	17.10	21.10	5.04	18.04	22.04	1157.64	0	1.5	4.5	0.88	0.00	_____
102B	A	234	x	72																													
103A	B	132	x	30	-LEB- STA 29+20	3	W6x16	BA	N/A	1-R N/A	N/A	30.00	6.92	7.50	7.00	4.0	3.42	17.92	21.92	4.60	19.10	23.10	5.84	20.34	24.34	1250.76	0	1.5	4.5	0.88	0.00	_____	
103B	A	234	x	90																													
104A	B	132	x	30	-L- STA 43+77	3	W6x16	BA	N/A	1-R N/A	N/A	30.00	6.92	7.50	7.00	4.0	3.60	18.10	22.10	5.15	19.65	23.65	5.55	20.05	24.05	1257.80	0	1.5	4.5	0.88	0.00	_____	
104B	A	234	x	90																													
105A	B	132	x	30	-L- STA 71+00	3	W6x16	BA	N/A	1-R N/A	N/A	30.00	6.92	6.00	7.00	4.0	3.75	16.75	20.75	4.94	17.94	21.94	6.15	19.15	23.15	1194.44	0	1.5	4.5	0.88	0.00	_____	
105B	A	234	x	72																													
106A	B	132	x	30	-L- STA 97+50	3	W6x16	BA	N/A	1-R N/A	N/A	30.00	6.92	6.00	7.00	4.0	4.75	17.75	21.75	6.48	19.48	23.48	8.20	21.20	25.20	1267.88	0	1.5	4.5	0.88	0.00	_____	
106B	A	234	x	72																													
201	A	96	x	60	-LEB- STA 37+67	2	S3x5.7	BA	N/A	N/A	N/A	Δ	4.69	5.00	7.00	2.5	1.00	13.00	15.50	0.00	0.00	0.00	1.00	13.00	15.50	212.70	0	1.0	3	0.00	0.17	_____	
202	A	96	x	60	-L- STA 35+31																												

TOTAL	7720.52	TOTAL	0.00	TOTAL	5.30	TOTAL	0.35
USE:	7721.00	0.00	6.00	1.00			

NOTES

- DIMENSION "S" REPRESENTS AN INCREASE (+), OR A DECREASE (-) IN POLE LENGTH, RELATIVE TO THE ELEVATION OF THE EDGE OF TRAVEL LANE.
- FIELD VERIFICATIONS SHALL BE REQUIRED FOR ALL SUPPORTS, SEE (*) ARTICLE 903-3. FABRICATORS SHALL BE AISC CERTIFIED IN CATEGORY 1, SEE (*) ARTICLE 1072-1. (*) = N.C.D.O.T. STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES
- PLAN LOCATIONS FOR EXISTING UTILITIES ARE BASED ON THE BEST AVAILABLE INFORMATION AND, MAY NOT BE PRECISELY ACCURATE. THEREFORE, IT IS INCUMBENT UPON THE CONTRACTOR TO DETERMINE THE EXACT LOCATION OF UTILITIES BEFORE BEGINNING WORK IN A LOCATION.



**TYPE "A" AND TYPE "B"
 GROUND MOUNTED SIGNS**

4/14/2022 G:\501406665_Coilyx-R5819-R5820\Drawings\CADD\Signing\CADD\Signing Layout_Plans\R-5819 R-5820_Sign_SGN_2.dgn