


NOTE 2

INSET "A"




REFER TO ROADWAY STANDARD  
DRAWING 1101.03, SHEET 1 OF 9  
FOR APPLICABLE NOTES.

- NOTES:
- 1) SEE SHEETS TMP-01B AND TMP-01C FOR OFFSITE DETOUR SIGN AND DEVICE LEGEND.
  - 2) WHEN CLOSING THE ROADWAY TO PERFORM WORK WITHIN A SPECIFIC WORK AREA, PORTABLE SIGNING MAY BE USED BETWEEN THE TYPE III WING BARRICADES IF THE ROAD WILL BE CLOSED FOR 3 DAYS OR LESS, PER THE DISCRETION OF THE ENGINEER.
  - 3) INSTALL THE ROAD CLOSURE SIGNING BETWEEN THE TYPE III WING BARRICADES AS THE 'VARIABLE' LENGTH OF ROADWAY WILL ALLOW, BEGINNING FROM THE WORK AREA OUTWARD TO THE TYPE III WING BARRICADES.
  - 4) ADJUST SIGNING WITHIN THE TYPE III WING BARRICADES AS THE WORK AREA CHANGES FROM ONE LOCATION TO ANOTHER.

**ETHERILL ENGINEERING**  
1223 Jones Franklin Rd.  
Raleigh, N.C. 27606  
License No. F-0377  
Bus: 919 851 8077  
Fax: 919 851 8107

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION




OFFSITE DETOUR ROUTE

APPROVED: *E. H. Gray*  
DATE: 4/7/2022

PROFESSIONAL SEAL  
047751  
ENG. IN ENR.  
BOB A. MAY

DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED



-L- (SR 1142) FROM  
SR 1124 TO NC 125  
OFFSITE DETOUR

3/4/2022  
3/20/2022  
User: RAH/ces