

REFERENCE: R-4705

PROJECT: 38932

**CONTENTS**

<u>SHEET NO.</u>	<u>DESCRIPTION</u>
1	TITLE SHEET
2	LEGEND (SOIL & ROCK)
3	SITE PLAN
4	PROFILE(S)
5-6	BORE LOG(S)
7	SOIL TEST RESULT(S)

**STATE OF NORTH CAROLINA**  
 DEPARTMENT OF TRANSPORTATION  
 DIVISION OF HIGHWAYS  
 GEOTECHNICAL ENGINEERING UNIT

**STRUCTURE**  
**SUBSURFACE INVESTIGATION**

COUNTY MARTIN  
 PROJECT DESCRIPTION NC125/SR 1142 (PRISON CAMP ROAD) FROM NC 903 TO SR 1182 (EAST COLLEGE ROAD)  
 SITE DESCRIPTION CULVERT ON NC 125/SR 1142 (PRISON CAMP RD.) OVER COLLIE SWAMP TRIBUTARY 1 AT -L- STA. 53 + 70

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	R-4705	1	7

**CAUTION NOTICE**

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (ON-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

- NOTES:
- THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
  - BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

**PERSONNEL**

S. WOODS

S. DAVIS

W. PESL

INVESTIGATED BY F&R, Inc.


DRAWN BY T.T. WALKER

CHECKED BY C. WANG

SUBMITTED BY P. ALTON, P.E.

DATE SEPTEMBER 2019

SINCE **Prepared in the Office of:**  
**F&R** FROEHLING & ROBERTSON, INC.  
 Engineering Stability Since 1881  
 310 Hubert Street  
 Raleigh, North Carolina 27603-2302 | USA  
 T 919.828.3441 | F 919.828.5751  
 www.fandr.com



SIGNATURE


DATE


**DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED**

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
 DIVISION OF HIGHWAYS  
**GEOTECHNICAL ENGINEERING UNIT**  
**SUBSURFACE INVESTIGATION**  
 SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS


SOIL DESCRIPTION										GRADATION										ROCK DESCRIPTION										TERMS AND DEFINITIONS									
SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 206, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6										WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.										HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED, AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS: WEATHERED ROCK (WR) CRYSTALLINE ROCK (CR) NON-CRYSTALLINE ROCK (NCR) COASTAL PLAIN SEDIMENTARY ROCK (CP)										ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLODGED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRODUCED ROCKS. SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS IN OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.									
SOIL LEGEND AND AASHTO CLASSIFICATION										ANGULARITY OF GRAINS										ROCK DESCRIPTION										TERMS AND DEFINITIONS									
GENERAL CLASS. GRANULAR MATERIALS (<= 35% PASSING #200) SILT-CLAY MATERIALS (> 35% PASSING #200) ORGANIC MATERIALS										MINERALOGICAL COMPOSITION										WEATHERING										ROCK HARDNESS									
GROUP CLASS. A-1, A-1-b, A-3, A-2-4, A-2-5, A-2-6, A-2-7, A-4, A-5, A-6, A-7, A-1, A-2, A-3, A-4, A-5, A-6, A-7										COMPRESSIBILITY										FRESH										VERY SLIGHT (V SLI.)									
SYMBOL										PERCENTAGE OF MATERIAL										SLIGHT (SLI.)										MODERATE (MOD.)									
% PASSING #10, #40, #200										GROUND WATER										SEVERE (SEV.)										VERY SEVERE (V SEV.)									
MATERIAL PASSING #40, LL, PI										MISCELLANEOUS SYMBOLS										COMPLETE										ROCK QUALITY DESIGNATION (RQD)									
GROUP INDEX										RECOMMENDATION SYMBOLS										VERY HARD										HARD									
USUAL TYPES OF MAJOR MATERIALS										ABBREVIATIONS										MODERATELY HARD										MEDIUM HARD									
GEN. RATING AS SUBGRADE										EQUIPMENT USED ON SUBJECT PROJECT										SOFT										VERY SOFT									
PI OF A-7-5 SUBGROUP IS <= LL - 30, PI OF A-7-6 SUBGROUP IS > LL - 30										INDURATION										FRACTURE SPACING										BEDDING									
CONSISTENCY OR DENSENESS										DRILL UNITS										VERY WIDE										WIDE									
PRIMARY SOIL TYPE										ADVANCING TOOLS										MODERATELY CLOSE										CLOSE									
GENERALY GRANULAR MATERIAL (NON-COHESIVE)										HAMMER TYPE										VERY CLOSE										VERY CLOSE									
GENERALY SILT-CLAY MATERIAL (COHESIVE)										CORE SIZE										MODERATELY HARD										HARD									
TEXTURE OR GRAIN SIZE										HAND TOOLS										MODERATELY INDURATED										INDURATED									
U.S. STD. SIEVE SIZE OPENING (MM)										INDURATION										EXTREMELY INDURATED										INDURATED									
BOULDER (BLDR.), COBBLE (COB.), GRAVEL (GR.), COARSE SAND (CSE. SD.), FINE SAND (F. SD.), SILT (SL.), CLAY (CL.)										FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.										FRIABLE										MODERATELY INDURATED									
GRAIN SIZE										FRIABLE										INDURATED										EXTREMELY INDURATED									
SOIL MOISTURE - CORRELATION OF TERMS										MODERATELY INDURATED										INDURATED										EXTREMELY INDURATED									
SOIL MOISTURE SCALE (ATTERBERG LIMITS)										INDURATED										INDURATED										EXTREMELY INDURATED									
FIELD MOISTURE DESCRIPTION										INDURATED										INDURATED										EXTREMELY INDURATED									
GUIDE FOR FIELD MOISTURE DESCRIPTION										INDURATED										INDURATED										EXTREMELY INDURATED									
LIQUID LIMIT										INDURATED										INDURATED										EXTREMELY INDURATED									
WET - (W)										INDURATED										INDURATED										EXTREMELY INDURATED									
PLASTIC LIMIT										INDURATED										INDURATED										EXTREMELY INDURATED									
OPTIMUM MOISTURE										INDURATED										INDURATED										EXTREMELY INDURATED									
SHRINKAGE LIMIT										INDURATED										INDURATED										EXTREMELY INDURATED									
MOIST - (M)										INDURATED										INDURATED										EXTREMELY INDURATED									
DRY - (D)										INDURATED										INDURATED										EXTREMELY INDURATED									
PLASTICITY										INDURATED										INDURATED										EXTREMELY INDURATED									
NON PLASTIC										INDURATED										INDURATED										EXTREMELY INDURATED									
SLIGHTLY PLASTIC										INDURATED										INDURATED										EXTREMELY INDURATED									
MODERATELY PLASTIC										INDURATED										INDURATED										EXTREMELY INDURATED									
HIGHLY PLASTIC										INDURATED										INDURATED										EXTREMELY INDURATED									
COLOR										INDURATED										INDURATED										EXTREMELY INDURATED									
DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.										INDURATED										INDURATED										EXTREMELY INDURATED									

PROJECT REFERENCE NO.	SHEET NO.
R-4705	3
<b>SITE PLAN</b>	
 FEET	
<b>SKEW = 90°</b>	





<b>PROJECT REFERENCE NO.</b>	<b>SHEET NO.</b>
R-4705	4
<b>CULVERT PROFILE ALONG -L- CROSS SECTION AT 53+70.20</b>	
<b>SKEW=90 DEGREES</b>	



# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 38932.1.FD1		TIP R-4705		COUNTY MARTIN		GEOLOGIST S. Woods										
SITE DESCRIPTION CULVERT ON NC 125/ SR 1142 (PRISON CAMP RD.) OVER COLLIE SWAMP TRIBUTARY 1							GROUND WTR (ft)									
BORING NO. B-23		STATION 53+50		OFFSET 30 ft LT		ALIGNMENT -L-										
COLLAR ELEV. 29.2 ft		TOTAL DEPTH 6.0 ft		NORTHING 739,899		EASTING 2,528,062										
DRILL RIG/HAMMER EFF./DATE N/A				DRILL METHOD Hand Auger		HAMMER TYPE N/A										
DRILLER S. Davis		START DATE 08/07/18		COMP. DATE 08/07/18		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
30															29.2	0.0
25											S-512	58%		ALLUVIAL Very Soft to Soft, Dark Gray, Silty CLAY (A-7-5) with Trace Organics (Roots)		
														UNDIVIDED COASTAL PLAIN Very Soft to Soft, Gray, Fine Sandy Silty CLAY (A-7)		
														23.5	5.7	
														23.2	6.0	
Boring Terminated at Elevation 23.2 ft in CLAY (UNDIVIDED COASTAL PLAIN)																
Note: 1. Hand auger terminated at 6.0' due to Cave-in																

WBS 38932.1.FD1		TIP R-4705		COUNTY MARTIN		GEOLOGIST M. Durway										
SITE DESCRIPTION CULVERT ON NC 125/ SR 1142 (PRISON CAMP RD.) OVER COLLIE SWAMP TRIBUTARY 1							GROUND WTR (ft)									
BORING NO. B-23(2)		STATION 53+98		OFFSET 14 ft LT		ALIGNMENT -L-										
COLLAR ELEV. 32.0 ft		TOTAL DEPTH 5.7 ft		NORTHING 739,925		EASTING 2,528,106										
DRILL RIG/HAMMER EFF./DATE N/A				DRILL METHOD Hand Auger		HAMMER TYPE N/A										
DRILLER W. Pesl		START DATE 09/06/19		COMP. DATE 09/06/19		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
35															32.0	0.0
30														Sat.	29.3	2.7
															ROADWAY EMBANKMENT Loose, Dark Brown, Gray, Silty Fine SAND (A-2-4) with Trace Organics (Roots)	
															26.3	5.7
														Sat.		
Boring Terminated at Elevation 26.3 ft in CLAY (ALLUVIAL)																
Notes: 1. Surficial Organic Soils=0.0'-0.2' 2. Hand auger terminated at 5.7' due to Cave-in 3. Boring offset due to road flooding																

NCDOT BORE DOUBLE R4705\_GEO\_BH\_CULVERT.GPJ NC\_DOT.GDT 9/16/19

# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 38932.1.FD1		TIP R-4705		COUNTY MARTIN		GEOLOGIST S. Woods										
SITE DESCRIPTION CULVERT ON NC 125/ SR 1142 (PRISON CAMP RD.) OVER COLLIE SWAMP TRIBUTARY 1							GROUND WTR (ft)									
BORING NO. B-24		STATION 53+55		OFFSET 30 ft RT		ALIGNMENT -L-										
COLLAR ELEV. 30.6 ft		TOTAL DEPTH 3.2 ft		NORTHING 739,864		EASTING 2,528,111										
DRILL RIG/HAMMER EFF./DATE N/A				DRILL METHOD Hand Auger		HAMMER TYPE N/A										
DRILLER S. Woods		START DATE 10/23/18		COMP. DATE 10/23/18		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
35																
30											S-3006	42%		GROUND SURFACE	0.0	
											Sat.			ALLUVIAL Very Soft to Soft, Dark Brown-Gray, Fine to Coarse Sandy Silty CLAY (A-7-6) with Little Organics (Roots and Leaves)	3.2	
														Boring Terminated at Elevation 27.4 ft in CLAY (ALLUVIAL)		
														Note: 1. Hand auger terminated at 3.2' due to Cave-in		

WBS 38932.1.FD1		TIP R-4705		COUNTY MARTIN		GEOLOGIST M. Durway										
SITE DESCRIPTION CULVERT ON NC 125/ SR 1142 (PRISON CAMP RD.) OVER COLLIE SWAMP TRIBUTARY 1							GROUND WTR (ft)									
BORING NO. B-24(2)		STATION 53+94		OFFSET 11 ft RT		ALIGNMENT -L-										
COLLAR ELEV. 32.2 ft		TOTAL DEPTH 6.0 ft		NORTHING 739,906		EASTING 2,528,122										
DRILL RIG/HAMMER EFF./DATE N/A				DRILL METHOD Hand Auger		HAMMER TYPE N/A										
DRILLER W. Pesl		START DATE 09/06/19		COMP. DATE 09/06/19		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
35																
30														GROUND SURFACE	0.0	
														ROADWAY EMBANKMENT	1.5	
														Loose, Dark Brown-Gray, Silty Fine SAND (A-2-4) with Trace Organics (Roots)	3.0	
														ALLUVIAL	6.0	
														Soft, Dark Gray-Gray, Fine Sandy CLAY (A-6) with Trace Organics (Roots)		
														Soft, Dark Gray, Silty CLAY (A-7) with Trace Organics (Roots)		
														Boring Terminated at Elevation 26.2 ft in CLAY (ALLUVIAL)		
														Notes: 1. Surficial Organic Soils= 0.0'-0.2' 2. Hand auger terminated at 6.0' due to Cave-in 3. Boring offset due to road flooding		

NCDOT BORE DOUBLE R4705\_GEO\_BH\_CULVERT.GPJ NC\_DOT.GDT 9/16/19

**North Carolina Department of Transportation  
Division of Highways  
Materials and Test Unit  
Soils Laboratory**

T.I.P. ID NO.: R-4705  
DESCRIPTION: Culvert on NC 125/ SR 1142 (Prison Camp Rd.) over Collie Swamp Tributary 1

REPORT ON SAMPLES OF: SOIL FOR QUALITY

F&R PROJECT #: 66V-0314  
DATE SAMPLED: 5/17 to 8/17  
SAMPLED FROM: Various  
SUBMITTED BY: Cheng Wang

COUNTY: Martin  
RECEIVED: 5/18 to 8/18  
REPORTED: 5/18 to 8/18  
BY: D. Council

**TEST RESULTS**

PROJ. SAMPLE NO.	S-512	S-3006
BORING NO.	B-23	B-24
Retained #4 Sieve %	0.0	0.0
Passing #10 Sieve %	100.0	99.4
Passing #40 Sieve %	97.3	90.5
Passing #200 Sieve %	91.5	57.8

SOIL MORTAR - 100%		
Coarse Sand Ret - #60 %	4.0	18.8
Fine Sand Ret - #270 %	5.7	26.1
Silt 0.053 - 0.010 mm %	40.4	20.6
Clay < 0.010 mm %	49.9	34.5
L.L.	65	43
P.L.	41	23
P.I.	24	20
AASHTO Classification	A-7-5 (29)	A-7-6 (9)
Station	53+50	53+55
Offset	30' Lt	30' Rt
Depth (ft)	0.0	0.0
to	0.4	0.4
Alignment	-L-	-L-
Moisture Content (%)	57.8	42.2
Organic Content (%)	NT	6.6

NP = Not plastic  
NT = Not tested  
ND = Not Determined  
CL = Centerline

W.P. Alton, P.E.  
Soils Engineer