



POURING SEQUENCE

⊕ INDICATES POUR NUMBER AND DIRECTION OF POUR



TRANSVERSE CONSTRUCTION JOINT

(REINFORCING STEEL IN SLAB NOT SHOWN)
(LONGITUDINAL AND TRANSVERSE REINFORCING STEEL SHALL BE CONTINUOUS THROUGH JOINT)



OPTIONAL POURING SEQUENCE

POURS ② & ③ OF THE OPTIONAL POUR SEQUENCE MAY NOT BE STARTED UNTIL BOTH ADJACENT POURS ① HAVE REACHED A MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI.

PROJECT NO. B-3186/B-5898
HAYWOOD COUNTY
 STATION: 42+71.13 -L-
 SHEET 1 OF 3

STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 RALEIGH

**SUPERSTRUCTURE
 BILL OF MATERIALS**



1/25/2022

REVISIONS					
NO.	BY:	DATE:	NO.	BY:	DATE:
1	--	--	3	--	--
2	--	--	4	--	--

SHEET NO. SOI-35
 TOTAL SHEETS 59

PLOT DRIVER: NCDOT STRUCTURES DEFAULT PLOTTER.plt PENTABLE: NCDOT STRUCTURES DEFAULT PEN.tbl
 USER: PETERSON DATE: 1/25/2022 TIME: 8:31:19 AM
 FILE: ... \401.170.B5898B3186.SMU.BM.035_430168.dgn

DES BY: <u>H. ABU NIMEH</u>	DATE: <u>05/21</u>	DWG BY: <u>B. PETERSON</u>	DATE: <u>05/21</u>
DES CHK: <u>K. DICKENS</u>	DATE: <u>05/21</u>	CHK BY: <u>K. DICKENS</u>	DATE: <u>07/21</u>



**DOCUMENT NOT CONSIDERED FINAL
 UNLESS ALL SIGNATURES COMPLETED**