

LEVEL III CERTIFIED BY: MATTHEW HARVEY, PE CERTIFICATION NUMBER: 3487 ISSUED: MARCH 15, 2022

Prepared in the Office of: MOTT MACDONALD MOTT MACDONALD ENGINEERING

CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 38

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.


NOTE: PERIMETER EROSION CONTROL MEASURES SHALL BE INSTALLED DURING CLEARING AND GRUBBING PHASE.

NOTE: CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES IN ACCORDANCE WITH THE "SOIL STABILIZATION TIMEFRAMES", SEE EC-3.

NOTE: PRIOR TO INSTALLATION OF EROSION CONTROL DEVICES, CONTRACTOR SHALL VERIFY BOUNDARIES OF JURISDICTIONAL AREAS AND DELINEATE WITH SAFETY FENCE OR FLAGGING.

NOTE: ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN EXISTING RW OR EASEMENT.

MATCHLINE -L- STA. 904 + 00 SEE SHEET NO. 37



175 x 62 x 3 3 inch Skimmer with 2.625 inch Orifice Diameter 40 ft. weir ID 38.1

140 x 70 x 3 3 inch Skimmer with 2.75 inch Orifice Diameter 34 ft. weir ID 38.2

End TIP Project I-5897B -L- Sta. 915 + 07.85 Tie to TIP Project U-2519AA -Y- Sta. 22 + 89.87

PI Sta 911+19.74 Δ = 0°16' 41.9" (RT) D = 0°09' 49.3" L = 170.02' T = 85.01' R = 35,000.00' SE = NC

PI Sta 912+89.76 Δ = 0°16' 41.9" (LT) D = 0°09' 49.3" L = 170.02' T = 85.01' R = 35,000.00' SE = NC